



CONSULT/REQUEST TRACKING USER MANUAL



Version 3.0

December 1997

August 2014 Update

Department of Veterans Affairs
Technical Services
Computerized Patient Record System Product Line

Revision History

GMRC*3*75 - Modified description for CONSULT/REQUEST UPDATED; added description of HCPS and RAS to Glossary	Pages 160 , 167 , 169	August 2014	J. [REDACTED]
GMRC*3*71 -Modified description for CONSULT/REQUEST UPDATED	Pages 162	August 2011	[REDACTED]
Earliest Appropriate Date Patch 66	Pages 30 , 36 , 77 , 89	February 2011	[REDACTED]
Combat Veteran (CV) status added to SF 513		August 2009	[REDACTED]
Updates/corrections to patient and provider names to comply with SOP 192-352		April 2006	[REDACTED]
SOP 192-352 applied (scrubbed)		December 2004	[REDACTED]
Include Patch 25		June 2002	
Include Patch 22 & 25		April 2002	
Include Patch 17		November 2001	
Include Patch 21		June 2001	
Include Patch 15, 19, and 20		February 2001	
Include Patches 13, 14, 16, and 18		October 2000	
Add Patches 6 thru 8, 11, and 12		July 2000	
Include Patches 1 thru 5		September 1998	
Originally released		December 1997	

Table of Contents

Introduction.....	1
Overview	2
Purpose	2
Relationship to Other Packages	3
Enhancements since Version 2.5	5
Relations with other Vista Components.....	7
Related Manuals and Other References.....	9
Package Orientation	11
Windows Interface	12
User Introduction to GUI.....	12
Character-based Interface.....	17
Special Keys, Commands, and Option Responses	17
VISTA Conventions.....	17
List Manager Conventions	18
Printing Conventions	21
Package Management.....	23
Service Update and Tracking Security.....	23
Consult Service Tracking.....	23
Package Operation.....	25
Work Flow	26
1. The Clinician Orders a Consult.....	27
2. The Consult Service Gets a Written Copy	36
3. If Accepted, an Appointment is Held.....	37
4. Results are Entered and Signed.....	40
5. The Originating Clinician Receives an Alert that the Consult is Complete	43
6. The SF 513 Report Becomes Part of the Patient's Medical Record	45
Quick Orders	47
Using the Consults Package with TIU.....	49
Direct TIU Input	49
Correcting Misdirected Results.....	53
Using the Consults Package with Medicine	66
Using the Consults Package with Clinical Procedures	69
Windows Quick Start.....	70
Introduction.....	71
Windows Flow of Information	72
Other Windows Topics	88
Package Reference	103

Table of Contents

General Service User Menu	103
Consult Service Tracking Option	104
Completion Time Statistics	109
Service Consults Pending Resolution.....	110
Consult Status	111
Actions	115
Brief Action Descriptions.....	115
Add Comment (CM) Action.....	119
Cancel (or Deny) Consult.....	120
Change View (CV) Action	122
Complete Request (CT) Action	124
Complete Request (CT) Action	124
Deny Request (DY) Action	125
Detailed Order Display (DD) Action	126
Discontinue Order (DC) Action	130
Edit/Resubmit (ER) Action	132
Forward Request (FR) Action	133
Make Addendum (MA) Action	134
Print Form (PF) Action	135
Print Screen Contents (PS) Action	136
Quit (Q) Action	137
Receive Request (RC) Action	138
Remove Medicine Results (RM).....	140
Results Display (RT) Action	142
Schedule (SC) Action.....	143
Select New Patient (SP) Action.....	145
Significant Findings (SF) Action.....	147
Notifications about Consults and Requests.....	149
Enabling Notifications.....	153
New Service Consult/Request	156
Consult/Request Resolution	159
Consult/Request Updated	160
Consult/Request Cancel/Hold	161
Consult/Request Has an Added Comment.....	166
Order(s) Require Electronic Signature	166
Significant Findings for a Consult.....	167
Glossary	169
Index	171

Introduction

The *Consult/Request Tracking User Manual* provides descriptions of Consults' options and other information required to effectively use the Consult/Request Tracking package (or Consults).

This manual is for people who use the Consults package in the course of their hospital duties, including:

Care providers: doctors, nurses, pharmacists, and therapists who make or service requests for consultations on patients.

Clerical staff, who assist the above-mentioned people.

Quality Assurance and management, who have an interest in seeing that VA patients receive the best possible care.

Consults functionality is available from a Windows interface (GUI—Graphical User Interface) on a PC workstation or from a roll-and-scroll List Manager (LM) interface on a traditional CRT (Cathode Ray Tube) terminal or terminal emulation software on a PC workstation.

You can pull out parts of this manual, such as the **User Introduction to GUI** section or the **Package Operation** section, to use for unit training or reference. General parts of this manual, such as the **Package Orientation** section, have been written with examples from Consults to make the general information more meaningful to this application.

Overview

Purpose

Consult/Request Tracking package V. 3.0 improves the quality of patient care by:

Interfacing with CPRS to provide an efficient mechanism for clinicians to order consults and procedure requests.

Providing consulting services with the ability to update and track the progress of a consult/procedure request from the point of receipt through its final resolution.

Providing results reporting that includes doctor's notes and comments entered during the tracking process.

Relationship to Other Packages

The Consults package works with the following packages:

Computerized Patient Record System (CPRS)

Text Integration Utilities (TIU)

Relationship of Consults to CPRS

From CPRS Actions to Consults:

Ordering

Order checking

Order updates via HL7 messages

Inter-Facility Consults via HL7 messages

Tracking Consults activity

Resulting TIU and Consults

Notifications

From Consults actions to CPRS:

Consult status changes update the CPRS order

Forwarded and edit/resubmitted consults get a new service/correction order from CPRS

Sends alerts based on consult activity

Relationship of Consults to TIU

From TIU Actions to Consults:

Select a consult to associate with a note

One consult link per consult note

Sends TIU updates to consult package for:

 New consult note entered

Consult note completed

Introduction

New addendum completed

Disassociate a note

Extract notes for SF 513 and displays

From Consult Actions to TIU:

A consult may have multiple notes associated with it.

Lists the notes associated with a consult.

Uses TIU to act on a note.

Updates consult status and activity log from TIU updates.

Enhancements since Version 2.5

General

Consults now uses the List Manager (LM) interface.

Consults can also be accessed through Windows NT, Windows 95, or a later Microsoft Windows version with the CPRS GUI Interface.

Consult ordering is managed by CPRS Order Entry from within the CPRS Order tab. This includes Quick Orders.

Consult resulting is based on TIU Consult Notes, Medicine package results, and provider comments.

Services must be defined within the ALL SERVICES hierarchy in order to access their consults and requests.

Tracking services are not orderable unless the user is an update user for the service or its parent service.

The ordering provider may edit and resubmit a consult after it has been canceled.

Alert Actions

Users can process consult service update actions from the alert.

The recipient of an alert for a cancelled request, can edit and resubmit the request from the alert

Reporting

The Standard Form 513 is based on a hard-coded consults routine instead of the OE/RR Print Formats. This facilitates results printing when the consult reaches final resolution.

A report with completion time statistics has been added.

A report with pending consults has been added.

Lists of consults can be viewed by order status, service, and/or date range.

Communications

HL7 messages and protocols are the communications medium between CPRS and Consults.


Setup

Consult services have a related entry in the CPRS Orderable Items file (#101.43).

Management of procedures and services must be done through Consult options.

Relations with other VistA Components

The Consults package communicates with CPRS through HL7 messages. Order Checking receives information from the Consults package through CPRS. Notifications is the only major package that Consults communicates with directly. When the requesting clinician signs the order, Consults sends a notification to the consulting physician and when the consulting physician signs the final report, Consults sends a notification to the requesting physician.



Introduction

Inter-Facility Consults (IFC) are requested, acted upon, and viewed the same way as regular Consults. Typically consults that are handled at a different facility have the remote facility indicated in their title, such as “Eye Exam—Salt Lake.” The software uses HL7 messaging in the background to communicate inter-facility consults and actions between cooperating facilities. Results are filed at the resulting facility, but since CPRS uses Remote Data Views in the background to access the results, users do not need to treat Inter-Facility Consults any differently.

Related Manuals and Other References

If you are an ADPAC or IRM personnel, the *Consult/Request Tracking Technical Manual* would probably aid in your understanding of Consults setup and operation.

Consults is installed with CPRS, so the *CPRS Installation Guide* is the appropriate manual to refer to on installation issues that aren't covered in the *Consult/Request Tracking Technical Manual*.

TIU provides boilerplate text and other text-oriented services. The *TIU Clinical Coordinator & User Manual* would assist you in using these features.

Consults package is highly integrated with CPRS. As such, any Consults package user should be familiar with the *CPRS Clinician's Getting Started Guide* and the *CPRS Clinical Coordinator & User Manual*.

See our web pages at:



Package Orientation

The Introduction, Package Orientation, and Package Management sections of this manual provide general package information about the Consults package. The Package Operation section of this manual is specific to Application Coordinators, CPRS users, and Consults users.

Anyone using the Consults package needs to know how to log on, navigate among menus and options, and respond to prompts for data entry. If necessary ask your Application Coordinator or an IRMS staff member to help you in obtaining material on these topics. *VISTA* instruction manuals, such as the *DHCP User's Guide to Computing*, provide basic information about general computing and your computer system.

Windows Interface


The CPRS graphical interface (GUI) supports entry and tracking of consults through the Consults tab.

User Introduction to GUI

A Graphical User Interface has two modes of operation, keyboard and pointer device. You will find some things easier and more convenient to do with the pointer device and other things easier to do with the keyboard. In Windows, there is no one correct way to do things.

Pointer Device

The most common pointer device is the mouse. Other less commonly used pointer devices are the track ball, light pen, and graphics tablet. We concentrate on mouse usage in this manual and use the term mouse interchangeably with the term pointer device.



It is important to hold the mouse correctly. Do this by resting the palm of your hand on the large part and your fingers on the buttons as shown in the illustration below.

Your right index finger should be on the leftmost button on the mouse. Whenever you are supposed to click something, it refers to this finger and this button. (If you are left-handed, ask your ADPAC to show you how to change the system settings to accommodate you.)

Occasionally, the rightmost mouse button needs to be clicked. If this is the case we say “right click” in the instructions.

If you are nervous about using the mouse, practice with it. Here is a practical suggestion: Most workstations have help files that are provided by the equipment manufacturer to assist you in learning about the machine. Practice browsing through these files with the mouse. Have your ADPAC show you how to access these features on your machine.

Keyboard Input

In the CPRS GUI program, most functions that can be accomplished with the pointer device or mouse can also be accomplished with the keyboard. The table below summarizes functions you may want to do with the keyboard or pointer device:

Function	Keyboard	Mouse
Select a pane (sub-window)	Tab	Point and Click
Select a button	Tab	
Press a button	Enter	Point and Click
Select the previous button	Shift and Tab	Point and Click
Select a field	Arrow Keys	Point and Click
Select a range of characters	Shift and Arrow	Press and Drag
Select a menu option	Alt and code	Point and Click
Select a tab	Alt+V then code	Point and Click

Explanations:

Select a pane puts the focus in the sub-window of your choice. If you press the Tab key, the cursor shifts from one pane to another. This is equivalent to pointing to a pane with the mouse and clicking once.

Select a button; in Windows dialogs containing buttons, pressing the Tab moves the highlight from one button to the next. There is no equivalent mouse action.


Press a button by hitting the Enter key. With this action you activate whatever button is currently highlighted. Selecting a button with the Tab key and then pressing Enter are equivalent to pointing at the button with the mouse and clicking.

Select the previous button is accomplished by holding down the Shift key while pressing the Tab key.

Select a field is accomplished by using the Up or Down arrow keys. If you use the mouse, just click in the field.

Select a range of characters is accomplished by holding the Shift key down while using the Arrow keys. You can achieve the same effect by holding the left mouse button down while moving (dragging) the mouse.

Select a menu option by holding the Alt key down while pressing the underlined letter in the menu name. Once the menu is open, press the underlined key alone to activate your chosen menu option.




In the example above, the View the Chart Tab Consults can be accomplished one of three ways:

Menu access from the keyboard by pressing Alt and V, then T, then T again.

With a mouse, the same thing is accomplished by clicking on View, then pointing to Chart Tab, then pointing to Consults and clicking again.

Using the key combination listed in the menu. This is called a hotkey. To use it, press Ctrl and T at the same time.




Since the chart tabs are controls similar to buttons, just clicking on one of them with the mouse is sufficient to change the view to that tab.

Help

Selecting Help then Contents from the main menu bar brings up a large help file. Pressing the F1 key brings up help on the current tab or dialog.


Scrolling

If the cursor is in a list or text box, the arrow keys as well as the Page Up and Page Down keys can be used to see other parts of the text. Also, the scroll bar can be used.



The illustration above names the three buttons on the scroll bar. Clicking the up and down buttons is equivalent to using the up or down arrow key. Clicking above or below the scroll button is equivalent to using the Page Up or Page Down key. You also may drag the scroll button to quickly move from one part of the text to another.

Printing



The contents of each tab can be printed by selecting the Print command from the File menu on the main menu bar. This will open the print dialog:

You must select a device and click OK before printing takes place.

Character-based Interface

You can use the character-based interface from a standard CRT terminal, or you can use it from a PC Workstation through a terminal emulation program.

Much of the character-based interface for Consults simulates the GUI interface with the CPRS screen.

Special Keys, Commands, and Option Responses

This section of the User Manual provides definitions for user responses and program symbols used throughout the Consults package. Consults runs under VA FileMan and List Manager. FileMan is the environment you are probably used to. It displays new information on the screen by scrolling previous information up (sometime scrolling it off the screen).

List Manager runs under FileMan, so it shares with it the command prompt and the command vocabulary. Unlike FileMan, it does not scroll information off the top of the screen. Rather, it places information in pre-defined locations in the screen area, and allows you to scroll variable length information (lists) within a pre-defined information window.

VISTA Conventions

Consults follows *VISTA* user conventions. Package-specific symbols, keys, and option responses are briefly described here and fully described throughout this manual at appropriate places.

User Responses

- | | |
|----------------------|--|
| <Enter> | This is the symbol for the Enter key used in this manual. (For some terminals, this key is labeled Return or has the ↵ symbol on it.) It is entered after every response or used alone when you wish to bypass a prompt, accept a default, or return to a previous action. |
| ? | Entering a question mark after a prompt displays valid instructions for responding to that prompt. |
| ?? | Entering two question marks after a prompt usually displays a list of choices for responding to that prompt. |
| ??? | Entering three question marks usually displays more extensive instructions for responding to that prompt. |

- ^** A single up-arrow (sometimes called a caret or a circumflex) does several functions in the package depending on where you are and what you are doing.
- The up-arrow can terminate a series of questions and return you to a previous level.
- ^^** Exits you out of the option you're in and returns you to the menu.

Program Symbols

- //** Double slashes mean a default response has been provided by the Consults package. A default response is either the most likely choice or a previously entered response. For example, "Select Service/Specialty: MEDICINE//". If you wish to select the default response MEDICINE, press the Enter key. Otherwise, type the name of another service or specialty.

List Manager Conventions

List Manager simulates a graphical user interface (GUI) on terminals that are not equipped for graphical display. It also provides a mechanism for programs running on a PC workstation equipped with Windows NT, Windows 95, or a higher number Windows operating system to perform Consults package functions.

By simulating a windowing environment, List Manager gives you some of the advantages of Windows without requiring you to have a PC workstation. You have better control over what appears on your screen than in standard *VISTA*, and the display is organized to simulate a paper medical record.

Standard parts of a CPRS List Manager screen:

The diagram shows a screenshot of a CPRS List Manager screen with several labels and arrows pointing to specific areas:

- Current Program Name:** Points to the top left header area.
- Current Date and Time:** Points to the top center header area.
- Page number and size for Information Window:** Points to the top right header area.
- Patient Identification:** Points to the patient name and SSN area.
- Patient Location:** Points to the patient location field.
- Patient date of birth and age:** Points to the patient birth date and age field.
- Information Window:** Points to the main content area showing patient history.
- Prompt Instructions:** Points to the bottom section with action options.
- Current Action List:** Points to the bottom section with action options.
- Prompt:** Points to the bottom section with action options.

Cover Sheet		Jan 10, 1997 08:51:48	Page: 1 of 2
CPRSPATIENT, ONE 666-23-6572		28 M	SEP 12, 1944 (52)
<u>Alert</u>		<u>Entered</u>	
<u>Allergies/Adverse Reactions</u>			
1	Moderate reaction to AMOXICILLIN (hives, itching, watering eyes, nausea, vomiting, diarrhea)	08/23/95	
2	Moderate reaction to ASPIRIN (anxiety, hypotension, abdominal pain)	08/23/95	
3	Mild reaction to MILK (nausea, vomiting, diarrhea)	08/23/95	
<u>Patient Postings</u>			
4	ADMINISTRATIVE ADR NOTE	02/05/99 12:58	
5	ADVANCE DIRECTIVE	09/23/98 13:40	
6			
<u>Recent Vitals</u>			
	Temp: 98.2 F (36.8 C)	01/20/99 08:55	
+ Enter the numbers of the items you wish to act on. >>>			
NW	Enter New Allergy/ADR CV (Change View ...)	SP	Select New Patient
AD	Add New Orders CC Chart Contents ...	Q	Close Patient Chart
Select: Next Screen//			

Key to above figure:

Current Program Name tells you what program or package is in control. These programs correspond to the tabs in a hard-copy patient record.

Current Date and Time is the date and time supplied by the computer operating system.

Page number and size for Information Area. List Manager automatically divides the contents of the Information Area into pages of one screen-full each. This display informs you how many of these pages there are and which one you are on.

Patient Identification is the name and social security number of the patient whose chart you are looking at.

Patient Location is the location that was last entered on this patient.

Patient Date of Birth and Age is the date of birth, with the age in parentheses, of the patient at the time List Manager last painted the information on the screen.

Information Window contains a list of information from the patient's computer-stored record. It corresponds to the program listed in the upper left-hand corner of the screen.

Prompt Instructions displays context sensitive information about how you can respond to the current prompt. Included in this line is a plus (+) if the page can be scrolled vertically and greater-than signs if the page can be scrolled horizontally.

Current Action List is a short list of actions that you can use.

Prompt where actions can be entered.

Standard Actions

Certain menu actions are usually in effect while using Consults. A complete list of currently active actions is displayed by typing two question marks (??) at the prompt. The most common hidden actions are:

-	Scroll up one screen in the current tabbed section.
+	Scroll down one screen in the current tabbed section.
<	Shift the view to the left.
>	Shift the view to the right.
AD	Add a new order to the current tabbed section. Same as using the NW action from the orders tab.
ADPL	Toggles (turns off or on) the automatic menu display.
CWAD	Display the Confidential Patient Warnings Summary on the screen.
DN	Scroll down one line in the current tabbed section.
FS	First Page. Go to the top of the current tabbed section.
GO	Go to a specific page in the current tabbed section.
LOC	Temporarily changes the patient location and/or provider for ordering purposes.
LS	Last Page. Go to the bottom of the current tabbed section.
NW	Add a new entry to the current tabbed section.
PI	Patient Inquiry. Displays patient information such as address, ward assignments, and eligibility information.
PL	Print List. Print the data contents of the current tabbed section.

Package Orientation

PS	Print Screen. Print the data contents of the current screen.
RD	Re-display the current screen.
RV	Review newly placed orders. Displays both signed and unsigned orders from the current session.
SL	Search List. Search the current tabbed section for a specific word or string of characters.
UP	Scroll up one line in the current tabbed section.

Printing Conventions

When you are prompted for `Device:`, you have the following choices:

<Enter>	Accepts the default, causing the order(s) to be displayed on your screen.
LASER	Enter a valid printer name (LASER is an example).
?	Lists printers from which you can select one.
Q or q	Allows you to queue the Consults task (meaning it will print at a later time and place). When queuing a task, make sure you enter a time in addition to a date, for example:

```
DO YOU WANT YOUR OUTPUT QUEUED? NO//  YES
Requested Start Time:  NOW//  T+1@1500
```


Package Management

Service Update and Tracking Security

Your ADPAC can use the Consult Service User Management option, in conjunction with availability to various menus and options, to control access to Consults functionality. The menus that can be provided to you are:

Consult Service Tracking

The Consult Service Tracking menu provides access to basic consult tracking functions and reports, but can also provide complete update capabilities if you have been granted update privileges by your ADPAC.

Individual options in the Consults package that may be useful to you, and what access they provide, are detailed in the following table:

Option	Services
Consult Service Tracking	Tracking and/or update functionality depending upon your individual privileges.
Completion Time Statistics	Reporting.
Service Consults Pending Resolution	Reporting.

With the GMRC Service User Management option, your ADPAC can set you up to be an update user for one or more services at your hospital. In addition, the ADPAC can grant the ability to receive consult notifications according to criteria outlined in the following table:

Category	Notifications Received
UPDATE USERS W/O NOTIFICATIONS	Unless otherwise set up, will not receive notifications.
UPDATE TEAMS W/O NOTIFICATIONS	Unless otherwise set up, will not receive notifications.
UPDATE USER CLASS W/O NOTIFS	Unless otherwise set up, will not receive notifications.
SERVICE INDIVIDUAL TO NOTIFY	Receive consult notifications for your service.
SERVICE TEAM TO NOTIFY	Receive consult notifications for patients assigned to your team.
NOTIFICATION BY PT LOCATION INDIVIDUAL TO NOTIFY	Receive all consult notifications for your service for patients in a specified ward.
NOTIFICATION BY PT LOCATION TEAM TO NOTIFY	Receive consult notifications for patients assigned to your team and in a specified ward
SPECIAL UPDATES INDIVIDUAL	An individual who has privileges to perform group status updates.

These categories are not mutually exclusive, meaning you may receive notifications based on being present on one or more of the lists detailed in the foregoing table.

Privilege	Granted
Originate a consult	Anyone with access to CPRS
Sign a consult	Anyone who can sign an order
Change a consult status	Anyone with update privileges
View or print a consult	Anyone with access to CPRS

In summary, update user capabilities vary depending on

The option(s) that you are assigned.

Privileges granted in the Consults Service User Management option.

Package Operation

The operation of the Consults package involves multiple people, at various skill levels, in various parts of the hospital. A consult request may be entered by a clinician or a clerk under a clinician's direction. This request acts as a depository of information about itself. It collects notes and keeps records on everything that happens to it. When complete it becomes part of the patient's medical record.

In the pages that follow, we present this flow of information, and show the actions that must be taken at each step in the process. Many of these actions must be taken by persons other than those originating the consult.

Also, Consults uses CPRS during the initiation process and TIU during the completion process. In this section, we give some information about each of these packages that may help you in using Consults.

Typical Consults Information Flow



(1) Clinician orders a consult



(2) Consult service gets a written copy



(3) If accepted, an appointment is held



(4) Results are entered and signed



(5) Originating clinician receives an alert that the consult is complete



(6) The SF 513 report becomes part of the patient's medical record

Work Flow

1. The clinician orders a consult.

While in a patient's CPRS medical record, a clinician enters an order for a consultation or procedure.

2. The consult service gets a written copy.

An alert and a hard-copy of the SF 513 are sent to the consult service.

3. If accepted, an appointment is held.

To accept the consult, the service uses the **receive** action. The service can also **discontinue** or **cancel** the consult. Cancelled consults can be edited and re-submitted by the ordering clinician.

4. Results are entered and signed.

The consult service enters results and comments. Resulting is primarily done using TIU.

5. The originating clinician receives an alert that the consult is complete.

The results can now be examined and further action taken on behalf of the patient.

6. The SF 513 report becomes part of the patient's medical record.

A hard copy can be filed and the electronic copy is on line for paperless access.

1. The Clinician Orders a Consult

Consult orders can be entered:

From the CPRS medical record screen, Consults tab
CPRS GUI interface program, Consults tab

Ordering Within the CPRS Package

Primarily, Consult orders should be placed through the CPRS Add New Orders action.

In this manual we provide a step-by-step display of the process for ordering consult or procedures requests through the CPRS package. We first go through a brief list of steps, then we discuss each step in detail.

To Order a Consult:

- A. Select CPRS Clinician Menu (OE) from the Clinician Menu.
- B. Select the patient.
- C. Select Chart Contents then Consults.
- D. Select Order New Consult.
- E. Answer questions on the particulars of the request.

To go over in detail how to order a consult:

A. Select CPRS Clinician Menu (OE) from the Clinician Menu

Exactly how you do this option depends on how IRM or your ADPAC set up your menu. This example shows one way of performing step A.

```
Select Clinician Menu Option: ?

OE      CPRS Clinician Menu
RR      Results Reporting Menu
AD      Add New Orders
RO      Act On Existing Orders
PP      Personal Preferences ...

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.
Select Clinician Menu Option: OE
```

The screen now looks like this:

Patient Selection		Apr 07, 1999 14:51:30		Page: 1 of 1	
Current patient: ** No patient selected **					
Patient Name	ID	DOB	Room-Bed		
No patients found.					
Enter the number of the patient chart to be opened >>>					
+ Next Screen	CV	Change View ...	FD	Find Patient	
- Previous Screen	SV	(Save as Default List)Q	Close		
Select Patient: Change View //					

B. Select the Patient

Select the patient as you would in any other package. Type a patient ID such as the patient's name, social security number, or the patient's last initial followed by the last 4 digits of the social security number. If more than one patient matches the key you entered, select the patient from the list presented on the screen.

Select Patient: Change View // C2342					
1	C2342	CPRSPATIENT,TWO	03-04-32	666902342	MILITARY RETIREE
2	C2342	CPRSPATIENT,TWELVE	02-03-23	666242342	MILITARY RETIREE
CHOOSE 1-2: 2		CPRSPATIENT,TWELVE	02-03-23	666242342	MILITARY RETIREE
Searching for the patient's chart ...					

(Continued on the next page.)

The screen now looks something like this:

Cover Sheet		Feb 13, 1999 12:53:14	Page: 1 of 2
CPRSPATIENT,TWELVE 666-24-2342		1A/B-1	FEB 3,1923 (74) <CA>
PrimCare: CPRSPProvider, Three		PCTeam: GOLD	

Item	Entered
1 Allergies/Adverse Reactions BEESWAX (hives, itching, watering eyes, anxiety)	03/28/97
2 Patient Postings CRISIS NOTE	02/25/97 12:18
Recent Vitals No data available	
Immunizations No immunizations found.	
Eligibility Not Service Connected	

+ Enter the numbers of the items you wish to act on. >>>			
NW	Enter New Allergy/ADR CV	(Change View ...)	SP Select New Patient
AD	Add New Orders	CC Chart Contents ...	Q Close Patient Chart

Select: Next Screen//

C. Select Chart Contents then Consults

To get to the menu containing Order New Consults, you must go through the Chart Contents menu, then select the Consults screen. This can be done in one step by typing:

CC;CON

All Consults		Feb 13, 1998 12:56:32	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-2342		1A/B-1	FEB 3,1923 (74) <CA>
PrimCare: CPRSPProvider, Three		PCTeam: GOLD	

	Consult/Procedure	Requested	Status
1	CARDIOLOGY Consult	02/25/97 11:02	complete

Enter the numbers of the items you wish to act on. >>>			
NW	Enter New Allergy/ADR CV	(Change View ...)	SP Select New Patient
AD	Add New Orders	CC Chart Contents ...	Q Close Patient Chart

Select: Chart Contents//

D. Select Order New Consult

Type NW and press the <Enter> key.

Answer Questions on the Particulars of the Request

```

Select: Chart Contents// NW Order New Consult

      Consult              Procedure

Order new: C Consult
Delay release of these orders? NO// <Enter>
Consult to Service/Specialty: POD FOOT CLINIC FOOT CLINIC
Reason for Request:
  1>PERSISTENT SMALL FISSURES AND SCALING ON BOTH FEET.
  2>
EDIT Option:
Category: INPATIENT// <Enter>
Urgency: ROUTINE// ??
Select from:
  1 STAT
  2 ROUTINE
  3 WITHIN 48 HOURS
  4 WITHIN 72 HOURS
  5 EMERGENCY
Select the urgency indicating how quickly results from this consult are needed.

Urgency: ROUTINE// <Enter>
Earliest appropriate date:TODAY// <Enter>
Place of Consultation: Bedside// ?
Select from:
  1 Bedside
  2 Consultant's Choice
Select the preferred place to see the patient for this consult.

Place of Consultation: Bedside// <Enter>
Attention: CPRSPROVIDER,THREE CT PHYSICIAN
Provisional Diagnosis: TINEA PEDIS

-----
Consult to Service/Specialty: Podiatry
      Reason for Request: PERSISTENT SMALL FISSURES AND SCALING ON ...
              Category: INPATIENT
              Urgency: ROUTINE
Place of Consultation: Bedside
              Attention: CPRSPROVIDER,THREE
Provisional Diagnosis: TINEA PEDIS
-----

(P)lace, (E)dit, or (C)ancel this order? PLACE// <Enter>
... order placed.

Add another Consult order? NO//

```

If the request is for a future service, such as an EKG in 6 months, then enter the future date here.

(Continued on the next page.)

Package Reference

The screen now looks something like this:

All Consults		Feb 13, 1998 12:58:32	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-2342		1A/B-1	FEB 3,1923 (74) <CA>
PrimCare: CPRSPProvider, Three		PCTeam: GOLD	
	Consult/Procedure	Requested	Status
1	CARDIOLOGY Consult	02/25/97 11:02	complete
Enter the numbers of the items you wish to act on. >>>			
NW	Enter New Allergy/ADR CV (Change View ...)	SP	Select New Patient
AD	Add New Orders CC Chart Contents ...	Q	Close Patient Chart
Select: Chart Contents//			

Notice that the consult just entered is not yet displayed. It is not displayed until after you have signed the order.

Sign the Consult

```

+   Next Screen          $   Sign All Orders
-   Previous Screen      Q   Close
Select: Sign All Orders// $   Sign All Orders

Enter your Current Signature Code:   SIGNATURE VERIFIED

Processing orders ...

```

Enter your electronic signature here.

When applied to an approved medical record, an electronic signature has the same legal weight as a signature made with a pen on paper. For this reason electronic signatures are part of the overall security system maintained by IRMS.

When the computer prints a document that has been signed and/or cosigned, an electronic signature block is included. What appears in this block is user configurable through the User's Toolbox option.

In this example we change a title and electronic signature:

```

Select Consult Service Tracking Option: ??

  CS      Consult Service Tracking [GMRC SERVICE TRACKING]
  PC      Service Consults Pending Resolution [GMRC RPT PENDING CONSULTS]
  ST      Completion Time Statistics [GMRC COMPLETION STATISTICS]

Or a Common Option:

  CWA     Patient Warning (CWAD) Display [GMRPNCW]
  MA      MailMan Menu ... [XMUSER]
  TBOX    User's Toolbox ... [XUSERTOOLS]
  VA      View Alerts [XQALERT]
          Continue [XUCONTINUE]
          **> Reverse lock ZZLUKE
          Halt [XUHALT]
          Restart Session [XURELOG]
          Time [XUTIME]
          Where am I? [XUSERWHERE]

You have PENDING ALERTS
      Enter "VA  VIEW ALERTS      to review alerts

Select Consult Service Tracking Option:  TBOX  User's Toolbox

Select User's Toolbox Option:  ?

      Display User Characteristics
      Edit User Characteristics
      Electronic Signature code Edit
      Menu Templates ...
      Spooler Menu ...
      Switch UCI
      TaskMan User
      User Help

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

```

Package Reference

Select User's Toolbox Option: **E**lectronic Signature code Edit
This option is designed to permit you to enter or change your Initials, Signature Block Information, Office Phone number, and Voice and Digital Pagers numbers.
In addition, you are permitted to enter a new Electronic Signature Code or to change an existing code.

INITIAL: CRS// **<Enter>**

SIGNATURE BLOCK PRINTED NAME: CPRSPROVIDER,SEVEN// **<Enter>**

SIGNATURE BLOCK TITLE: DOCTOR// **MD**

OFFICE PHONE: **588-5029**

ANALOG PAGER: **4038**

DIGITAL PAGER: **<Enter>**

Enter your Current Signature Code: SIGNATURE VERIFIED

Your typing will not show.

ENTER NEW SIGNATURE CODE:

RE-ENTER SIGNATURE CODE FOR VERIFICATION:

DONE

Select User's Toolbox Option:

The electronic
signature is
typed here.

The new
signature is
typed here.

And here.

The signature block, as changed in the example above, looks like this:

```
/es/CPRSPROVIDER,SEVEN
MD
```

The /es/ annotation indicates that the medical document was electronically signed

If for some reason you do not sign an order at the time you write it, then the system enters the order into your list of alerts. Signing the order is then simply a matter of responding to the alert as in the following example:

```
You have PENDING ALERTS
      Enter  "VA  VIEW ALERTS      to review alerts

Select OE/RR Manager Menu Option: VA View Alerts

1. CPRSPATIE (C0999): Order requires electronic signature.
2. TIUPATIEN (T3456): New Consult/Request (Stat)

      Select from 1 to 2
      or enter ?, A I, F, P, M, R, or ^ to exit: 1
Searching for the patient's chart ...

Unsigned Orders          Feb 13, 1999 13:01:58          Page:      1 of      1
CPRSPATIENT,TWELVE 666-24-3456          1A/B-1          FEB 3,1923 (74)  <CA>
PrimCare: CPRSPProvider, Three          PCTeam: GOLD

      Item Ordered                                Requestor Start Stop Sts
1      CT ABDOMEN W&W/O CONT *UNSIGNED*          CPRSPROVIDER,THREE unr
2      Discontinue CBC BLOOD WC LB# 269          CPRSPROVIDER,TEN   unr
      *UNSIGNED*
3      Change SODIUM SERUM SERUM WC to GLUCOSE                                pend
      SERUM SERUM SP LB# 242 *UNSIGNED*
4      Change GLUCOSE SERUM SERUM SP to                                pend
      POTASSIUM SERUM SERUM SP LB# 242
      *UNSIGNED*
```

```
Enter the numbers of the items you wish to act on.      >>>
+  Next Screen      -  Previous Screen      Q  Quit

Select:Quit// 1
```

Package Reference

Unsigned Orders		Feb 13, 1998 13:02:58	Page: 1 of 1	<input type="checkbox"/>
CPRSPATIENT,TWELVE 666-24-2342		1A/B-1	FEB 3,1923 (74)	<CA>
PrimCare: CPRSPProvider, Three		PCTeam: GOLD		
Item Ordered	Requestor	Start	Stop	Sts
1 CT ABDOMEN W&W/O CONT *UNSIGNED*	CPRSPROVIDER,THREE			unr
2 Discontinue CBC BLOOD WC LB# 269 *UNSIGNED*	CPRSPROVIDER,TEN			unr
3 Change SODIUM SERUM SERUM WC to GLUCOSE SERUM SERUM SP LB# 242 *UNSIGNED*				pend
4 Change GLUCOSE SERUM SERUM SP to POTASSIUM SERUM SERUM SP LB# 242 *UNSIGNED*				pend
Enter the numbers of the items you wish to act on. >>>				
Change	Sign			
Discontinue	Detailed Display			
Select action: S Sign				
-- CT ABDOMEN W&W/O CONT --				
Enter your Current Signature Code: SIGNATURE VERIFIED				
CT ABDOMEN W&W/O CONT signed.				
Print CHART COPY for the orders: YES// <Enter> YES				
DEVICE: LTA35// <Enter> C-ITOH 300 LINE PRINTER				
DO YOU WANT YOUR OUTPUT QUEUED? NO// <Enter> (NO)				
<div style="border: 1px solid black; padding: 5px; width: fit-content; float: right;"> The electronic signature is typed here. </div>				
Unsigned Orders		Feb 13, 1998 13:03:58	Page: 1 of 1	<input type="checkbox"/>
CPRSPATIENT,TWELVE 666-24-2342		1A/B-1	FEB 3,1923 (74)	<CA>
PrimCare: CPRSPProvider, Three		PCTeam: GOLD		
Item Ordered	Requestor	Start	Stop	Sts
1 CT ABDOMEN W&W/O CONT *UNSIGNED*	CPRSPROVIDER,ONE			unr
2 Discontinue CBC BLOOD WC LB# 269 *UNSIGNED*	CPRSPROVIDER,TWO			unr
3 Change SODIUM SERUM SERUM WC to GLUCOSE SERUM SERUM SP LB# 242 *UNSIGNED*				pend
4 Change GLUCOSE SERUM SERUM SP to POTASSIUM SERUM SERUM SP LB# 242 *UNSIGNED*				pend
Enter the numbers of the items you wish to act on. >>>				
+ Next Screen	- Previous Screen	Q Quit		
Select:Quit// <Enter> Quit				

2. The Consult Service Gets a Written Copy

The consult service receives an alert and a printed SF 513. The Consultation Form is automatically generated in the receiving clinic when the requesting physician signs the order. (In the case of Inter-Facility Consults, the request is routed to the resulting facility and printed there.)

Caution: The Consultation Form (SF 513) generated by this package for use by the receiving services is highly confidential and should be treated with the same security precautions as other patient medical record documents.

The computerized consultation form created and printed by this package may only be placed in a patient's medical record, as a valid medical form, *if* it has been authorized for medical record use by the Medical Records Committee at your facility.

MEDICAL RECORD		CONSULTATION SHEET	
CPRSPATIENT,NINETY 666-99-9200 02/03/1904		NSC VETERAN CV ELIGIBLE	
Consult Request: Consult		Consult No.: 10943	
To: CARDIOLOGY From: 2B MED		Requested: 08/24/2009 11:00 am	
Requesting Facility: BOISE		ATTENTION: CPRSPROVIDER,SEVEN	
=====			
REASON FOR REQUEST: (Complaints and findings) Patient has a Hx of hypertrophic cardiomyopathy Dx'ed 3 years ago and seems to be somewhat stable. Lung fields appear slightly edematious on Chest X-Ray and we need an assessment of cardiac function prior to increasing Digitalis dosages.			
=====			
PROVISIONAL DIAG: Cardiomyopathy, Hypertrophic (425.1)			
REQUESTED BY: CPRSPROVIDER,TEN PHYSICIAN (Pager:) (Phone:)		PLACE: Bedside SERVICE RENDERED AS: Inpatient	URGENCY: Routine EARLIEST DATE: Jan 31, 2011
=====			
W O R K I N G C O P Y			
No Consultation Results available.			
=====			
AUTHOR & TITLE:		DATE:	
=====			
ID #: _____	ORGANIZATION:	BOISE	REG #: _____ LOC: 2B MED
=====			
Standard Form 513 (Rev 9-77)			

3. If Accepted, an Appointment is Held

It is fairly common for a consult to be sent to the wrong clinic. For this reason it is very easy to forward a consult to another clinic. Simply use the FR (Forward Request) action to specify the new receiving clinic.

In this example, a Neurology consult is forwarded to Psychiatry at the discretion of the consulting physician:

Select OPTION NAME: ORMGR	OE/RR Manager Menu	menu
You have PENDING ALERTS		
Enter "VA" VIEW ALERTS to review alerts		
Select OE/RR Manager Menu Option: VA View Alerts		
1.I CPRSPATIE (C3779): Critical High Lab: LITHIUM 5 02/06 10:51		
2. ARTPATIEN (A9600): New Consult/Request (Today)		
Select from 1 to 12		
or enter ?, A I, F, P, M, R, or ^ to exit: 2		

Consult/Request Alerts	Feb 13, 1999 13:06	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-3779	1A/B-1	FEB 3,1923 (74) <CA>
Ward: 2B MED		
Requested	St	No. Consult/Procedure Request
185 02/12/97	p	1636 NEUROLOGY Consult

Enter ?? for more actions		
RC Receive	CM Add Comment	DD Detailed Display
FR Forward	CT Complete/Update	RT Results Display
CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
DC Discontinue	SC Schedule	
Select Action: Quit// FR Forward Consult		
Forward Request To Another Service For Action.		
Select the service to send the consult to.		
Forward Consult to which Service/Specialty: PSYCHIATRY		
Who is responsible for Forwarding the Consult: CPRSPROVIDER,SEVEN CS HYN		
Actual Date/Time of Activity: NOW// (Feb 13, 1999@14:24)		
Urgency: Today// <Enter> Today		
Enter COMMENT:		
1> List of symptoms indicates Psychiatry would give better work up.		
2> <Enter>		
EDIT Option: <Enter>		

(Continued on the next page.)

Package Reference

Consult/Request Alerts	Feb 13, 1998 13:07	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-3779	1A/B-1	FEB 3,1923 (74) <CA>
Number	Date	Stat Service
185	02/12/97 p	PSYCHIATRY
		Consult
Enter ?? for more actions		
RC Receive	CM Add Comment	DD Detailed Display
FR Forward	CT Complete/Update	RT Results Display
CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
DC Discontinue	SC Schedule	
Select Action: Quit//		

Receive the Consult

Performing the Receive action on a consult changes its status from Pending to Active. This puts your clinic on record as accepting responsibility for completing the consult. There are two ways to receive a consult:

From a consult tracking screen.

From a notification alert of a new consult. See page 138 for an example of this method.

In the following example, we receive a consult from a consult tracking screen:

CONSULT TRACKING		Oct 05, 2000 09:18:22	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-3779		1A/B-1	FEB 3,1923 (74) <CA>
			Wt.(lb): No Entry
Requested	St	No.	Consult/Procedure Request
1 05/06/97	p	226	PSYCHIATRY Cons
Enter ?? for more actions			
SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select: Quit// RC Receive Request			

Who received it?:	CPRSPROVIDER,SEVEN	CS
Date/Time Actually Received:	NOW// <Enter>	(NOV 01, 1997@09:05)
Enter COMMENT...		
1>Pt will be seen ASAP		
2> <Enter>		
EDIT Option: <Enter>		

Package Reference

CONSULT TRACKING		Oct 05, 2000 09:18:22		Page: 1 of 1	
CPRSPATIENT,TWELVE 666-24-3779		1A/B-1		FEB 3,1923 (74) <CA>	
				Wt.(lb): No Entry	
	Requested	St	No.	Consult/Procedure Request	
1	05/06/97	a	226	PSYCHIATRY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
Select: Quit//		ER	Edit/Resubmit	RT	Results Display
		PF	Print Form 513	RM	Remove Med Rslt

4. Results are Entered and Signed

The consult service enters results and comments. When you request the Complete (CT) action from the Consults service tracking or CPRS Consults screen, *VISTA* shifts you into TIU.

In the following example, we complete a consult and enter findings through Consult's link to TIU:

Select Consult Service Tracking Option: CS Consult Service Tracking					
Select Patient:	CPRSPATIENT,TWELVE	05-05-55	666553779	YES	SC
VETERAN					
Select Service/Specialty: ALL SERVICES// PULMONARY					
List From Starting Date: ALL DATES // <Enter> ALL DATES					

Package Reference

CONSULT TRACKING		Oct 05, 2000 09:22:45		Page: 1 of 1	
CPRSPATIENT,TWELVE 666-24-3779		1A/B-1		FEB 3,1923 (74) <CA>	
Wt.(lb): 180					
	Requested	St	No.	Consult/Procedure Request	
1	09/04/97	p	319	PULMONARY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
Select: Quit//		CT	Complete	RT	Results Display
				PF	Print Form 513
				RM	Remove Med Rslt
				ER	Edit/Resubmit

CHOOSE No. 1-2: 1

Creating new progress note...

Patient Location: 2B
 Date/time of Admission: 10/05/00 09:22
 Date/time of Note: NOW
 Author of Note: CPRSPROVIDER,SEVEN
 ...OK? YES// <Enter>

Calling text editor, please wait...

```

==[ WRAP ]==[ INSERT ]===< Patient: CPRSPATIENT,TWELVE >===[ <Pfl>H=Help ]===
Mr. CPRSPatient's regimen is lacking in inhaled corticosteroids. Recognizing
that asthma is an inflammatory process, inhaled steroids are important
in controlling the inflammatory response. My practice for severely
out-of-control asthmatics is to use high-dose inhaled steroids,
typically vanceril, 16 puffs qid, with a spacing device such as the
Aerochamber. I would institute such a regimen while he is here.

Mr. CPRSPatient has an in-house pet dog and an outside pet cat. I have
told him that the cat should go, even if it is outdoors. Cat saliva
contains a glycoprotein that leaves residue on their coats and flakes
into the air; it is problematic for many asthmatics.

The purulent phlegm asthmatics have during exacerbations is usually
due to the eosinophils, not from infection. Antibiotics are usually
not necessary.

If you like, you may refer Mr. CPRSPatient to my clinic after discharge.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T=====
  
```

(Continued on next page.)

Package Reference

Saving MEDICINE CONSULT with changes...

Enter your Current Signature Code: SIGNATURE VERIFIED..

Print this note? No// **Y** YES

Do you want WORK copies or CHART copies? CHART// **<Enter>**

DEVICE: HOME// **WORK** OTC

DO YOU WANT YOUR OUTPUT QUEUED? NO// **Y** (YES)

Requested Start Time: NOW// **<Enter>** (Oct 05, 2000 09:23:05)

Request Queued!

Your
electronic
signature is
typed here.

CONSULT TRACKING Oct 05, 2000 09:23:45 Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-3779 1A/B-1 FEB 3,1923 (74) <CA>
Wt.(lb): 180

	Requested	St	No.	Consult/Procedure Request
1	09/04/97	c	319	PULMONARY Cons

Enter ?? for more actions

SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select: Quit//			

5. The Originating Clinician Receives an Alert that the Consult is Complete

After the consult is complete, Notifications sends an alert (via FileMan Alerts) of the completion. This is done while you are in the menu terminal mode, as such:

```
CPRSPATIE (C8829): Completed Consult CAR
TIUPATIEN (T2342): Cancelled consult PLM
ARTPATIEN (A9898): Completed Consult GASTROENTEROLOGY
CPRSPATIE (C8831): Completed Consult PLM with Sig Findings
      Enter "VA VIEW ALERTS to review alerts

Select Consult Service Tracking Option:
```

To receive an on-screen report of the results, respond as in the following example:

```
Select Consult Service Tracking Option: VA View Alerts

1. CPRSPATIE (C8829): Completed Consult CAR
2. TIUPATIEN (T2342): Cancelled consult PLM
3. ARTPATIEN (A9898): Completed Consult GASTROENTEROLOGY
4. CPRSPATIE (C8831): Completed Consult PLM with Sig Findings
   Select from 1 to 4
   or enter ?, A I, F, P, M, R, or ^ to exit
   or RETURN to continue: 3

Processing alert: TIUPATIEN (T8829): Completed Consult PLM
```

```
Consult/Request Alerts      Feb 26, 1999 14:56:57      Page:      1 of      1
TIUPATIENT,TWELVE 666-24-2342      1A/B-1      FEB 3,1923 (74)      <CA>
                                         Wt.(lb): No Entry

   Requested  St      No.  Consult/Procedure Request
1   01/08/99  c      1337  PULMONARY Cons

Enter ?? for more actions
SP Select Patient  FR Forward      CT Complete/Update  RT Results Display
CV Change View ... CX Cancel (Deny)  MA Make Addendum   PF Print Form 513
RC Receive        DC Discontinue  SF Sig Findings    RM Remove Med Rslt
SC Schedule       CM Add Comment  DD Detailed Display ER Edit/Resubmit
Compiling Result Display...
```

(Continued on next page.)

Package Reference

Here we select the Results Display (RT) action:

Results Display	Feb 26, 1999 14:59:10	Page: 1 of 1_
TIUPATIENT,TWELVE 666-24-2342	1A/B-1	FEB 3,1923 (74) <CA>
Consult No.: 1337		Wt.(lb): No Entry

-----MEDICINE CS CONSULT-----

Pt should stay away from Oyster Crackers.

Signature: /es/CPRSPROVIDER,SEVEN Date: FEB 12, 1999@11:35:14

Source Information

Document Status: COMPLETED	
Entry Date: FEB 12, 1999@11:32	Author: CPRSPROVIDER,S
Expected Signer: CPRSPROVIDER,SEVEN	Expected Cosigner: None
Entered By: CRS	TIU Document #: 5365
Urgency: None	

=====

Enter ?? for more actions

Select Action: Quit//

6. The SF 513 Report Becomes Part of the Patient's Medical Record

After the consult is complete, Consults sends an alert to the requesting physician. The requesting physician can use the Print Report action to obtain a copy of the final Consults report. In the following example, the consult we want to print has already been selected:

CONSULT TRACKING		Feb 13, 1998 13:20:44		Page: 1 of 1	
CPRSPATIENT,TWELVE 666-24-3779		1A/B-1		FEB 3,1923 (74) <CA>	
				Wt.(lb): 178	
	Requested	St	No.	Consult/Procedure Request	
1	11/01/97	c	675	PULMONARY Consult	
2	10/28/97	a	506	<MEDICINE EAST> Consult	
3	07/21/97	c	285	PULMONARY Pulmonary Function Test	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
RT	Results Display	PF	Print Form 513	RM	Remove Med Rslt
ER	Edit/Resubmit				
Select: Quit// PT Print Form					

Chart Copy (Y/N) Y// <Enter>
DEVICE: HOME// ;;9999 HOME

(Continued on next page)

Package Reference

MEDICAL RECORD		CONSULTATION SHEET	
CPRSPATIENT, FOUR		SERVICE CONNECTED 50% to 100%	
666-23-4442	03/03/1960	SC VETERAN	
123 SESAME ST.			
APT. 4			
SALT LAKE CITY	UTAH	84101	Phone: 801-555-1289
Consult Request: Consult		Consult No.: 675	
To: PULMONARY			
From: NOT 2B		Requested: 11/01/1997 10:13 am	
Requesting Facility: ELY		ATTENTION: CPRSPROVIDER, TWO	
Current Primary Care Provider: CPRSPROVIDER, SEVEN			
Current Primary Care Team: GOLD TEAM			
REASON FOR REQUEST: (Complaints and findings)			
Pt experiences shortness of breath when out of bed.			
PROVISIONAL DIAG: CHEESE HANDLER'S LUNG			
REQUESTED BY:		PLACE:	URGENCY:
CPRSPROVIDER, SEVEN		Bedside	Routine
Chief of Surgery			
(Pager: 9999)		SERVICE RENDERED AS:	
(Phone: 1234)		Inpatient	
WORKING COPY			
CONSULTATION NOTE #2330			
TITLE: PULMONARY CS CONSULT			
DATE OF NOTE: NOV 01, 1997@10:15:35 ENTRY DATE: NOV 01, 1997@10:15:35			
AUTHOR: CPRSPROVIDER, SEVEN EXP COSIGNER:			
URGENCY: STATUS: COMPLETED			
At the time I went to examine the pt, he was acutely broncho-spastic and in moderately severe respiratory distress. I had him deliver a puff of albuterol with an Aerochamber; his technique was poor. I then instructed him and delivered an additional four puffs, which he did with good technique. He was improved and with a clear lung exam within a few seconds (though wheezes were still present on forced expiration).			
The pt regimen is lacking in inhaled corticosteroids. Recognizing that asthma is an inflammatory process, inhaled steroids are important in controlling the inflammatory response. My practice for severely out-of-control asthmatics is to use high-dose inhaled steroids, typically vanceril, 16 puffs qid, with a spacing device such as the Aerochamber. I would institute such a regimen while he is here.			
/es/ CPRSPROVIDER, SEVEN			
Signed: 11/01/1997 10:17			
PROVISIONAL DIAG: Arrhythmia (427.9)			
REQUESTED BY:		PLACE:	URGENCY:
CASEY, BEN		Bedside	Routine
CHIEF OF SURGERY			
(Pager:)		SERVICE RENDERED AS:	EARLIEST DATE:
(Phone:)		Inpatient	Jan 31, 2011

See page 135 for details on the Print Report (PR) action.

Quick Orders

Quick Orders are a feature of CPRS that allow certain prompts to be automatically filled in by the computer. Your ADPAC can set them up (a subject that is discussed in the *CPRS Setup Guide*.)

CPRS is shipped with a number of quick orders. Number 91, EKG, Portable on the screen pictured below is one of them. These quick orders do not have any of the fields filled in. They are only provided as place-holders and limited examples of what is possible.

Add New Orders		Feb 13, 1998 13:21:08	Page: 1 of 1
CPRSPATIENT,TWELVE 666-24-3779		1A/B-1	FEB 3,1923 (74) <CA>
0 ORDER SETS...	30 PATIENT CARE...	70 LABORATORY...	
1 Patient Movement	31 Condom Catheter	71 Chem 7	
2 Diagnosis	32 Guaiac Stools	72 T&S	
3 Condition	33 Incentive Spirometer	73 Glucose	
4 Allergies	34 Dressing Change	74 CBC w/Diff	
		75 PT	
10 PARAMETERS...	40 DIETETICS...	76 PTT	
11 TPR B/P	41 Regular Diet	77 CPK	
12 Weight	42 Tube Feeding	78 CPK	
13 I & O	43 NPO at Midnight	79 LDH	
14 Call HO on		80 Urinalysis	
	50 IV FLUIDS...	81 Culture & Suscept	
20 ACTIVITY...	51 OUTPATIENT MEDS...		
21 Ad Lib	55 INPATIENT MEDS...	90 OTHER ORDERS...	
23 Bed Rest / BRP		91 EKG: Portable	
24 Ambulate TID	60 IMAGING ...		
25 Up in Chair TID	61 Chest 2 views PA&LAT	99 Text Only Order	
Enter the number of each item you wish to order. >>>			
+ Next Screen	TD Set Delay ...	Q Done	
Select Item(s): Done//			

Basically, quick orders supply stock answers to some of the prompts required to make an order. For example, if we filled in the values for the placeholder EKG, Portable, we might answer the following questions in the quick order template:

Consult to Service/Specialty: Cardiology Category: Inpatient Place of Consult: Bedside

These three prompts are then excluded when you select EKG from the orders screen—relieving you of the necessity of filling in answering several prompts.

The other four prompts, Reason for the Request, Urgency, Attention, and Provisional Diagnosis, are all left blank in the quick order template. The answer to these questions change every time we place an order for a portable EKG. These four questions are the only ones asked when you place an order for “EKG, Portable.”

Using the Consults Package with TIU

Direct TIU Input

On page 40 are the directions for entering results from the Consult/ Result Tracking screen. You can also enter results directly from TIU. This may be preferable if you are doing large volumes of consults or it fits your office work flow.

The basic steps to entering findings through TIU given here are. The interested user should look at the *TIU Clinical Coordinator & User Manual* for further information.

1. From TIU, choose Integrated Document Management.

As with almost everything in *VISTA*, exactly how you do this depends on how your system is set up. If you cannot find this option on your menu, consult your ADPAC. Example:

```
Select Progress Notes/Discharge Summary [TIU] Option: ?

1      Progress Notes User Menu ...
2      Discharge Summary User Menu ...
3      Integrated Document Management ...
4      Personal Preferences ...

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Progress Notes/Discharge Summary [TIU] Option: 3  Integrated Document Man
agement

                        --- Clinician's Menu ---

Select Integrated Document Management Option:
```

2. Select Enter/edit Document.

Example:

```
Select Integrated Document Management Option: ?

1      Individual Patient Document
2      All MY UNSIGNED Documents
3      Multiple Patient Documents
4      Enter/edit Document

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.
Select Integrated Document Management Option: Enter/edit Document
```

3. Enter the patient's name.

Follow the usual *VISTA* conventions for selecting a patient.

Example:

```
Select PATIENT NAME:    CPRSPATIENT,FIV      03-05-33      666332432      YES      SC
VETERAN
                        A: Known allergies
Select TITLE:
```

4. Select a document title.

Using the standard help functions (? or ??), you can see a list of titles that are available to you. Consult your supervisor or ADPAC about which one is appropriate to your situation.

Example:

```
Select TITLE: ?
  Answer with TIU DOCUMENT DEFINITION NAME, or ABBREVIATION, or
    PRINT NAME
  Do you want the entire TIU DOCUMENT DEFINITION List? Y (Yes)
Choose from:
  ADVANCE DIRECTIVE          TITLE
  ADVERSE REACTION/ALLERGY   TITLE
  ASI-ADDICTION SEVERITY INDEX TITLE
  BP TEST NOTE               TITLE
  CLINICAL WARNING           TITLE
  CRISIS NOTE                TITLE
  DISCHARGE SUMMARY          TITLE
  MEDICINE CONSULT           TITLE

Select TITLE: MEDICINE CONSULT          TITLE

Creating new progress note...
  Patient Location: 2B
  Date/time of Admission: 05/10/96 10:17
  Date/time of Note: NOW
  Author of Note: CPRSPROVIDER,SEVEN
...OK? YES//
You must link your Result to a Consult Request...

The following CONSULT REQUEST is available:
  1. JUL 16, 1997@06:08 278 PULMONARY
CHOOSE 1-1:
```

5. Choose the consult to enter findings.

TIU lists one or more active consults for the patient. Select the one you have findings for.

Example:

```
The following CONSULT REQUEST is available:
  1. JUL 16, 1997@06:08 278 PULMONARY
CHOOSE 1-1: 1 278

Calling text editor, please wait...
1>
```

6. Enter and edit findings.

TIU enters the editor specified in your *VISTA* personal preferences. There are a number of alternate ways to enter findings in TIU. Consult the *TIU Clinical Coordinator & User Manual* for details.

Example:

```
Calling text editor, please wait...
 1> No significant findings. Suggest respiratory therapy.
 2>
EDIT Option:

Saving MEDICINE CONSULT with changes...

Enter your Current Signature Code:
```

7. Sign the findings.

At the prompt, enter your signature code. If you do not sign the document at this time, *VISTA* generates an alert to remind you to sign it at a later time.

There is a detailed discussion of electronic signatures under step 2, *Sign the Consult*.

8. Repeat for other patients.

After TIU accepts your signature, it prompts you for another patient name.

Example:

Enter your electronic signature here.

```
Enter your Current Signature Code: SIGNATURE VERIFIED..
You may enter another CLINICAL DOCUMENT. Press RETURN to exit.
Select PATIENT NAME:
```



Note: If your site supports the dictation and transcription of Consult results, you may also use the batch upload facility of TIU to support single-point transfer of Consult results in mixed batches (with Discharge Summaries, Progress Notes, etc.) for either in-house or contract transcription services.

Correcting Misdirected Results

Occasionally a consult result is linked to the wrong consult. If this is detected prior to signature, it is possible for the author of a consult result to re-direct the record to a different consult request by any of several methods, as illustrated in the examples below:

- Through the Link to Request action, when processing the alert for the unsigned consult result:
- Through the Individual Patient Document option (which is identical to the Browse action, accessible by a number of familiar paths from TIU Clinician's options, or through the CPRS LM Chart).
- You may choose the Link action from the All My Unsigned Documents Option.
- From the CPRS Chart.

Following signature, such corrections can only be made by those persons who are granted permission to do so under the Authorization/ Subscription Utility (ASU). Information on how to make this kind of correction is contained in the Consult/Request Tracking Technical Manual.

Examples:

You may redirect a consult result through the Link to Request action, when processing the alert for the unsigned consult result:

```

--- Clinician's Menu ---

1      Progress Notes User Menu ...
2      Discharge Summary User Menu ...
3      Integrated Document Management ...
4      Personal Preferences ...

Select Progress Notes/Discharge Summary [TIU] Option: VA View Alerts

1.  CPRSPATIE (C0167P): PULMONARY CONSULT available for signature.
2.  ARTPATIEN (A1414): New order(s) placed.
3.  ARTPATIEN (A1414): New consult PLM (Routine)
4.  CPRSPATIE (C2432): New consult CAR (Routine)
    Select from 1 to 4
    or enter ?, A I, F, P, M, R, or ^ to exit: 1

Opening PULMONARY CONSULT record for review...
```

(Continued on the next page.)

Package Reference

Browse Document	Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT		
CPRSPATIENT,T 666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34		
AUTHOR: TIUPROVIDER,THREE	EXP COSIGNER:	
URGENCY:	STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,TWO		
666-01-0167P		
31		
JAN 1,1967		
His disposition is good.		
+ Next Screen - Prev Screen ?? More actions >>>		
Find	Make Addendum	Identify Signers
Print	Sign/Cosign	Delete
Edit	Copy	Link ...
		Quit
Select Action: Quit// L Link ...		

Problem(s)	Patient/Visit	Link with Request
Specify Linkage: L Link with Request		
You must link your Result to a Consult Request...		
The following CONSULT REQUEST(S) are available:		
1> JAN 23, 1998@11:14	759	PULMONARY
2> JAN 23, 1998@11:14	760	PULMONARY
CHOOSE 1-2: 2 760		
Opening PULMONARY CONSULT record for review...		

Browse Document	Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT		
CPRSPATIENT,T 666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34		
AUTHOR: TIUPROVIDER,THREE	EXP COSIGNER:	
URGENCY:	STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,TWO		
666-01-0167P		
31		
JAN 1,1967		
His disposition is good.		
+ Next Screen - Prev Screen ?? More actions >>>		
Find	Make Addendum	Identify Signers
Print	Sign/Cosign	Delete
Edit	Copy	Link ...
		Quit
Select Action: Quit// <Enter> Quit		

(Continued on the next page.)

Package Reference

```
1. CPRSPATIE (C2342): New order(s) placed.
2. TIUPATIEN (T0167P): PULMONARY CONSULT available for signature.
3. ARTPATIEN (A1414): New order(s) placed.
4. ARTPATIEN (A1414): New consult PLM (Routine)
5. CPRSPATIE (C2432): New consult CAR (Routine)
   Select from 1 to 5
   or enter ?, A I, F, P, M, R, or ^ to exit: <Enter>
```

2. Through the Individual Patient Document option as shown here (which is identical to the Browse action, accessible by a number of familiar paths from TIU Clinician's options, or through the CPRS LM Chart):

```

          --- Clinician's Menu ---

1      Progress Notes User Menu ...
2      Discharge Summary User Menu ...
3      Integrated Document Management ...
4      Personal Preferences ...

Select Progress Notes/Discharge Summary [TIU] Option: INtegrated Document Management

          --- Clinician's Menu ---

1      Individual Patient Document
2      All MY UNSIGNED Documents
3      Multiple Patient Documents
4      Enter/edit Document

Select Integrated Document Management Option: INdividual Patient Document
Select PATIENT NAME: CPRSPATIENT,TWO      01-01-67      666010167P      ACTIVE
DUTY

          A: Known allergies

Available documents: 06/13/91 thru 01/26/98 (7)

Please specify a date range from which to select documents:
List documents Beginning: 06/13/91// T-1 (JAN 25, 1998)
          Thru: 01/26/98// <Enter> (JAN 26, 1998)

1      01/26/98 16:37      PULMONARY CONSULT      CPRSPROVIDER,TWO
          Visit: 01/26/98

One document found within date range...

Opening PULMONARY CONSULT record for review...

```

(Continued on the next page.)

Package Reference

Browse Document	Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT		
CPRSPATIENT,T 666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34		
AUTHOR: TIUPROVIDER,THREE	EXP COSIGNER:	
URGENCY:	STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,TWO		
666-01-0167P		
31		
JAN 1,1967		
His disposition is good.		
+ Next Screen - Prev Screen ?? More actions >>>		
Find	Make Addendum	Identify Signers
Print	Sign/Cosign	Delete
Edit	Copy	Link ...
		Quit
Select Action: Quit// L Link ...		

Problem(s)	Patient/Visit	Link with Request
Specify Linkage: L Link with Request		
You must link your Result to a Consult Request...		
The following CONSULT REQUEST(S) are available:		
1> JAN 23, 1998@11:14	759 PULMONARY	
2> JAN 23, 1998@11:14	760 PULMONARY	
CHOOSE 1-2: 2 760		
Opening PULMONARY CONSULT record for review...		

(Continued on the next page.)

Package Reference

Browse Document	Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT		
CPRSPATIENT,T 666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34		
AUTHOR: TIUPROVIDER,THREE	EXP COSIGNER:	
URGENCY:	STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,THREE		
666-01-0167P		
31		
JAN 1,1967		
His disposition is good.		
+ Next Screen - Prev Screen ?? More actions >>>		
Find	Make Addendum	Identify Signers
Print	Sign/Cosign	Delete
Edit	Copy	Link ...
		Quit
Select Action: Quit// <Enter> Quit		

Select PATIENT NAME: **<Enter>**

Nothing selected.

3. You may choose the Link action from the All My Unsigned Documents Option, as shown below:

```

--- Clinician's Menu ---

1      Individual Patient Document
2      All MY UNSIGNED Documents
3      Multiple Patient Documents
4      Enter/edit Document

Select Integrated Document Management Option: All MY UNSIGNED Documents

Searching for the documents.....

```

MY UNSIGNED Documents		Jan 26, 1998 16:51:18	Page: 1 of 3
by AUTHOR (TIUPROVIDER,THREE) or EXPECTED COSIGNER		40 documents	
Patient	Document	Ref Date	Status
1 CPRSPATIENT,T (C0167)	PULMONARY CONSULT	01/26/98	unsigned
2 ARTPATIENT,TW (A4321)	Adverse React/Allergy	01/22/98	unsigned
3 CPRSPATIENT,O (C8796)	Reparatory Therapy Note	01/20/98	uncosigned
4 CPRSPATIENT,F (R1350)	Reparatory Therapy Note	01/16/98	uncosigned
5 CPRSPATIENT,T (C9999)	Reparatory Therapy Note	01/16/98	uncosigned
6 CPRSPATIENT,T (C1350)	Reparatory Therapy Note	01/15/98	uncosigned
7 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/15/98	uncosigned
8 CPRSPATIENT,T (C1563)	Reparatory Therapy Note	01/14/98	uncosigned
9 CPRSPATIENT,T (C1563)	Reparatory Therapy Note	01/14/98	uncosigned
10 PNPATIENT,FIV (P1350)	Reparatory Therapy Note	01/14/98	uncosigned
11 DSPATIENT,TEN (D6572)	Reparatory Therapy Note	01/14/98	uncosigned
12 HSPATIENT,ONE (H2591)	Reparatory Therapy Note	01/14/98	uncosigned
13 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/14/98	uncosigned
14 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/14/98	uncosigned
+ + Next Screen - Prev Screen ?? More Actions >>>			
Find	Sign/Cosign	Change View	
Add Document	Detailed Display	Copy	
Edit	Browse	Delete Document	
Make Addendum	Print	Quit	
Link ...	Identify Signers		
Select Action: Next Screen// L Link ...			

Problems	Patient/Visit	Link with Request
Specify Linkage: L Link with Request		
Select Document(s): (1-14): 1		
You must link your Result to a Consult Request...		
The following CONSULT REQUEST(S) are available:		
1> JAN 23, 1998@11:14	759	PULMONARY
2> JAN 23, 1998@11:14	760	PULMONARY
CHOOSE 1-2: 2 760		

(Continued on next page.)

Package Reference

MY UNSIGNED Documents		Jan 26, 1998 16:51:32	Page:	1 of 3
by AUTHOR (TIUPATIENT,THREE) or EXPECTED COSIGNER				40 documents
Patient	Document	Ref Date	Status	
1 CPRSPATIENT,T (C0167)	PULMONARY CONSULT	01/26/98	unsigned	
2 ARTPATIENT,TW (A4321)	Adverse React/Allergy	01/22/98	unsigned	
3 CPRSPATIENT,O (C8796)	Reparatory Therapy Note	01/20/98	uncosigned	
4 CPRSPATIENT,F (R1350)	Reparatory Therapy Note	01/16/98	uncosigned	
5 CPRSPATIENT,T (C9999)	Reparatory Therapy Note	01/16/98	uncosigned	
6 CPRSPATIENT,T (C1350)	Reparatory Therapy Note	01/15/98	uncosigned	
7 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/15/98	uncosigned	
8 CPRSPATIENT,T (C1563)	Reparatory Therapy Note	01/14/98	uncosigned	
9 CPRSPATIENT,T (C1563)	Reparatory Therapy Note	01/14/98	uncosigned	
10 PNPATIENT,FIV (P1350)	Reparatory Therapy Note	01/14/98	uncosigned	
11 DSPATIENT,TEN (D6572)	Reparatory Therapy Note	01/14/98	uncosigned	
12 HSPATIENT,ONE (H2591)	Reparatory Therapy Note	01/14/98	uncosigned	
13 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/14/98	uncosigned	
14 TIUPATIENT,EI (T1239)	Reparatory Therapy Note	01/14/98	uncosigned	
+ ** Item 1 Reassigned. **				>>>
Find	Sign/Cosign	Change View		
Add Document	Detailed Display	Copy		
Edit	Browse	Delete Document		
Make Addendum	Print	Quit		
Link ...	Identify Signers			
Select Action: Next Screen// Q Quit				

--- Clinician's Menu ---	
1	Individual Patient Document
2	All MY UNSIGNED Documents
3	Multiple Patient Documents
4	Enter/edit Document
Select Integrated Document Management Option:	

Package Reference

4. From the CPRS Chart, the dialog looks like this (NOTE: If CONSULTS is defined as a CLASS under CLINICAL DOCUMENTS, this approach is not yet available):

OE	CPRS Clinician Menu
RR	Results Reporting Menu
AD	Add New Orders
RO	Act On Existing Orders
PP	Personal Preferences ...

Select Clinician Menu Option: **OE** CPRS Clinician Menu

Clinic PULMONARY CLINIC	Jan 27, 1998 15:20:32	Page: 1 of 1
Current patient: ** No patient selected **		
Patient Name	ID	DOB
Appointment Date		
No patients found.		
Enter the number of the patient chart to be opened		
+ Next Screen	CV Change View ...	FD Find Patient
- Previous Screen	SV Save as Default List	Q Close
Select Patient: Change View// WINCHESTER ,CHARLES EMERSON III 01-01-67		

107010167P	ACTIVE DUTY
	A: Known allergies
Searching the patient's chart ...	

(Continued on the next page.)

Package Reference

Cover Sheet		Jan 27, 1998 15:20:40	Page: 1 of 1
CPRSPATIENT,TWO		666-01-0167P1A	JAN 1,1967 (31) <A>

Item	Entered
1 Allergies/Adverse Reactions DUST	10/07/97
Patient Postings <None>	
Recent Vitals No data available	
Immunizations No immunizations found.	
Eligibility Not Service Connected	

Enter the numbers of the items you wish to act on.		>>>
NW Enter New Allergy/ADR CV (Change View ...)	SP Select New Patient	
AD Add New Orders CC Chart Contents ...	Q Close Patient Chart	

Select: Chart Contents// **CC;N** Chart Contents ...

Searching the patient's chart ...

Signed Notes		Jan 27, 1998 15:20:46	Page: 1 of 1
CPRSPATIENT,TWO		666-01-0167P1A	JAN 1,1967 (31) <A>

Currently viewing 17 notes

	Title	Written	Author	SigSt
1	PULMONARY CONSULT	01/26 16:37	RUSSELL,J	compl
2	Respiratory Therapy Note	12/11 16:59	RUSSELL,J	uncos
3	General Note	10/16 /91	NO,D	compl
4	General Note	06/17 /91	BUECHLER,M	compl
5	General Note	06/13 /91	MCCLENAH,M	compl

Enter the numbers of the items you wish to act on.		>>>
NW Write New Note CV Change View ...	SP Select New Patient	
AD Add New Orders CC Chart Contents ...	Q Close Patient Chart	

Select: Chart Contents// **CV** Change View ...

(Continued on the next page.)

Package Reference

Signed Notes		Jan 27, 1998 15:20:46	Page: 1 of 1
CPRSPATIENT,TWO		666-01-0167PlA	JAN 1,1967 (31) <A>
Currently viewing 17 notes			
	Title	Written	Author SigSt□
1	PULMONARY CONSULT	01/26 16:37	RUSSELL,J compl
2	Joel's Test Note	12/11 16:59	RUSSELL,J uncoss
3	General Note	10/16 /91	NO,D compl
4	General Note	06/17 /91	BUECHLER,M compl
5	General Note	06/13 /91	MCCLENAH,M compl
Enter the numbers of the items you wish to act on. >>>			
1	all signed	4 signed/author	Save as Preferred View
2	my unsigned	5 signed/dates	Remove Preferred View
3	my uncossigned		
Select context: 2 my unsigned			

Searching the patient's chart ...

Unsigned Notes		Jan 27, 1998 15:20:55	Page: 1 of 1
CPRSPATIENT,TWO		666-01-0167PlA	JAN 1,1967 (31) <A>
Currently viewing all unsigned notes			
	Title	Written	Author SigSt□
1	PULMONARY CONSULT	01/27 15:19	RUSSELL,J unsig
Enter the numbers of the items you wish to act on. >>>			
NW	Write New Note	CV Change View ...	SP Select New Patient
AD	Add New Orders	CC Chart Contents ...	Q Close Patient Chart
Select: Chart Contents// 1			

(Continued on the next page.)

Package Reference

Unsigned Notes		Jan 27, 1998 15:20:55	Page: 1 of 1
CPRSPATIENT,TWO		666-01-0167P1A	JAN 1,1967 (31) <A>
Currently viewing all unsigned notes			
	Title	Written	Author SigSt□
1	PULMONARY CONSULT	01/26 16:37	RUSSELL,J unsig
Enter the numbers of the items you wish to act on. >>>			
Edit	Detailed Display	Identify signers	
Make Addendum	Browse	Copy	
Sign	Print	Delete	
Select Action: BR Browse			

Browse Document		Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT			
CPRSPATIENT,T	666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34			
AUTHOR: TIUPROVIDER,THREE		EXP COSIGNER:	
URGENCY:		STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,TWO			
666-01-0167P			
31			
JAN 1,1967			
His disposition is good.			
+ Next Screen - Prev Screen ?? More actions >>>			
Find	Make Addendum	Identify Signers	
Print	Sign/Cosign	Delete	
Edit	Copy	Link ...	
Quit			
Select Action: Quit// L Link ...			

Problem(s)	Patient/Visit	Link with Request
Specify Linkage: L Link with Request		
You must link your Result to a Consult Request...		
The following CONSULT REQUEST(S) are available:		
1>	JAN 23, 1998@11:14 759	PULMONARY
2>	JAN 23, 1998@11:14 760	PULMONARY
CHOOSE 1-2: 2 760		
Opening PULMONARY CONSULT record for review...		

(Continued on next page.)

Package Reference

Browse Document	Jan 26, 1998 16:49:32	Page: 1 of 1
PULMONARY CONSULT		
CPRSPATIENT,T 666-01-0167P	PULMONARY CLINIC	Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34 ENTRY DATE: JAN 26, 1998@16:37:34		
AUTHOR: TIUPROVIDER,THREE	EXP COSIGNER:	
URGENCY:	STATUS: UNSIGNED	
DEMOGRAPHICS: CPRSPATIENT,TWO		
666-01-0167P		
31		
JAN 1,1967		
His disposition is good.		
+ Next Screen - Prev Screen ?? More actions >>>		
Find	Make Addendum	Identify Signers
Print	Sign/Cosign	Delete
Edit	Copy	Link ...
		Quit
Select Action: Quit// <Enter> Quit		

Unsigned Notes	Jan 27, 1998 15:20:55	Page: 1 of 1
CPRSPATIENT,TWO	666-01-0167P1A	JAN 1,1967 (31) <A>
Currently viewing all unsigned notes		
Title	Written	Author SigSt
1 PULMONARY CONSULT	01/27 15:19	RUSSELL,J unsig
Enter the numbers of the items you wish to act on. >>>		
NW Write New Note	CV Change View ...	SP Select New Patient
AD Add New Orders	CC Chart Contents ...	Q Close Patient Chart
Select: Chart Contents// Q Close Patient Chart		

Using the Consults Package with Medicine

If your site is set up for attaching Medicine results to consults, and there are results available, then Consults prompts you to attach relevant results during the Complete/Update action.

In this example, we attach medicine results to a consult we are completing:

CONSULT TRACKING		Jun 21, 2000 14:23:01		Page: 1 of 3	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
				Wt.(lb): No Entry	
	Requested	St	No.	Consult/Procedure Request	
1	05/16/00	a	1719	ELECTROCARDIOGRAM CARDIOLOGY Proc	
2	05/15/00	c	1718	ELECTROCARDIOGRAM CARDIOLOGY Proc	
3	02/09/00	p	1679	Holter Monitoring CARDIOLOGY Cons	
4	06/18/99	a	1538	PACEMAKER SURVEILLANCE CARDIOLOGY Proc	
5	04/07/99	c	1433	Holter Monitoring CARDIOLOGY Cons	
6	06/11/98	pr	1047	CARDIOLOGY Cons	
7	09/24/97	c	341	*CARDIOLOGY Cons	
8	02/03/97	dc	209	CARDIOLOGY Cons	
9	07/28/95	c	94	ECHO CARDIOLOGY Proc	
10	07/20/95	c	88	ELECTROCARDIOGRAM CARDIOLOGY Proc	
11	07/20/95	c	87	ELECTROCARDIOGRAM CARDIOLOGY Proc	
12	04/23/92	c	64	*ELECTROCARDIOGRAM CARDIOLOGY Proc	
+ Enter ?? for more actions					
SP Select Patient		FR Forward		CT Complete/Update	
CV Change View ...		CX Cancel (Deny)		MA Make Addendum	
RC Receive		DC Discontinue		SF Sig Findings	
SC Schedule		CM Add Comment		DD Detailed Display	
				ER Edit/Resubmit	
Select: Next Screen// CT Complete/Update					

CHOOSE No. 1-32: 1

Attach Medicine Results? Y// <Enter> ES

Procedure/Medicine Resulting		Jun 21, 2000 14:29:50		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
Available Medicine Results					
	Type of Proc.	Procedure Date		Summary	
1	ELECTROCARDIOGRAM	AUG 13,1997		ABNORMAL	
2	ELECTROCARDIOGRAM	JUL 31,1995@08:04		NORMAL	
Select action or item number					
AR Associate Result		DR Display selected medicine result			
Select action: Quit//					

Package Reference

Notice that when we tried to complete a consult with available Medicine results, Consults prompted us, “Attach Medicine Results?” By responding affirmatively we are presented a screen with a list of the qualifying Medicine results and the ability to both explore these results and attach one or more of them to the consult.

For this to happen, two things must have taken place:

1. Your CAC or IRM must have defined certain procedures as qualifying to provide results to your service.
2. Those procedures must have been performed on your patient and the results entered into VistA.

In the following example, a medicine result is associated with the current consult and the complete action is finished:

Procedure/Medicine Resulting		Jun 21, 2000 14:29:50	Page: 1 of 1	<input type="checkbox"/>
CPRSPATIENT,FOUR 666-43-8796		2B M	DEC 4,1949 (50)	<CAD>
Available Medicine Results				
	Type of Proc.	Procedure Date	Summary	<input type="checkbox"/>
1	ELECTROCARDIOGRAM	AUG 13,1997	ABNORMAL	
2	ELECTROCARDIOGRAM	JUL 31,1995@08:04	NORMAL	
Select action or item number				
AR Associate Result		DR Display selected medicine result		
Select action: Quit// AR Associate Result				

Select item: (1-2): 1		
ELECTROCARDIOGRAM	AUG 13,1997	ABNORMAL
Are you sure you want to associate this result? NO// Y YES		

Package Reference

Procedure/Medicine Resulting		Jun 21, 2000 14:41:16	Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796		2B M	DEC 4,1949 (50) <CAD>
Available Medicine Results			
Type of Proc.	Procedure Date	Summary	
1 ELECTROCARDIOGRAM	JUL 31,1995@08:04	NORMAL	
Select action or item number			
AR Associate Result		DR Display selected medicine result	
Select action: Quit// <Enter> QUIT			

Continue with Note Entry? Y// **N** NO

CONSULT TRACKING		Jun 21, 2000 14:41:35	Page: 1 of 3
CPRSPATIENT,FOUR 666-43-8796		2B M	DEC 4,1949 (50) <CAD>
			Wt.(lb): No Entry
Requested	St	No.	Consult/Procedure Request
1 05/16/00	c	1719	ELECTROCARDIOGRAM CARDIOLOGY Proc
2 05/15/00	c	1718	ELECTROCARDIOGRAM CARDIOLOGY Proc
3 02/09/00	p	1679	Holter Monitoring CARDIOLOGY Cons
4 06/18/99	a	1538	PACEMAKER SURVEILLANCE CARDIOLOGY Proc
5 04/07/99	c	1433	Holter Monitoring CARDIOLOGY Cons
6 06/11/98	pr	1047	CARDIOLOGY Cons
7 09/24/97	c	341	*CARDIOLOGY Cons
8 02/03/97	dc	209	CARDIOLOGY Cons
9 07/28/95	c	94	ECHO CARDIOLOGY Proc
10 07/20/95	c	88	ELECTROCARDIOGRAM CARDIOLOGY Proc
11 07/20/95	c	87	ELECTROCARDIOGRAM CARDIOLOGY Proc
12 04/23/92	c	64	*ELECTROCARDIOGRAM CARDIOLOGY Proc
+ Enter ?? for more actions			
SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select: Next Screen//			

Notice that after we exited the Procedure/Medicine Resulting screen, we were prompted about entering a note. If we had responded with a Yes, we would have been able to attach a TIU note to the consult we were closing in addition to the Medicine results.


Using the Consults Package with Clinical Procedures

Individual consult types can be designated to be resulted with the Clinical Procedures package. If this is the case, then Consults expects clinical procedures results to be attached to the consult. This attachment is usually accomplished with the CPUser program.

If the instrument in question has not yet been connected to Clinical Procedures, then the consult may be completed in the usual way by an authorized provider. (Authorized providers being clinicians whom the CAC has set up as an interpreter for the appropriate service.) In this case Consults will filter the note titles available and only allow you to use Clinical Procedures titles.

When the clinical procedure results are present, Consults changes the status to PR (partial results). This means that, at least, at stub of a TIU document has been attached to the consult. It could also mean that one or more images and/or instrument reports created by a clinical device are also attached to the consult. Additionally, the interpretation of the clinical device image(s) or text may have been uploaded and is ready for signature.

The minimum required by the consults package to complete a clinical procedures consult is the interpretation of the clinical device output. If this is not supplied via upload, then it must be entered by the consulting clinician. When this interpretation is entered, the following fields are required and are prompted for (if not already present):



The screenshot shows a dialog box titled "Enter Required Fields" with the following fields and buttons:

- Author:** A dropdown menu showing "Cprprovider,Seven - PHYSICIAN".
- Procedure Summary Code:** A dropdown menu showing "Normal".
- Procedure Date/Time:** A text field showing "May 14,2002@12:00" followed by an ellipsis button "...".
- Buttons:** "Save" and "Enter Later".

Annotations with arrows point to specific elements:

- An arrow points from the top-right corner of the dialog box to a text box: "Press this button to get a drop-down list of choices." (This points to the window control buttons).
- An arrow points from the ellipsis button next to the "Procedure Date/Time" field to a text box: "This button brings up a dialog to help you select the date and time."

Windows Quick Start

Introduction 71

Windows Flow of Information 72

Starting Consults in Windows 72

Order New Consult 75

Print Form 77

Forward Request 78

Receive Request 79

Comment 80

Complete a Consult (From the Consults Tab) 82

Complete a Consult (From the Notes Tab) 84

Complete a Consult (From Medicine Results) 86

Other Windows Topics 88

Cancel Request 88

Detailed Display 90

Discontinue Order 89

Make Addendum 91

New Date Range 93

Results Display 96

Select Consult 97

Select New Patient 98

Select Service 99


View by Status 100

Key

1. Steps are numbered and bolded:

a) Sub-steps are lettered and include an accent bar.

Tips are in a plain box




Introduction

1. Before each process, select the consult:

a) Click on the consult you want to select. (Most processes assume that you have first selected a specific consult.)


When you pause the cursor over the list of consults, CPRS expands the line the cursor is on.




Windows Flow of Information

Starting Consults in Windows


1. Start CPRS for Windows:




2. Select the connection:

 **Note: Depending on the way CPRS is installed on your machine, you may not see this step**

Click on the drop-down button
Select the appropriate connection. (See your Clinical Application Coordinator for information on which is the correct one.)
Click OK.



3. Log-on to your system:




The screenshot shows a logon window titled "C:\Program Files\Vista\Broker\clagent.hlp". The window contains a large asterisk border with the text "OE/RR DEVELOPMENT ACCOUNT" and "Tampering with this system is a". Below this, there are fields for "Access Code:" and "Verify Code:". To the right of these fields are "OK" and "Cancel" buttons. At the bottom, there are fields for "Server: ISC5A2", "Volume: OER", "UCI: OEX", and "Port: 1344".

a) After entering your Access Code, use the Tab key to switch to the Verify Code Field.

b) When you have entered both the Access Code and Verify Code, click OK or press the Enter key.

You can save time by typing both the Access and Verify codes here, separated by a semicolon.

4. Select a patient:



The screenshot shows the "Patient Selection" window. On the left, there are radio buttons for "Default: PULMONARY CLINIC", "Providers", "Clinics", "Team/Personal", "Wards", "Specialties", and "All". The "Patients (PULMONARY CLINIC)" list is displayed, showing a list of patient names. A patient named "Cprspatient.Twelve" is selected, and their details are shown on the right, including SSN, DOB, Gender, and Location. At the bottom, there is a table with columns for "Location", "Urgency", "Alert Date/Time", and "Message".

Clinics is very useful, it gives today's appointments for a clinic you select.

Click on these radio buttons to change the list of patients.

Type anything here that is allowed in VISTA patient prompts and a list of matches appear directly below.

Pressing the Enter key automatically selects the highlighted patient.

a) When ready, click the OK button or press the Enter key.

Double click on any name to select that patient.

5. Click the Consults Tab:

VistA CPRS in use by: Cprspvdr,Seven

File Edit View Action Options Tools Help

CPRSPATIENT, TWELVE **2B M** **Primary Care Team Unassigned** **Flag** **Remote Data** **Postings** **CWAD**

666-23-6572 Sep 12, 1944 (60) Provider: CPRSPROVIDER, SEVEN Attending:

All Consults **Dec 31, 04 (p) DERMATOLOGY Cons** **Consult #: 10818**

Current Pat. Status: Inpatient
Ward: 2B MED
Primary Eligibility: SERVICE CONNECTED 0% to 50%

Order Information
To Service: DERMATOLOGY
From Service: 2B MED
Requesting Provider: CPRSPROVIDER, SEVEN
Service is to be rendered on an INPATIENT basis
Place: Bedside
Urgency: Routine
Orderable Item: DERMATOLOGY
Consult: Consult Request
Provisional Diagnosis: Eczematous dermatitis of eyelid (373.31)
Reason For Request:
Pt needs specialized skin care.

Inter-facility Information
This is not an inter-facility consult request.

Status: PENDING
Last Action: CPRS RELEASED ORDER

Facility	Activity	Date/Time/Zone	Responsible Person	Entered By
CPRS RELEASED ORDER		12/31/04 12:59	CPRSPROVIDER, SEVE	CPRSPROVIDER, SE

Consults **Surgery** **D/C Summ** **Labs** **Reports**


It may take a few seconds after selecting the Consults Tab for CPRS to load consults information.

Order New Consult

1. Select New Consult:

You can find New Consult on the Action menu.

Or click the New Consult Button.



2. Fill out the Order a Consult dialog:

A new field, Earliest Appropriate Date, is provided for consults that need to be done in the future.

This button shows you the tree view of Consult services.

b) If needed, change the values in the Urgency, Place, Attention, and Provisional Diagnosis

If you have already talked with another provider about this consult, fill in the name here.

a) If needed, fill in the Reason for Consult. In this example, the field has already been populated from boilerplate text.

The screenshot shows the 'Order a Consult' dialog box. It has a title bar with a close button. The main area is divided into several sections:

- Consult to Service/Specialty:** A list box containing 'Initial Evaluation', 'Gastroenterology', 'Geriatric Extended Care', 'Gi <gastroenterology>', 'Gimc <gimc Consults>', 'Gimc Consults', 'Hematology Consult', 'Hematology New Name', 'Hematology Service', 'Home Oxygen Request', 'Home Oxygen', and 'Infectious Disease'.
- Urgency:** A dropdown menu set to 'ROUTINE'.
- Attention:** A dropdown menu.
- Earliest appropriate date:** A text field set to 'TODAY' with a calendar icon.
- Patient will be seen as an:** Radio buttons for 'Inpatient' and 'Outpatient' (selected).
- Place of Consultation:** A dropdown menu set to 'CONSULTANT'S CHOICE'.
- Provisional Diagnosis:** A text field with a yellow background and a 'Lexicon' button to its right.
- Reason for Request:** A large text area containing boilerplate text: 'CPRSPATIENT, TWELVE is a 66 y/o RACE UNKNOWN MALE currently taking Active Outpatient Medications (excluding Supplies):'. Below this is a table with headers 'Active Outpatient Medications' and 'Status', and a row of three dots '...'. At the bottom of this section is the text 'Initial Evaluation Cons CONSULTANT'S CHOICE'.
- Buttons:** 'Accept Order' and 'Quit' at the bottom right.

Annotations with arrows point to various elements:

- From the 'Earliest appropriate date' field to the text box at the top left.
- From the 'Consult to Service/Specialty' list box to the text box at the top middle-left.
- From the 'Urgency' dropdown to the text box at the top middle-right.
- From the 'Attention' dropdown to the text box at the top right.
- From the 'Provisional Diagnosis' field to the text box at the bottom middle-left.
- From the 'Lexicon' button to the text box at the bottom middle-right.
- From the 'Accept Order' button to the text box at the bottom right.
- From the 'Reason for Request' text area to the text box on the middle left.

This message box gives you critical dialog information.


If this button is active, then you must use the Clinical Lexicon to populate the Provisional Diagnosis filed.

If this field is yellow, then the Provisional Diagnosis must be entered using the Lexicon button.


c) When you are all finished, click on the Accept Order button.

Print Form 513

1. Select Print from the File Menu:




2. Select the Printer Device:




Forward Request

1. Select Forward:



2. Fill in the Forward Consult dialog:




Receive Request

1. Select Receive:

a) Click on Action, then Consult Tracking, then Receive.

Or use the keyboard by pressing the underlined characters: Firs Alt and A (together), then C, and then R.




2. Click OK.

If there is anything unusual about this consult, document it by typing a comment here.

If you need some other time, click here.

If the action should be by some other person, change this.




Comment

1. Select Add Comment:

Click on Action, then Consult Tracking, then Add Comment.


Or use the keyboard following the underlined letters: First Alt+A (together), then C, then A.




2. Fill in the Add Comment to Consult Dialog:

a) Type your comment in the text area.

b) Then click on the Send Alert check box.



3. Select the People to Receive the Alert:




Note: If this were an Inter-Facility Consult, individuals from the other facility involved would not be on this list. In this case, the Notification System decides who to notify at the other facility by referring to Consults files.

4. Select OK:




Complete a Consult (From the Consults Tab)

1. Select Complete/Update Results:



2. Select the Title of the Note:



3. Type in the text of the results:

As with any TIU document, part of it can be boiler-plate.

And part of it may be typed in by you. This can be typed or cut and pasted from a word processor such as Word.

4. Save the note:

You can save it to finish and sign later. This changes the status to Partial Results (pr).

Or you can sign it now. This changes the status to Complete (c).

Complete a Consults (From the Notes Tab)

Before starting, from the CPRS Windows program, select the correct patient and click the Notes tab.

1. Click New Note:

a) Click the New Note button.

2. Select the Title of the Note:

a) Type or select a title.

b) When finished, click OK.

The screenshot shows the CPRS interface with the 'Notes' tab selected. A list of notes is visible at the top, including 'Jul 26,99 TEST, ONC', 'Jul 21,99 S-M-OKIN', and 'Jul 21,99 TEST, ONC'. Below this is a 'Templates' section with a 'New Note' button. To the right, 'Diagnoses: T...' and 'Procedures: M...' are partially visible. Below the 'New Note' button is a row of tabs: 'Cover Sheet', 'Problems', 'Meds', 'Orders', 'Notes', and 'Consults'. The 'Notes' tab is active, and the 'Progress Note Properties' dialog box is open. The dialog box has a 'Progress Note Title' field with a dropdown menu showing 'CARDIOLOGY CS CONSULT <CARDIOLOGY CS CONSULT>'. Below this is a list of titles: 'CARDIOLOGY CS CONSULTS', 'CARDIOLOGY NOTE', 'CHARACTERS <MARGY LONG LONGER THAN WE HOPE 30 CH', 'CHRONIC LOWER BACK PAIN <CHRONIC LOWER BACK PAIN>', 'CLINICAL WARNING <CLINICAL WARNING>', and 'CONSULT <MEDICINE CS CONSULT>'. The 'Date/Time of Note' field is set to 'Jun 7,2000@09:36' and the 'Author' is 'Cprprovider,Seven - Staff Physician'. 'OK' and 'Cancel' buttons are at the bottom right.

3. Select the consult:

a) Select the consult you are completing.

Progress note title must be associated with a consult request.
Select one of the following or press cancel and choose a different title.

Consult Request Date	Service	Procedure	Status	# Notes
Jul 22,99 17:07	MEDICINE,SOUTH		ACTIVE	0
Jul 22,99 17:07	PULMONARY (SOUTH)		PENDING	0
Jul 22,99 17:07	CARDIOLOGY (SOUTH)		ACTIVE	0
Jun 17,99 11:57	CARDIOLOGY		COMPLETE	1
Jun 17,99 11:57	CARDIOLOGY		COMPLETE	1

4. Type in the text of the results:

The screenshot shows the Vista CPRS interface. At the top, it says "Vista CPRS in use by: CprspProvider,Seven". Below this is a menu bar with File, Edit, View, Action, Options, Tools, and Help. The main area is divided into several sections. On the left, there's a "CPRSPATIENT, TWELVE" section with fields for ID (666-10-1011), Date of Birth (May 06, 1942 (62)), and Provider (CPRSPROVIDER,SEVEN). To the right of this is a "H-2AS0" section with "Primary Care Team Unassigned" and "Attending:". Below these is a "All Consults" section with a list of consults: "All consults", "Jan 02,05 (p) CARDI", and "Nov 02,04 (p) AMPU". To the right of this is a "CARDIOLOGY CONSULTS" section with "Adm: 06/11/03 2AS". Below this is a "DEMOGRAPHICS" section with fields for "CPRSPATIENT, TWELVE", "666-10-1011", "62", and "MAY 6, 1934". At the bottom, there's a "New Note in Progress" section with a list of notes: "Jan 02,05 CARDIOLC". A callout box points to the "New Note in Progress" section with the text: "As with any TIU document, part of it can be boiler-plate." Another callout box points to the "DEMOGRAPHICS" section with the text: "And patient information can be entered here." A third callout box points to the "New Note in Progress" section with the text: "Mr. CPRSPatient is in . . ."

5. Save the note:

The screenshot shows the Vista CPRS interface with the "Consult Results..." menu open. The menu options are: "Complete/Update Results... Shift+Ctrl+U", "Make Addendum... Shift+Ctrl+M", "Attach Medicine Results", "Remove Medicine Results", "Change Title... Shift+Ctrl+C", "Reload Boilerplate Text", "Add to Signature List", "Delete Note... Shift+Ctrl+D", "Edit Note... Shift+Ctrl+E", "Save Without Signature Shift+Ctrl+A", "Sign Note Now... Shift+Ctrl+G", "Identify Additional Signers", and "Print Note". A callout box points to the "Sign Note Now..." option with the text: "You can save it to finish and sign later. This changes the status to Partial Results (pr)." Another callout box points to the "Sign Note Now..." option with the text: "Or you can sign it now. This changes the status to Complete (c)." A third callout box points to the "Sign Note Now..." option with the text: "Mr. CPRSPatient is in . . ."

Complete a Consult (From the Medicine Results)

1. Select Attach Medicine Results:

Procedures are indicated by the medical icon.

If medicine results are available for this patient, the menu command is turned on.

The screenshot shows the VistA CPRS interface with the 'Consult Results...' menu open. The 'Attach Medicine Results' option is highlighted. The patient's name is 'CPRSPATIENT 666-11-3344' and the consult is 'Feb 28,01 (p) ELECTROCARDIOGRAM CARDIOLOGY'. The menu options include 'Complete/Update Results...', 'Make Addendum...', 'Attach Medicine Results', 'Remove Medicine Results', 'Change Title...', 'Reload Boilerplate Text', 'Add to Signature List', and 'Delete Progress Note...'.

2. Select the medicine result.

Select the medicine result you want.

Click OK and you're done.

The dialog box shows a table of medicine results. The first column is 'Type of Result', the second is 'Date of Result', and the third is 'Summary'. The results are:

Type of Result	Date of Result	Summary
ELECTROCARDIOGRAM	AUG 14,1995@14:15	
ELECTROCARDIOGRAM	MAR 15,1996@10:15	
ELECTROCARDIOGRAM	MAR 15,1996@10:30	
ELECTROCARDIOGRAM	MAR 25,1996@08:00	

The 'OK' button is highlighted.

3. No signature is necessary at this time.

Undo Medicine Results

Select Remove Medicine

Results

Windows activates this menu command when a result *you can* remove is present in the selected consult.

The screenshot shows the VistA CPRS interface with the 'Consult Results...' menu open. The 'Remove Medicine Results' option is highlighted. The patient's name is 'CPRSPATIENT 666-11-3344' and the consult is 'Feb 28,01 (p) ELECTROCARDIOGRAM CARDIOLOGY'. The menu options include 'Complete/Update Results...', 'Make Addendum...', 'Attach Medicine Results', 'Remove Medicine Results', 'Change Title...', 'Reload Boilerplate Text', 'Add to Signature List', and 'Delete Progress Note...'.

2. Select the medicine result to be removed.

If more medicine results are present, they will be listed here.

Remove Medicine Result from: ELECTROCARDIOGRAM CARDIOLOGY Proc

Select medicine result:

Type of Result	Date of Result	Summary
ELECTROCARDIOGRAM	MAR 25, 1996@08:00	

Date/time of this action: ...
 Action by:

Consults keeps and displays a complete audit trail.

```

Requesting Provider:  WASHBY, HANCOCK
Service is to be rendered on an OUTPATIENT basis
Place:                Consultant's choice
Urgency:              Routine
Orderable Item:      ELECTROCARDIOGRAM
Procedure:            ELECTROCARDIOGRAM
Provisional Diagnosis: Angina

Status:               ACTIVE
Last Action:          DISASSOCIATE RESULT

Activity              Date/Time      Responsible Person  Entered By
ENTERED IN CPRS       02/28/01 16:00  CPRSPROVIDER,TEN   CPRSPROVIDE
COMPLETE/UPDATE       02/28/01 16:16  CPRSPROVIDER,SEVEN CPRSPROVIDE
  Medicine Procedure performed: MAR 25, 1996@08:00
DISASSOCIATE RESULT   02/28/01 16:21  CPRSPROVIDER,SEVEN CPRSPROVIDE
  Medicine Procedure performed: MAR 25, 1996@08:00

=====  END  =====
    
```


Other Windows Topics

Cancel (Deny) Request

This is a consult receiver's action. If you are the consult originator, use the Discontinue Order action.

1. Select Cancel:

Click on Action, then Consult Tracking, and then Cancel.




Or follow the underlined letters by typing Alt and A together (Alt+A), then C, and then C again.

2. Consult dialog:

a) Type the reason for the denial. Be specific enough so that the originating provider can correct and resubmit the consult.

b) When finished, click the OK button.


A notification is automatically sent to the consult originator so that the consult can be edited and resubmitted.



Discontinue Order

This is a consult originator's action. If you are the consult receiver, use the Cancel (Deny) action.

1. Select Discontinue:




The screenshot shows the VistA CPRS interface. The 'Action' menu is open, and the 'Discontinue' option is highlighted. The menu also includes options like 'Receive', 'Schedule', 'Cancel (Deny)', 'Edit/Resubmit', 'Forward', 'Add Comment', and 'Significant Findings'. The background shows a list of consults for a patient with ID 666-23-6572.

Click on Action, then Consult Tracking, then Discontinue.

Or follow the underlined characters on the keyboard by pressing Alt+A (together), then C, and then D.

2. Fill out the Discontinue Consult dialog:



The screenshot shows the 'Discontinue Consult' dialog box. It has a 'Comments' text area, a 'Date/time of this action' dropdown set to 'Now', an 'Action by' dropdown set to 'Cprsprovider,Seven - PHYSICIAN', and 'OK' and 'Cancel' buttons.

a) Type in the reason.

b) When finished, click the OK button.

A notification is automatically sent to the originator of the consult with information about the discontinuation of the order.

Detailed Display

Consults in Windows always show the detailed display of whatever consult is selected.

a) Click on the consult you want to see.

Postings codes have the following meanings:
 C—There are Crisis Note(s) present.
 W—There are Clinical Warning Note(s) present.
 A—There are allergies present.
 D—There are Directive Note(s) present.
 Click here for specifics.

The Detailed Display includes:
 Current Primary Care information.
 Current Eligibility information.
 Order information.
 Last action information.
 A record of activity.
 All signed notes.
 Information about unsigned notes.
 Notes, Results, and Addenda
 All other text fields associated with the consult.

The consult number can be used to quickly access a specific consult in a variety of situations.


Make Addendum

An Addendum is a *medical* statement by a patient care professional about a specific Note. It differs from a Comment in that it is about medical matters, where Comments, which can be written by anyone, should contain information needed to *administer* the consult.

1. Select the Consult and the Note

a) First click on the consult.


b) Then, select the note by clicking on it.



2. Select Make Addendum

Click on Action, then Consult Results, and then Make Addendum.

Or follow the underlined character on the keyboard by pressing Alt+A (together), then C, and then F.



3. Type the addendum:


The screenshot shows the VistA CPRS interface for patient CPRSPATIENT, TWELVE (666-23-6572, Sep 12, 1944). The interface includes a menu bar (File, Edit, View, Action, Options, Tools, Help) and a toolbar with buttons like Flag, Remote, Postings, and CWAD. The main window displays a list of consults on the left, including 'PULMONAR' and 'ARTERIAL B'. The central area shows an addendum being typed: 'Pt seems to have no adverse affects from the mishap described in this note. Recommend'. A callout box points to this text, stating: 'An addendum supplies supplementary information on the patient's condition.' Another callout box points to the 'Templates' button in the bottom left, stating: 'As with other TIU objects, addendum may include boilerplate.' The bottom of the interface shows a navigation bar with tabs like Cover Sheet, Problems, Meds, Orders, Notes, Consults, D/C Summ, Labs, and Reports.

4. Save the note:


The screenshot shows the VistA CPRS interface for patient CPRSPATIENT (666-10-1011). The 'Consult Results...' menu is open, displaying options like 'Complete/Update Results...', 'Make Addendum...', 'Attach Medicine Results', 'Remove Medicine Results', 'Change Title...', 'Reload Boilerplate Text', 'Add to Signature List', 'Delete Note...', 'Edit Note...', 'Save Without Signature', 'Sign Note Now...', 'Identify Additional Signers', and 'Print Note'. A callout box points to the 'Sign Note Now...' option, stating: 'You can save it to finish and sign later.' Another callout box points to the 'Sign Note Now...' option, stating: 'Or you can sign it now.' The interface also shows a list of consults on the left, including 'CARDI' and 'AMPU'.

New Date Range

1. Select Consults by Date Range:



2. Fill in the List Consults by Date Range Dialog:



3. Select OK:

You may also select the display order.

List Consults by Date Range

Beginning Date
May 1,98

Ending Date
May 20,98

Sort Order
☐ Ascending (oldest first)
☒ Descending (newest first)

OK
Cancel

After you click OK only consults within the date range are displayed.

VistA CPRS in use by: Cprsprovider, S...

File Edit View Action Options Tools

CPRSPATIENT.TWELVE 2B M
866-23-6572 Sep 12,1944 (60) Provider


May 01,98 to May 20,98 May 19,98

Consults by Date Range
May 19,98 (c) GAS

Current
Ward:
Primary
Order In
To Service
Attention
From Service
Reason


Quit

The simplest way to quit is to click on the X in the upper right-hand corner of the window.



Or you can select Exit from the File menu.

Or you can press the Alt and F4 keys at the same time (Alt+F4).



Results Display

Many commands (like this one) require that you first highlight the correct entry.

Get the results for the current consult by selecting Action then Consult Tracking then Display Results from the menu bar.

The results display gives only the signed results and addendum making it easier to focus in on the information you need. It also gives author information on unsigned and/or unreleased notes.




Note: If this were an Inter-Facility Consult, CPRS's Remote Data Views would retrieve the results over the VA Intranet. This may take slightly longer.

Select Consult


a) Click on the consult you want to view or perform an action on.

b) If the consult has more than one note associated with it, that is indicated here. For many actions, you must select an item in this pane before performing the action.




Select New Patient

1. Choose Select New Patient from the File Menu:




2. Use the Patient Selection Dialog:



Select Service

1. Select Consults by Service from the View Menu:

Or follow the underlined letters from the keyboard by pressing Alt+V (together) then S.



2. Select the service you want:


Click on a plus box to expand the hierarchy below it.

Click on a minus box to collapse the hierarchy below it to a single line.

a) Click on the service you want to select.

b) Close by either:
Double clicking on the service.
Clicking on OK.
Pressing the Enter key.


Click here to see the rest of the hierarchy



View by Status

1. Select Consults by Status from the View Menu:

Or follow the underlined letters from the keyboard by pressing Alt+V (together) then U.




2. Select the status you want from the list:


a) Click on the status you want to see.

b) When finished, click the OK button or press the Enter key.

Hold down the Ctrl key when selecting to select more than one status.




c) Now the list of consults only has ones with the status you selected.




Custom List

1. Select Custom View from the View Menu:



3. Select the view you want.

Do one or more of the following:



3. Click OK.

Pick newest or oldest first display.

Package Reference

There are three menus, six notifications, and 18 actions that make up the package that is Consults. In the preceding section, **Package Operation**, we discussed a number of these in order to explain how the Consult/Request Tracking package works. In this section, we give each of a description of each of these in turn to provide reference information for you.

General Service User Menu

If you are a Consults user from a service other than Medicine or Pharmacy services, you probably have the GMRC General Service User menu. This menu gives you access to all the basic functionality you need to track Consults for your service.

As a General Service User, you have access to three basic options as shown in this example:

```
Select Consult Service Tracking Option: ?

    CS      Consult Service Tracking
    PC      Service Consults Pending Resolution
    ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.
Select Consult Service Tracking Option:
```

Consult Service Tracking Option

The Consult/Request Service Tracking option may be used to:

Review the latest activity related to a patient's consult/procedure request orders.
Update or track activities related to a patient's consults.

The menu of actions available to you depends on whether you are a Review Only user or an Update user. The names and the synonyms for each menu action is listed below:

Review Only and Update Actions

ACTION NAME	SYNONYM	GUI Menu Action
Next Screen	+	
Previous Screen	-	
Add Comment	CM	Action Consult Tracking Add Comment
Change Date Range	CV;DT	View Consults by Date Range
Detailed Display	DD	Action Consult Tracking Detailed Display
Edit/Resubmit	ER	Action Consult Tracking Edit Resubmit*
Redisplay Screen	RD	
Select Patient	SP	File Select New Patient
Select Service	CV;SS	View Consults by Service
Print Form 513	PF	File Print
Quit	Q	File Exit
Results Display	RT	Action Consult Tracking Display Results
View By Status	CV;ST	View Consults by Status

* ER (Edit/Resubmit) may be used only by the originating provider or an update user. It is available on this menu in case the originating provider is not an update user.

Update Only Actions

ACTION NAME	SYNO NYM	GUI Menu Command
Complete (Update)	CT	Action Consult Results Complete/Update Results
Cancel (Deny)	DY	Action Consult Tracking Deny
Discontinue	DC	Action Consult Tracking Discontinue
Forward	FR	Action Consult Tracking Forward
Receive	RC	Action Consult Tracking Receive
Remove Med Rslt	RM	Action Consult Tracking Remove Medicine Results
Schedule	SC	Action Consult Tracking Schedule
Significant Findings	SF	Action Consult Tracking Significant Findings
Make Addendum	MA	Action Consult Results Make Addendum

Each review screen displayed has a prompt at the bottom of the display screen. This prompt varies according to what Consults thinks you are going to do next. Thus it is either “Select Consult:” or “Select Action:” depending on various system variables. If the prompt is “Select Consult:” you may either select a consult or an action. If the prompt is “Select Action:” you may only select an action. In either case a ? at this prompt provides you with a menu of actions.

Before you use this option, you need to know:

The patient's name or identification.

You may identify a patient by entering information other than the patient's name. Some possibilities are: Social Security Number (SSN), Ward Location, or Room-Bed, at the Select Patient prompt.

The service or specialty.

The default answer at the Select Service/Specialty Tracking prompt is always ALL SERVICES//. The response you make at the prompt determines what action you are able to select. If you accept the ALL SERVICES default, the Review Only actions are the only ones available. Alternatively, a service/specialty could be specified to restrict the number of consults to review. If you are an Update user for the service/specialty you selected, then you have all actions available to you at the action prompt.

An example of the Consult/Request Service Tracking option and default Review Only actions available for use with the option are shown in the following sample dialogue. User responses are in bold.

```
Select Consult Service Tracking Option: ?

    CS      Consult Service Tracking
    PC      Service Consults Pending Resolution
    ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: CS Consult/Request Service Tracking
Select Patient: CPRSPATIENT,FOUR          01-01-51      666123456      YES      SC VET
ERAN

Select Service/Specialty: ALL SERVICES// <Enter> ALL SERVICES
List From Starting Date: ALL DATES// <Enter> ALL
```

Select the Consult/Request Service Tracking option from your menu and enter the name of the patient whose consults/requests you want to review.

At the Select Service/Specialty prompt enter the name of the Service or hierarchy of services the consult was referred to. If consults are available in the service or hierarchy for the patient specified, they are listed as shown in the following display.

CONSULT TRACKING		Oct 06, 2000 08:24:24		Page: 1 of 1
CPRSPATIENT, FOUR		666-44-2222	8E/3E101-1	MAR 3,1960 (40) <AD>
				Wt.(lb): 184
Requested	St	No.	Consult/Procedure Request	
1	10/06/00	p	1766	EYE CLINIC Cons
Enter ?? for more actions				
SP Select Patient		RT Results Display		ER Edit/Resubmit
CV Change View ...		PF Print Form 513		
DD Detailed Display		CM Add Comment		
Select: Quit//				

Review Only Actions

Enter ?? at the Select Item(s) prompt to see the complete list of options available to you.

```
Select Consult: Quit// ??

Enter the display number of the item you wish to act on, or select an action.

If you'd like another view of the consults, enter CV.

Status key:
  'a' - active          'c' - complete          'dc' - discontinued
  'p' - pending         'x' - cancelled         'pr' - partial results
  's' - scheduled       'e' - expired

Enter ?? to see a list of actions available for navigating the list.

Press <return> to continue ...
The following actions are also available:
+   Next Screen          RD   Redisplay Screen
-   Previous Screen      UP   Up a Line           CWAD Display CWAD Info
FS   First Screen        DN   Down a Line
LS   Last Screen
GO   Go to Page          PS   Print Screen        SL   Search List
                                PT   Print List          EX   Exit

Enter RETURN to continue or '^' to exit:
```

If you are an update user, the menu of actions includes additional actions such as received, completed, and discontinued.

The help display also includes a key to abbreviations used in consult screens, including the Consult Tracking screen currently under discussion.

Update Select Actions

If you are an Update user, then the Consult Tracking display looks like this:

CONSULT TRACKING			Oct 06, 2000 08:26:04		Page: 1 of 2	
CPRSPATIENT,FOUR			666-44-2222 8E/3E101-1		MAR 3,1960 (40) <AD>	
					Wt.(lb): 184	
	Requested	St	No.	Consult/Procedure Request		
1	11/17/98	x	1211	BRONCHOSCOPY PULMONARY Proc		
2	07/13/98	c	1112	*PULMONARY Cons		
3	06/18/98	c	1062	*PULMONARY Cons		
4	06/12/98	c	1050	PULMONARY Cons		
5	06/08/98	c	1028	PULMONARY Cons		
6	06/04/98	dc	1022	PULMONARY Cons		
7	05/27/98	dc	940	PULMONARY Cons		
8	05/20/98	dc	919	PULMONARY Cons		
9	05/13/98	c	898	*PULMONARY Cons		
10	05/01/98	c	881	PULMONARY Cons		
11	04/15/98	c	843	PULMONARY Cons		
12	03/16/98	c	827	PULMONARY Cons		
+ Enter ?? for more actions						
SP Select Patient		FR Forward		CT Complete/Update	RT Results Display	
CV Change View ...		CX Cancel (Deny)		MA Make Addendum	PF Print Form 513	
RC Receive		DC Discontinue		SF Sig Findings	RM Remove Med Rslt	
SC Schedule		CM Add Comment		DD Detailed Display	ER Edit/Resubmit Select:	
Next Screen//						

Each action is described in detail in the **Actions** section of **Package Reference** starting on page 115.

Completion Time Statistics

This report is intended to help hospitals track overall quality of service. High numbers on this report can indicate the presence of bottlenecks in the organization that might need management attention.

In the following example, a report on completion times is printed for Pulmonary Service:

```

Select Consult Service Tracking Option: ?

    CS      Consult Service Tracking
    PC      Service Consults Pending Resolution
    ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: ST Completion Time Statistics

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date: ALL DATES//
...HMMM, LET ME THINK ABOUT THAT A MOMENT.....
  
```

```

DAYS TO COMPLETE CONSULT STATSOct 06, 2000 08:28:22      Page:    1 of    1
Number Of Days To Complete A Consult For Services Statistics.
FROM: ALL    TO: OCT 6,2000

                Consult/Request Completion Time Statistics
                FROM: ALL    TO: OCT 6,2000

SERVICE: PULMONARY
Total Number Of Consults Completed: 200
Mean Days To Complete: 46.8                      Standard Deviation: 104.7
Total INPATIENT Consults: 32
Mean Days To Complete: 60.7                      Standard Deviation: 125.1
Total OUTPATIENT Consults: 30
Mean Days To Complete: 93.4                      Standard Deviation: 155.5
Total Unclassified Consults: 138
Mean Days To Complete: 33.4                      Standard Deviation: 81.0

Enter ?? for more actions
SS Select Service      PR Print Completion Statistics To A Printer.
Select Item(s): Quit//
  
```

Service Consults Pending Resolution

The purpose of the Service Consults Pending Resolution option is to list the pending and active consults. Use it to stay informed about the overall status of consults for your service.

In the following example, the option is used to view pending and active Pulmonary consults:

```
Select Consult Service Tracking Option: ?

  CS      Consult Service Tracking
  PC      Service Consults Pending Resolution
  ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: PC  Service Consults Pending Resolution
Select Service/Specialty: PULMONARY
List From Starting Date: ALL DATES// <Enter>
...EXCUSE ME, LET ME THINK ABOUT THAT A MOMENT...
```

```
Service Consults by Status      Oct 06, 2000 08:31:39      Page:      1 of      5
To Service: PULMONARY
From: ALL      To: OCT 6,2000

  Status      Last Action      Request Date  Patient Name      Pt Location      □
                                Consult/Request By Status
                                FROM: ALL      TO: OCT 6,2000

SERVICE: PULMONARY
Pending      CPRS RELEASED ORDER 09/20/00 CPRSATIENT,FOU (6572) 2B MED
Pending      CPRS RELEASED ORDER 09/19/00 CPRSATIENT,ONE (5678) 2B MED
Pending      CPRS RELEASED ORDER 09/19/00 CPRSATIENT,FIV (1111) 2B MED
Pending      CPRS RELEASED ORDER 07/20/00 CPRSATIENT,TWO (3241) 2B MED
Pending      PRINTED TO          06/29/99 CPRSATIENT,SIX (8829) GENERAL MEDICINE
Pending      PRINTED TO          06/28/99 CPRSATIENT,FOU (3779) 1A
Pending      PRINTED TO          06/15/99 CPRSATIENT,SEV (8828) 13A PSYCH
Pending      PRINTED TO          06/08/99 CPRSATIENT,FIF (4111) 1A
Pending      PRINTED TO          06/03/99 CPRSATIENT,EIG (2345) ONCOLOGY
Pending      PRINTED TO          06/03/99 CPRSATIENT,SIX (9235) 1A
Pending      PRINTED TO          06/03/99 CPRSATIENT,NIN (3242) ONCOLOGY
Pending      PRINTED TO          06/03/99 CPRSATIENT,TEN (5525) ONCOLOGY
+      Enter ?? for more actions      >>>
  Service      Status      Number on/off      Print List
Select Item(s): Next Screen//
```



Note: Someone in your clinic or service should review this list daily to make sure that all consults are being attended to.

Consult Status

The following table gives the statuses that Consults uses, along with their abbreviation, name, and description:

Abbreviation	Name	Description
a	ACTIVE	Orders that are active or have been accepted by the service for processing.
c	COMPLETE	Orders that require no further action by the ancillary service.
dc	DISCONTINUED	Orders that have been stopped prior to expiration or completion.
p	PENDING	Orders that have been placed but not yet accepted by the service filling the order.
pr	PARTIAL RESULTS	All or part of a consult completion report has been entered, but has not yet been signed.
s	SCHEDULED	The receiving clinic has scheduled an appointment for the patient.
x	CANCELLED	Orders that have been rejected by the ancillary service without being acted on.

The following table gives the actions that Consults uses along with the status after the action is performed:

Consult Actions	Status after Action
CPRS Released Order	PENDING
Discontinued	DISCONTINUED
Incomplete Report	PARTIAL RESULTS
Completed	COMPLETE
Edited/Resubmit	PENDING
Schedule	SCHEDULED
Forwarded	PENDING
Canceled	CANCELLED
Added Comment	No change in status
Received	ACTIVE
Printed	No change in status

This table shows actions that are tracked in Consults V. 3.0. Actions that are new with 3.0 are indicated as well as which Consults menu (update or review) initiates the action. If an order status change can result from the action, the new status is shown.

TRACKED ACTION TYPE	New V.3.0	Update Actions	Review Actions	RELATED OE/RR STATUS	Comment
Added Comment		X	X		Review users can add a comment.
Addendum Added To	X	X			Based on adding a signed and released addendum to a completed note via the Complete/Update or Make Addendum action or through TIU actions.
Cancelled	X	X		CANCELLED	This is used in 3.0 replacing the 2.5 Deny action.
Complete/Update		X		COMPLETE or PARTIAL RESULTS	Changed title to imply Complete can be chosen multiple times by clinicians entering results. TIU actions can also cause this tracking action. Includes the one-time Administrative Complete.
Disassociate Result	X				Currently done through TIU actions. In the future will be used to remove an incorrectly associated note.
Discontinued		X		DISCONTINUED	No longer includes Denied.
Edit Before Release	Obsolete			UNRELEASED	Moved unreleased consults to Order Entry in CPRS conversion.
Edit/Resubmitted	X			PENDING	The originating provider can edit and resubmit a consult from either an alert or the Consult Tracking screen. An update user may also use this action.
CPRS Released Order				PENDING	Used in 3.0 to represent a signed/released Consult order from CPRS.
Forwarded From		X		PENDING	

Package Reference

Incomplete RPT				PARTIAL RESULTS	Status name has changed from Incomplete RPT. Based on Complete/Update action, and/or TIU actions, if the first consult note is not completed.
New Note Added	X			PARTIAL RESULTS/ COMPLETE	Based on Complete/Update action and/or TIU actions.

Consult Action/Status Overview (Continued)

TRACKED ACTION TYPE	New V.3.0	Update Actions	Review Actions	RELATED OE/RR STATUS	Comment
Printed to					Based on the original order being signed and released, forwarded, and edit/resubmitted. The SF 513 printed at the Service is accomplished with the Consult package hard-coded format. (OE/RR print templates cannot include results.)
Received				ACTIVE	
Schedule	X	X		ACTIVE	The Schedule action does not actually schedule an appointment or link to the scheduling package. It does allow a convenient way to annotate a consult after an appointment has been scheduled by some other means.
Service Entered				ACTIVE	Currently unavailable.
Sig Finding Update	X	X			May be used independently from Administrative Complete action from 2.5.
Status Change	X			ACTIVE	Used by TIU when a note is disassociated from a consult and there are no other results associated with the it.
Unknown Action	X			NO STATUS	Used in displays if action is unknown.

Actions

Brief Action Descriptions

Review Only Actions

DD	The <i>Detailed Order Display</i> action displays specific order activities and details, audit/tracking trails and results.
CT	The <i>New Date Range</i> allows you to change date range while in the Consult Tracking screen. This date range change does not change the patient or require you to select a new patient. It is a subordinate action to Change View (CV).
CV	The <i>Change View</i> action gives you the capability to view consults by Service, Status, or Date Range. This is done by adding the modifying action to CV as such: CV;SS for Select Service. CV;ST for View by Status. CV;DT for New Date Range.
PF	The Print Form action produces a copy of SF 513.
RT	The <i>Results Display</i> action displays the results of the consult or procedure request order.
SP	The <i>Select New Patient</i> action allows you to select a new patient's name at any time, while using this option, rather than having to log out of the option and log back in.
SS	The <i>Select Service</i> action allows you to select a different service/specialty in which to review orders. It is a subordinate action to Change View (CV).
ST	The View by Status action allows you to select one or more statuses to display on the screen. It is a subordinate action to Change View (CV).
CM	This action synonym may be entered at the Select prompt if the Service/Specialty wishes to add a <i>Comment</i> to an existing consult order. An example is a comment indicating that the requesting clinician wants a HOLD put on an order that has already been Received and is active in a Service/Specialty.
ER	Although the <i>Edit/Resubmit</i> action shows up on the Review Only menu, it can only be executed by the originating provider or an update user. When a consult is cancelled or denied for clerical reasons (such

as insufficient data), then the information on the consult can be edited and resubmitted it with this action. Alternatively, the originating provider may perform this function from the alert.

Q The *Quit* action exits all Consults options.

Update Actions

CT The *Complete Request* action updates the CPRS status of a consult from Active to Completed. When the patient's consult review screen is displayed again, both the consult's current status and the Last Activity field will be updated to indicate that the consult's new current status is Completed.

Complete Request also links you to TIU so that you can enter findings.

CX The *Cancel (or Deny) Request* action may be used by Service personnel to deny a request for completion of a consult/procedure received by their Service. A comment concerning the reason for denial must added when using this action.

DC The *Discontinue Order* action allows Service/Specialty personnel to change an order's current status and Last Activity field to Discontinued. In addition, a comment may be added concerning the reason for discontinuance.

FR Entering the *Forward Request* allows you to forward a consult or request to any other Service/Specialty, provided that Service/Specialty has been set up by IRM personnel to receive consults on line. As an example, this action could be used when Cardiology Service has mistakenly received a consult that should have been sent to Hematology Service.

MA The *Make Addendum* action allows one or more people to add their comments to the results of a consult. Contrast this to Add Comment, which adds a note to the consult.

RC The *Received Request* action is used by a Service/Specialty to acknowledge receipt of a new consult/request in the Service and to update the current CPRS status of the consult/request to Active rather than Pending. The Last Activity field on the patient's review screen will also be updated to indicate that the consult was Received.

RM The *Remove Medicine Results* action is used when a medicine result has been attached to a consult in error. It's use is restricted, but

Package Reference

generally speaking, it can be done by anyone who can attach medicine results.

- SC** The ***Schedule*** action can be used by a Service/Specialty to annotate a consult that an appointment has been scheduled for the patient. (It does not schedule an appointment or link to the Scheduling Package.)
- SF** The ***Significant Findings*** action is used by a Service/ Specialty to mark a consult has having significant findings. When the Sig Findings flag is set to “Y” an asterisk is placed next to the consult in the review display.



Note: **Actions that require you to select an existing order can be done in one of two ways:**

Select the action.
Select the order.

Or

Select the order.
Select the action.

The actions that are affected by this are:

DD	Detailed Order Display
CM	Comment Order
CT	Complete Request
DC	Discontinue Order
CY	Deny Request
FR	Forward Request
RC	Received Request
SC	Schedule
ER	Edit/Resubmit


Add Comment (CM) Action

The Add Comment action allows you to append a comment to a consult order when important information about the consult needs to be added to the original order or when a caregiver needs to furnish information before the consult is ready to be closed out.

The Add Comment action can be performed by any user.

To use the Comment Order action from Windows:

From the Consults tab, highlight the consult you want to add a comment to.
Select Action|Consult Request|Add Comment.



Type the comment.

Select the **Send Alert** check box.

Select individuals you want to receive a notification.

Choose **OK**.

Choose **OK** again.



Note: If this were an Inter-Facility Consult, individuals from the other facility involved would not be on this list. In this case, the Notification System decides who to notify at the other facility by referring to Consults files.

Cancel (or Deny) Consult

The Cancel action is one of several options the receiving clinic or service uses to process a request (see **Forward the Consult** under **Work Flow** page 37).

The originating clinician is automatically sent an alert that the request has been canceled.

This action is provided for all update options in the Consults package.

Example:

```
Select Consult Management Option: CS Consult Service Tracking
Select Patient: CPRSPATIENT,FOUR 01-01-51 666123456 YES SC VET
ERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date: ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING Jun 19, 1997 04:21:18 Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796 2B M DEC 4,1949 (50) <CAD>
Wt.(lb): 184

Requested St No. Consult/Procedure Request
1 02/03/97 a 999 PULMONARY Consult
2 02/03/97 a 989 PULMONARY Consult
3 02/03/97 c 929 *PULMONARY Consult
4 02/03/97 c 873 *PULMONARY Consult
5 01/09/97 c 872 PULMONARY UGI
6 09/06/96 dc 500 PULMONARY ECHO
7 03/05/92 dc 444 PULMONARY Electrocardiogram

Enter ?? for more actions
SP Select Patient FR Forward CT Complete/Update RT Results Display
CV Change View ... CX Cancel (Deny) MA Make Addendum PF Print Form 513
RC Receive DC Discontinue SF Sig Findings RM Remove Med Rslt
SC Schedule CM Add Comment DD Detailed Display ER Edit/Resubmit
Select: Quit// CX Cancel (Deny)
```

```
CHOOSE No. 1-2: 2
Responsible Clinician: CPRSPROVIDER,TWO CRS PHYSICIAN
Date/Time of Actual Activity: NOW// <Enter> (JUN 19, 1997@04:21)
Enter COMMENT:
 1>Duplicate Consult
 2> <Enter>
EDIT Option: <Enter>
```

(Continued on next page.)

Package Reference

CONSULT TRACKING				Jun 19, 1997 04:22:02		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796				2B M		DEC 4,1949 (50) <CAD>	
						Wt.(lb): 184	
	Requested	St	No.	Consult/Procedure Request			
1	02/03/97	x	999	PULMONARY Consult			
2	02/03/97	a	989	PULMONARY Consult			
3	02/03/97	c	929	*PULMONARY Consult			
4	02/03/97	c	873	*PULMONARY Consult			
5	01/09/97	c	872	PULMONARY UGI			
6	09/06/96	dc	500	PULMONARY ECHO			
7	03/05/92	dc	444	PULMONARY Electrocardiogram			
Enter ?? for more actions							
SP Select Patient		FR Forward		CT Complete/Update		RT Results Display	
CV Change View ...		CX Cancel (Deny)		MA Make Addendum		PF Print Form 513	
RC Receive		DC Discontinue		SF Sig Findings		RM Remove Med Rslt	
SC Schedule		CM Add Comment		DD Detailed Display		ER Edit/Resubmit	
Select: Quit//							

The originating clinician has then has the option of editing and resubmitting the request. This is done either from the view alerts function, or from the consult tracking screen with the Edit/Resubmit (ER) action. An update user for the subject service may also edit and resubmit a canceled consult.

Change View (CV) Action

The Change View action is really three different actions packaged into one. They are:

View by Status (ST)

Change Date Range (DT)

Select Service (SS)

Enter the CV action followed by one of these three options. You can do this as two different entries, or you can put both commands on the same line separated by a semicolon, like this: CV;DT

In the following example we use the CV action to display selected statuses:

With this action you can selectively display consults on the Consult Tracking screen base on the consult's status. In the following example, the display is changed to view only consults with a status of Pending or Discontinued. For a list of consult statuses and their meanings, see page 111.

CONSULT TRACKING			Jul 30, 1997 09:21:02		Page: 1 of 2	
CPRSPATIENT,FOUR 666-43-8796			2B M		DEC 4,1949 (50) <CAD>	
					Wt.(lb): 184	
	Requested	St	No.	Consult/Procedure Request	<input type="checkbox"/>	
1	10/06/00	p	1766	EYE CLINIC Cons		
2	09/21/00	p	1764	Electrocardiogram CARDIOLOGY Proc		
3	04/25/00	s	1713	CARDIOLOGY Cons		
4	03/21/00	c	1701	CARDIOLOGY (SOUTH) Cons		
5	02/22/00	pr	1687	PULMONARY (SOUTH) Cons		
6	01/26/00	c	1665	CARDIOLOGY Cons		
7	06/02/99	c	1483	VENTRICAL LEAD IMPLANT CARDIOLOGY Proc		
8	04/29/99	a	1455	CARDIOLOGY (oex) CARDIOLOGY Cons		
9	02/18/99	x	1395	CARDIOLOGY Cons		
10	01/06/99	c	1322	M'S SPECIALTY SEA-M'S SPECIALTY Cons		
11	01/05/99	c	1310	*GASTROENTEROLOGY CARDIOLOGY Cons		
12	01/04/99	c	1287	CARDIOLOGY Cons		
+ Enter ?? for more actions						
SP Select Patient			RT Results Display		ER Edit/Resubmit	
CV Change View ...			PF Print Form 513			
DD Detailed Display			CM Add Comment			
Select Consult: Next Screen// CV Change View ...						

```

DT  Date Range
ST  Status
SS  Service
Only Display Consults With Status of: All Status's// p Pending
Another Status to display: s Scheduled
Another Status to display: a Active
Another Status to display: <Enter>

```

(Continued on the next page.)

Package Reference

CONSULT TRACKING		Jul 30, 1997 09:21:10		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
				Wt.(1b): 184	
	Requested	St	No.	Consult/Procedure Request	
1	10/06/00	p	1766	EYE CLINIC Cons	
2	09/21/00	p	1764	Electrocardiogram CARDIOLOGY Proc	
3	04/25/00	s	1713	CARDIOLOGY Cons	
8	04/29/99	a	1455	CARDIOLOGY (oex) CARDIOLOGY Cons	
Enter ?? for more actions					
SP Select Patient		RT Results Display		ER Edit/Resubmit	
CV Change View ...		PF Print Form 513			
DD Detailed Display		CM Add Comment			
Select Consult: Quit//					

Complete Request (CT) Action

The Complete Request action which updates a consult order's CPRS status to completed (c).

Using the CT action informs the system that you are completely finished with a consult or procedure. An alert is sent to the originating provider and marks the record of the consult as complete.

Finally, the Complete action links you to TIU so that you can enter results. See page 40 for an example of this feature.

If a user is set up as either an Administrative User or on an Administrative User Team, the option exists to perform an Administrative Complete. In the GUI (Windows) interface, this is a separate command under Action | Consult Tracking. In List Manager, if the user has Administrative privileges, then the program asks if an Administrative Complete should be performed. (An Administrative complete does not have results attached to it.)

Deny Request (DY) Action

The Deny Request action has been subsumed by the Cancel action. See Cancel (CX) Action on page 120.

Detailed Order Display (DD) Action

The Detailed Order Display action provides a list of all consult information contained in the computer file.

Example:

```
Select Consult Management Option: CS Consult Service Tracking
Select Patient: CPRSPATIENT,FOUR CPRSPATIENT,FOUR      12-04-49      666438796
SC VETERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING          Nov 01, 1997 13:55:32          Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796          2B M          DEC 4,1949 (50) <CAD>
                                          Wt.(lb): 184

   Requested  St      No.   Consult/Procedure Request
1   11/01/97   c        675   PULMONARY Consult
2   10/06/00   p        566   EYE CLINIC Cons
3   09/21/00   p        464   Electrocardiogram CARDIOLOGY Proc

Enter ?? for more actions
SP Select Patient  FR Forward      CT Complete/Update  RT Results Display
CV Change View ... CX Cancel (Deny) MA Make Addendum    PF Print Form 513
RC Receive        DC Discontinue   SF Sig Findings     RM Remove Med Rslt
SC Schedule       CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select:Quit// DD Detail Display
```

```
Select Consult Number: 1
```

You can do just the opposite of the example above, i.e. you can select a consult first then type the action DD. The result is the same.

(Continued on next page.)

Package Reference

CONSULTS DETAILED DISPLAY		Nov 01, 1997 13:55:42	Page: 1 of 5
CONSULT DETAILED DISPLAY		Consult No.: 675	
CPRSPATIENT,TWO	666-67-1996	DOB: MAR 5,1949 (48)	Wt. (lb): No Entry
Current Inpatient/Outpatient: Inpatient			
Ward:	2B		
Eligibility:	SC VETERAN		
To Service:	PULMONARY		
From Service:	MEDICINE		
Reason For Request:	Pt experiences shortness of breath when out of bed.		
Status:	COMPLETE		
ATTENTION:	CPRSPROVIDER,TWO		
Place:	Bedside		
Urgency:	Routine		
Request Activity	Date/Time	Ordering Clinician	Entered By
	11/01/97 10:13	CPRSPROVIDE,ONE	CPRSPROVIDE,ONE
RECEIVED	11/01/97 10:15	CPRSPROVIDER,ONE	CPRSPROVIDER,ONE
+ Enter ?? for more actions			
Select Action:Next Screen// <Enter>			

CONSULTS DETAILED DISPLAY		Nov 01, 1997 14:00:20	Page: 2 of 5
CONSULT DETAILED DISPLAY		Consult No.: 675	
CPRSPATIENT,TWO	666-67-1996	DOB: MAR 5,1949 (48)	Wt. (lb): No Entry
+ COMPLETED 11/01/97 10:17 CPRSPROVIDER,ONE CPRSPROVIDER,ONE			
----- TIU CONSULT REPORT -----			
Source Information			
Reference Date: NOV 01, 1997@10:15:35		Author: CPRSPROVIDER,ONE	
Entry Date: NOV 01, 1997@10:15:35		Entered By: CA	
Expected Signer: CPRSPROVIDER,ONE		Expected Cosigner: None	
Urgency: None		Document Status: COMPLETED	
Line Count: 21		TIU Document #: 2330	
Subject: None			
Associated Problems No linked problems.			
Edit Information			
Edit Date: NOV 01, 1997@10:17:23		Edited By: CPRSPROVIDER,ONE	
+ Enter ?? for more actions			
Select Action:Next Screen// <Enter>			

(Continued on next page.)

Package Reference

CONSULTS DETAILED DISPLAY	Nov 01, 1997 14:02:13	Page: 3 of 5
CONSULT DETAILED DISPLAY		Consult No.: 675
CPRSPATIENT,TWO	666-67-1996	DOB: MAR 5,1949 (48) Wt. (lb): No Entry
+ Reassignment History Document Never Reassigned.		
Signature Information		
Signed Date: NOV 01, 1997@10:17:35	Signed By: CPRSPROVIDER,ONE	
	Signature Mode: ELECTRONIC	
Cosigned Date: None	Cosigned By: None	
	Cosignature Mode: None	
Document Body		
At the time I went to examine the pt, he was acutely broncho-spastic and in moderately severe respiratory distress. I had him deliver a puff of albuterol with an Aerochamber; his technique was poor. I then instructed him and delivered an additional four puffs, which he did with good technique. He was improved and with a clear lung exam within a few seconds (though wheezes were still present		
+ Enter ?? for more actions		
Select Action:Next Screen// <Enter>		

CONSULTS DETAILED DISPLAY	Nov 01, 1997 14:03:47	Page: 4 of 5
CONSULT DETAILED DISPLAY		Consult No.: 675
CPRSPATIENT,TWO	666-67-1996	DOB: MAR 5,1949 (48) Wt. (lb): No Entry
+ on forced expiration).		
The pt regimen is lacking in inhaled corticosteroids. Recognizing that asthma is an inflammatory process, inhaled steroids are important in controlling the inflammatory response. My practice for severely out-of-control asthmatics is to use high-dose inhaled steroids, typically vanceril, 16 puffs qid, with a spacing device such as the Aerochamber. I would institute such a regimen while he is here.		
The pt has an in-house pet dog and an outside pet cat. I have told him that the cat should go, even if it is outdoors. Cat saliva contains a glycoprotein that leaves residue on their coats and flakes into the air; it is problematic for many asthmatics.		
The purulent phlegm asthmatics have during exacerbations is usually		
+ Enter ?? for more actions		
Select Action:Next Screen// <Enter>		

(Continued on the next page.)

Package Reference

```
CONSULTS DETAILED DISPLAY      Nov 01, 1997 14:07:36      Page: 5 of 5
CONSULT DETAILED DISPLAY                      Consult No.: 675
CPRSPATIENT,TWO      666-67-1996      DOB: MAR 5,1949 (48)  Wt. (lb): No Entry
+
due to the eosinophils, not from infection.  Antibiotics are usually
not necessary.

If you like, you may refer Mr. Bud to my clinic after discharge.
===== END =====

Enter ?? for more actions

Select Action:Quit//
```

Discontinue Order (DC) Action

The Discontinue Order (DC) action is used by clinical personnel to stop a consult/procedure request after it has been signed. This differs from the cancel action in that there is not Edit/Resubmit action available on a discontinued order.

In the example below, the Discontinue Order action is used to cancel a duplicate order:

```
Select OPTION NAME:  GMRC MGR          Consult Management      menu

Select Consult Management Option: cs  Consult Service Tracking
Select Patient:  CPRSPATIENT,FOUR CPRSPATIENT,FOUR          12-04-49      666438796
SC VETERAN

Select Service/Specialty: ALL SERVICES//  PULMONARY
List From Starting Date:  ALL DATES //  <Enter> ALL DATES
```

```
CONSULT TRACKING          Jun 19, 1997 09:31:19          Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796          2B M          DEC 4,1949 (50)  <CAD>
                                           Wt.(lb): 184

   Requested  St      No.   Consult/Procedure Request
1   10/06/00   p       1766  EYE CLINIC Cons
2   09/21/00   p       1764  Electrocardiogram CARDIOLOGY Proc
3   04/25/00   c       1713  CARDIOLOGY Cons
4   03/21/00   c       1701  CARDIOLOGY (SOUTH) Cons
5   02/22/00   pr      1687  PULMONARY (SOUTH) Cons
6   01/26/00   c       1665  CARDIOLOGY Cons
7   06/02/99   c       1483  VENTRICULAR LEAD IMPLANT CARDIOLOGY Proc
8   04/29/99   c       1455  CARDIOLOGY (oex) CARDIOLOGY Cons
9   02/18/99   x       1395  CARDIOLOGY Cons
10  01/06/99   c       1322  MARCIA'S SPECIALTY SEA-MARCIA'S SPECIALTY Cons
11  01/05/99   c       1310  *GASTROENTEROLOGY CARDIOLOGY Cons
12  01/04/99   c       1287  CARDIOLOGY Cons

Enter ?? for more actions

SP Select Patient  FR Forward      CT Complete/Update  RT Results Display
CV Change View ... CX Cancel (Deny) MA Make Addendum     PF Print Form 513
RC Receive        DC Discontinue  SF Sig Findings    RM Remove Med Rslt
SC Schedule       CM Add Comment  DD Detailed Display ER Edit/Resubmit
Select Consult: Quit//  DC  Discontinue
```

```
CHOOSE No. 1-7:  3
Responsible Clinician: CPRSPROVIDER,TWO          CRS          PHYSICIAN
Date/Time of Actual Activity: NOW//  <Enter>  (JUN 19, 1997@09:31)
Enter COMMENT:
  1>Duplicate
  2> <Enter>
EDIT Option:  <Enter>
```

(Continued on next page.)

Package Reference

CONSULT TRACKING				Jun 19, 1997 09:31:58	Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796				2B M	DEC 4,1949 (50) <CAD>
					Wt.(lb): 184
	Requested	St	No.	Consult/Procedure Request	
1	10/06/00	p	1766	EYE CLINIC Cons	
2	09/21/00	p	1764	Electrocardiogram CARDIOLOGY Proc	
3	04/25/00	dc	1713	CARDIOLOGY Cons	
4	03/21/00	c	1701	CARDIOLOGY (SOUTH) Cons	
5	02/22/00	pr	1687	PULMONARY (SOUTH) Cons	
6	01/26/00	c	1665	CARDIOLOGY Cons	
7	06/02/99	c	1483	VENTRICULAR LEAD IMPLANT CARDIOLOGY Proc	
8	04/29/99	c	1455	CARDIOLOGY (oex) CARDIOLOGY Cons	
9	02/18/99	x	1395	CARDIOLOGY Cons	
10	01/06/99	c	1322	MARCIA'S SPECIALTY SEA-MARCIA'S SPECIALTY Cons	
11	01/05/99	c	1310	*GASTROENTEROLOGY CARDIOLOGY Cons	
12	01/04/99	c	1287	CARDIOLOGY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
Select Consult: Quit//				ER	Edit/Resubmit
				RT	Results Display
				PF	Print Form 513
				RM	Remove Med Rslt

Edit/Resubmit (ER) Action

In the case where a consult is cancelled (or denied) for clerical reasons (e.g., test results that indicate that the consult is needed), then the original submitter or an update user for the relevant service has a chance to edit the consult to include the missing information, and resubmit it. This may be done from either the alert screen, or from the consult tracking screen. In either case, the procedure is the same. See **Consult/Request Cancel/Hold** on page 160 for an example.

Forward Request (FR) Action

Entering the Forward Request allows you to forward a consult or request to any other Service/Specialty, provided that Service/Specialty has been set up by IRM personnel to receive consults online. Thus the decision by the referring clinician regarding who should receive the consult can be modified by the receiving Service/Specialty. This action is available from both the CPRS screen and the Consult/Request Alerts screen.

If a request needs to be forwarded to a clinic that is not a sub-service of your clinic, the FR (Forward Request) action should be used. This action is discussed in the **Forward the Consult** section under **Work Flow** on page 37.

Make Addendum (MA) Action

The Make Addendum action allows one or more people to add their comments to the results of a consult. Contrast this to Add Comment, which adds a note to the consult before it is resulted.

There is an example of Make Addendum in the Windows section on page 91.

Print Form (PF) Action

With the Print Form Action, you can print either a chart or working copy of the consult form. To use this action from the Windows interface, follow these steps:


From the Consults tab, select the consult you want to print.

Select File | Print Form.

Select the printer you want the form to come out on.

Choose Chart Copy or Work Copy.

Choose OK.



For an example of the Print Form option as used from the List Manager interface, see page 43.

Print Screen Contents (PS) Action

This option prints the information that is on the screen. The output is not exactly a screen image, as it does not include the prompt area at the bottom of the screen. To print the entire contents of a consult request, use the Print Form (PF) action.

Example:

CONSULTS DETAILED DISPLAY		Jun 20, 1997 10:40:56	Page: 1 of 2
CONSULT DETAILED DISPLAY			Consult No.: 208
CPRSPATIENT,FOUR 666-43-8796	2B M	DEC 4,1949 (50)	<CAD>
Current Inpatient/Outpatient: Inpatient			
Ward:	1A		
Eligibility:	SC VETERAN		
To Service:	PULMONARY		
From Service:			
Provisional Diagnosis: Broken interface with CPRS.			
Reason For Request: Checking action of DY (denying) a consult as to			
	DC (discontinuing) a consult.		
Status:	DISCONTINUED		
Urgency:	SWITCH BED		
Request Activity	Date/Time	Ordering Clinician	Entered By
ENTERED IN OE/RR	03/05/97 16:09	CPRSPROVIDER,TWO	CPRSPROVIDER,TWO
	//		
Forwarded From MEDICINE			
+ Enter ?? for more actions			
Select Action:Next Screen// ps PS			

DEVICE: HOME// laser PRINTER ROOM LN11 12 PITCH DO YOU WANT YOUR OUTPUT QUEUED? NO// (NO)
--

Quit (Q) Action

Enter the Quit (Q) action at the last Select prompt to quit using your Consults option.

Users may enter Q to Quit or ^ to Exit the option at anytime.

Receive Request (RC) Action

Performing the Receive action on a consult changes its status from Pending to Active. This puts your clinic on record as accepting responsibility for completing the consult.

On page 39 we give an example of receiving a consult from a consult tracking screen. This is an example of receiving a consult from a notification alert:

```

You have PENDING ALERTS
      Enter  "VA  VIEW ALERTS      to review alerts

Select OE/RR Manager Menu Option: VA View Alerts

1.  CPRSPATIENT,FOUR (C8796): New Consult/Request ( )
2.  CPRSPATIENT,TWO (C9600): New Consult/Request (Today)
4.  CPRSPATIENT,ONE (C3456): Consult/Request DENIED Consult
      Select from 1 to 6
      or enter ?, A I, F, P, M, R, or ^ to exit: 1

Consult/Request Alerts      Feb 13, 1998 13:34:56      Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796      2B M      DEC 4,1949 (50) <CAD>
                                          Wt.(lb): 184

Number      Date      Stat      Service      Procedure
-----
187      02/14/97 p      NEUROLOGY      Consult

Enter ?? for more actions
SP Select Patient      FR Forward      CT Complete/Update      RT Results Display
CV Change View ...      CX Cancel (Deny)      MA Make Addendum      PF Print Form 513
RC Receive      DC Discontinue      SF Sig Findings      RM Remove Med Rslt
SC Schedule      CM Add Comment      DD Detailed Display      ER Edit/Resubmit
Select: Quit// RC      Receive Request

Who received it?: CPRSPROVIDER,ONE      OC
Date/Time Actually Received: NOW//      (FEB 13, 1998@13:36)
(Continued on the next page.)

```

Package Reference

Consult/Request Alerts	Feb 13, 1998 13:36:52	Page: 1 of 1
CPRSPATIENT,FOUR 666-43-8796	2B M	DEC 4,1949 (50) <CAD>
		Wt.(lb): 184

Number	Date	Stat	Service	Procedure
187	02/14/97	a	NEUROLOGY	Consult

Enter ?? for more actions

SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select: Quit//			

Remove Medicine Results (RM)

This action is used when a medicine result has been attached to a consult in error. It's use is restricted, but generally speaking, it can be done by anyone who can attach medicine results.

Attaching medicine results is done in conjunction with the Complete (CT) action in List Manager. See the section on medicine resulting on page 66 for details. In Windows, attaching and detaching medicine results are accomplished thru their own menu commands that are activated whenever medicine results are available. For an example of medicine results in Windows, refer to the Windows Quick Start section on page 86.

In this example, we use List Manager to remove an incorrect medicine results:

CONSULT TRACKING		Mar 02, 2001@13:53:35		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
				Wt.(lb): 184	
	Requested St	No.	Consult/Procedure Request		
1	03/02/01 p	599	ELECTROCARDIOGRAM CARDIOLOGY Proc		
2	02/21/01 c	597	ELECTROCARDIOGRAM CARDIOLOGY Proc		
3	10/10/96 a	242	ELECTROCARDIOGRAM CARDIOLOGY Proc		
4	09/08/95 c	187	CARDIOLOGY CLINIC Cons		
5	08/14/95 pr	183	12 LEAD STAT EKG CARDIOLOGY Proc		
6	08/14/95 c	184	12 LEAD STAT EKG CARDIAC TRANSPLANT Proc		
7	04/29/94 pr	53	ECHO CARDIOLOGY Proc		
8	04/29/94 pr	54	ECHO CARDIOLOGY Proc		
9	04/29/94 p	55	ECHO CARDIOLOGY Proc		
Enter ?? for more actions					
SP Select Patient	FR Forward	CT Complete/Update	RT Results Display		
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513		
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt		
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit		
Select: Quit// RM					

CHOOSE No. 1-9: 1

Procedure/Medicine Resulting		Mar 02, 2001@11:34:48		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
Consult No.: 242		Associated Medicine Results			
1	ELECTROCARDIOGRAM	OCT 2,1995@10:00	ABNORMAL		
Select action or item number					
DM Disassociate result		DR Display Result			
Select Action:Quit// DM					

Package Reference

Select item: (1-1): 1

ELECTROCARDIOGRAM

OCT 2,1995@10:00

ABNORMAL

Are you sure you want to disassociate this result? NO// **Y** YES

Results Display (RT) Action

The Results Display (RT) action allows you to review results of any consult/request for a patient.

The following is an example of the report displayed when you select the RT action:

```

                                C S L T   R E S U L T S   D I S P L A Y
CPRSPATIENT,FOUR 666-43-8796          2B M          DEC 4,1949 (50)   <CAD>
----- ELECTROCARDIOGRAM SUMMARY REPORT -----

DIAGNOSIS
  Interpretation Code (rhythm):  SINUS TACHYCARDIA
  Interpretation Code (config):  ABNORMAL ECG

INDICATIONS
  Type OF EKG:                   STAT RETRIEVAL

SUMMARY
  Summary:                      ABNORMAL
  Summary procedure:             Sinus rhythm has replaced atrial flutter

Press return to continue or "^" to escape   <Enter>
```

Schedule (SC) Action

The Schedule action is similar to the Receive (RC) action in that it changes the status of a consult. There is no interface with the Scheduling Package at this time. This action is intended only for annotational purposes.

Unlike the Receive action, this action sends an alert. You can use this alert to inform the requestor of the date and time of the appointment.

In the following example we change the status of a consult from “p” pending to “s” scheduled:

CONSULT TRACKING		Jun 08, 2000 21:14:16		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
				Wt.(lb): 184	
	Requested	St	No.	Consult/Procedure Request	
1	07/22/99	p	1561	EXERCISE TOLERANCE TEST CARDIOLOGY Proc	
2	05/20/99	p	1470	CARDIOLOGY (oex) CARDIOLOGY Cons	
3	04/13/99	c	1437	CARDIOLOGY (oex) CARDIOLOGY Cons	
4	04/01/99	c	1429	CARDIOLOGY (oex) CARDIOLOGY Cons	
5	02/26/99	c	1406	CARDIOLOGY Cons	
6	01/05/99	c	1312	CARDIOLOGY Cons	
7	01/04/99	c	1290	*CARDIOLOGY Cons	
8	12/18/98	c	1252	CARDIOLOGY Cons	
9	12/14/98	c	1234	CARDIOLOGY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
ER	Edit/Resubmit				
Select: Quit//SC Schedule					

```

CHOOSE No. 1-9: 2
Who scheduled it?: CPRSPROVIDER,ONE  CPRSPROVIDER,ONE  OC          PHYSICIAN
Enter COMMENT...
  1>9:30 pm Jun 23 in Bldg 4
  2> <Enter>
EDIT Option: <Enter>
Do You Wish To Send An Alert With This Comment? N// Y  YES
Send Alert To Requesting Provider CPRSPROVIDER,THREE? N// Y  YES
Send Alert to: <Enter>
Processing Alerts...

```

(Continued on the next page.)

Package Reference

CONSULT TRACKING		Jun 08, 2000 21:16:45		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
				Wt.(lb): 200	
	Requested	St	No.	Consult/Procedure Request	
1	07/22/99	p	1561	EXERCISE TOLERANCE TEST CARDIOLOGY Proc	
2	05/20/99	s	1470	CARDIOLOGY (oex) CARDIOLOGY Cons	
3	04/13/99	c	1437	CARDIOLOGY (oex) CARDIOLOGY Cons	
4	04/01/99	c	1429	CARDIOLOGY (oex) CARDIOLOGY Cons	
5	02/26/99	c	1406	CARDIOLOGY Cons	
6	01/05/99	c	1312	CARDIOLOGY Cons	
7	01/04/99	c	1290	*CARDIOLOGY Cons	
8	12/18/98	c	1252	CARDIOLOGY Cons	
9	12/14/98	c	1234	CARDIOLOGY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
Select: Quit//		ER Edit/Resubmit			

Select New Patient (SP) Action

This option allows you to change patients at any time.

Example:

CONSULT TRACKING		Jun 20, 1997 14:44:26		Page: 1 of 1	
CPRSPATIENT,FOUR 666-43-8796		2B M		DEC 4,1949 (50) <CAD>	
Wt.(lb): 184					
	Requested	St	No.	Consult/Procedure Request	
1	08/18/99	a	1586	PULMONARY Cons	
2	08/18/99	a	1585	PULMONARY Cons	
3	06/23/99	c	1545	PULMONARY Cons	
Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
ER	Edit/Resubmit				
Select:	Quit//	SP	New Patient		

Select Patient:	CPRSPATIENT,THREE	01-01-51	666123456	YES	SC VETERAN
Select Service/Specialty:	ALL SERVICES// PULMONARY				
List From Starting Date:	ALL DATES // <Enter> ALL DATES				

(Continued on the next page.)

Package Reference

CONSULT TRACKING			Jun 20, 1997 14:44:38		Page: 1 of 1	
CPRSPATIENT,THREE			666-12-3456 2B		MAR 3,1960 (40) <AD>	
					Wt.(1b): 184	
	Requested	St	No.	Consult/Procedure Request		
1	09/14/98	c	1163	PULMONARY Cons		
2	09/09/98	dc	1162	PULMONARY Cons		
3	07/14/98	dc	1116	PULMONARY Cons		
4	07/14/98	c	1114	*CARDIOLOGY PULMONARY Cons		
Enter ?? for more actions						
SP Select Patient		FR Forward		CT Complete/Update		RT Results Display
CV Change View ...		CX Cancel (Deny)		MA Make Addendum		PF Print Form 513
RC Receive		DC Discontinue		SF Sig Findings		RM Remove Med Rslt
SC Schedule		CM Add Comment		DD Detailed Display		ER Edit/Resubmit
Select: Quit//						

Significant Findings (SF) Action

The Significant Findings action allows a clinic or service to append a significant findings flag onto a consult (whether completed or not). The action prompts you to enter a comment and sends an alert either at the time the SF action is taken or when the consult is complete. An asterisk is placed next to the consults that have a Significant Findings value of Y.

In this example we add a significant finding to an already completed consult:

CONSULT TRACKING		May 01, 1998 14:51:35		Page: 1 of 2	
CPRSPATIENT,THREE		666-12-3456 2B		MAR 3,1960 (40) <AD>	
				Wt.(1b): 184	
	Requested	St	No.	Consult/Procedure Request	
1	09/21/00	p	1764	Electrocardiogram CARDIOLOGY Proc	
2	04/25/00	c	1713	CARDIOLOGY Cons	
3	01/26/00	c	1665	CARDIOLOGY Cons	
4	06/02/99	c	1483	VENTRICAL LEAD IMPLANT CARDIOLOGY Proc	
5	04/29/99	c	1455	CARDIOLOGY (oex) CARDIOLOGY Cons	
6	02/18/99	x	1395	CARDIOLOGY Cons	
7	01/05/99	c	1310	*GASTROENTEROLOGY CARDIOLOGY Cons	
8	01/04/99	c	1287	CARDIOLOGY Cons	
9	12/18/98	c	1249	CARDIOLOGY Cons	
10	10/09/98	c	1184	CARDIOLOGY Cons	
11	08/24/98	dc	1144	CARDIOLOGY Cons	
12	07/13/98	c	1113	*CARDIOLOGY Cons	
+ Enter ?? for more actions					
SP	Select Patient	FR	Forward	CT	Complete/Update
CV	Change View ...	CX	Cancel (Deny)	MA	Make Addendum
RC	Receive	DC	Discontinue	SF	Sig Findings
SC	Schedule	CM	Add Comment	DD	Detailed Display
Select: Next Screen//				SF	Sig Findings
				RT	Results Display
				PF	Print Form 513
				RM	Remove Med Rslt
				ER	Edit/Resubmit

CHOOSE No. 1-17: 1

Current Significant Findings = not entered yet

Are there significant findings? (Y/N/U): unknown// yes

Enter COMMENT:

1>Pt experiencing 60% loss of breathing efficiency.

2>

EDIT Option:

Alert will be sent to Requesting Provider: CPRSPROVIDER,TWO

Send Alert to: CPRSPROVIDER,TWO added to the list.

And Send Alert to: CPRSPROVIDER,THREE already in the list.

And Send Alert to:

Processing Alerts...

(Continued on the next page.)

Package Reference

CONSULT TRACKING			May 01, 1998 14:52:28		Page: 1 of 2	
CPRSPATIENT,THREE			666-12-3456 2B		MAR 3,1960 (40) <AD>	
					Wt.(lb): 184	
	Requested	St	No.	Consult/Procedure Request		
1	09/21/00	p	1764	*Electrocardiogram CARDIOLOGY Proc		
2	04/25/00	c	1713	CARDIOLOGY Cons		
3	01/26/00	c	1665	CARDIOLOGY Cons		
4	06/02/99	c	1483	VENTRICAL LEAD IMPLANT CARDIOLOGY Proc		
5	04/29/99	c	1455	CARDIOLOGY (oex) CARDIOLOGY Cons		
6	02/18/99	x	1395	CARDIOLOGY Cons		
7	01/05/99	c	1310	*GASTROENTEROLOGY CARDIOLOGY Cons		
8	01/04/99	c	1287	CARDIOLOGY Cons		
9	12/18/98	c	1249	CARDIOLOGY Cons		
10	10/09/98	c	1184	CARDIOLOGY Cons		
11	08/24/98	dc	1144	CARDIOLOGY Cons		
12	07/13/98	c	1113	*CARDIOLOGY Cons		
+ Enter ?? for more actions						
SP Select Patient		FR Forward		CT Complete/Update		RT Results Display
CV Change View ...		CX Cancel (Deny)		MA Make Addendum		PF Print Form 513
RC Receive		DC Discontinue		SF Sig Findings		RM Remove Med Rslt
SC Schedule		CM Add Comment		DD Detailed Display		ER Edit/Resubmit
Select: Next Screen//						

Notifications about Consults and Requests

During your session, you may notice:

You have PENDING ALERTS
 Enter "VA VIEW ALERTS to review alerts
 Select Clinician Menu Option:

This appears on the screen before each prompt. You may enter VA at any menu prompt in which this message appears to view patient information related to pending notifications.

There are four notifications relating to consults:

There are five notifications relating to consults:

OE/RR Notifications	Notification Number	Recipients
New Service Consult/Request	27	Service Users plus Attention
Consult/Request Resolution	23	Ordering Provider on Complete
Consult/Request Cancel/Hold	30	Ordering Provider and others as determined by who is taking the action. The NOTIFY ON DC field in file 123.5 effects who gets the alert on DC.
Consult/Request Update	63	Determined by the individual taking the associated action.
Order(s) Require Electronic Signature	5	Determined by CPRS

The purpose of these notifications is to allow you to take appropriate follow-up action. This might involve merely reading new information, or it might involve several actions on your part such as scheduling an appointment, signing a consult, resubmission, etc.

To initiate the follow-up action, enter VA at the prompt after the view alerts message. In the following example, a user follows up a notification by signing an order:

```
You have PENDING ALERTS
      Enter "VA VIEW ALERTS to review alerts

Select CPRS Manager Menu Option: VA View Alerts

1. CPRSPATIENT,ONE (C4723): New order(s) placed.
2. CPRSPATIENT,THREE (C3456): Consult/Request DENIED To Service: PODIATRY
3. CPRSPATIENT,ONE (C4723): Order requires electronic signature.
Select from 1 to 3

      or enter ?, A I, F, P, M, R, or ^ to exit
      or RETURN to continue: 3
Processing alert: CPRSPATIENT,ONE (C4723): Order requires electronic signature.
Searching the patient's chart ...
```

Package Reference

Unsigned Orders		Sep 24, 1997 09:22:04	Page: 1 of 1
CPRSPATIENT,THREE		666-12-3456 2B	MAR 3,1960 (40) <AD>
Selected date range: None Selected			
	Item Ordered	Requestor	Start Stop ts
1	>> Weight *UNSIGNED*	CPRSPROVIDER,O	unr
2	Consult to CARDIOLOGY Consultant's Choice *UNSIGNED*	CPRSPROVIDER,O	unr
3	Consult to CARDIOLOGY Consultant's Choice *UNSIGNED*	CPRSPROVIDER,O	unr
Enter the numbers of the items you wish to act on.			
Enter the numbers of the items you wish to act on. >>>			
+ Next Screen - Previous Screen Q Quit			
Select: Quit// 2			

Unsigned Orders		Sep 24, 1997 09:22:04	Page: 1 of 1
CPRSPATIENT,THREE		666-12-3456 2B	MAR 3,1960 (40) <AD>
Selected date range: None Selected			
	Item Ordered	Requestor	Start Stop Sts
1	>> Weight *UNSIGNED*	CPRSPROVIDER,O	unr
2	Consult to CARDIOLOGY Consultant's Choice *UNSIGNED*	CPRSPROVIDER,O	unr
3	Consult to CARDIOLOGY Consultant's Choice *UNSIGNED*	CPRSPROVIDER,O	unr
Enter the numbers of the items you wish to act on.			
Enter the numbers of the items you wish to act on. >>>			
Change		Sign	
Discontinue		Detailed Display	
Select: Quit// S			

Consult to CARDIOLOGY Consultant's Choice -

Enter your Current Signature Code: SIGNATURE VERIFIED
 Consult to CARDIOLOGY Consultant's Choice signed.
 Searching the patient's chart ...

Enter your
electronic
signature here.

(Continued on the next page.)

Package Reference

Unsigned Orders	Sep 24, 1997 09:22:04	Page: 1 of 1
CPRSPATIENT,THREE	666-12-3456 2B	MAR 3,1960 (40) <AD>
Selected date range: None Selected		
Item Ordered	Requestor	Start Stop ts
1 >> Weight *UNSIGNED*	CPRSPROVIDER,O	unr
3 Consult to CARDIOLOGY Consultant's Choice *UNSIGNED*	CPRSPROVIDER,O	unr

Enter the numbers of the items you wish to act on.

Enter the numbers of the items you wish to act on. >>>

+ Next Screen - Previous Screen Q Quit

Select: Quit//

Enabling Notifications

In many cases Notifications will not come to you automatically. To find out what Notifications you should be getting, you can run the Show Me the Notifications I Can Receive option from the Notifications Management Menu. If this report shows any notifications you want to receive that are disabled, you may enable them with the Enable/Disable My Notifications option.

In this example we run the Show Me the Notifications I Can Receive report and then enable Consult/Request Cancel/Hold, Consult/Request Resolution, and New Service Consult/Request (Notice that Order(s) Require Electronic Signature is already on):

```
Select Notification Mgmt Menu Option: ?

1      Enable/Disable My Notifications
2      Erase All of My Notifications
3      Set Notification Display Sort Method (GUI)
4      Send me a MailMan bulletin for Flagged Orders
5      Show Me the Notifications I Can Receive
6      Set Surrogate to Receive My Notifications

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Notification Mgmt Menu Option: 5  Show Me the Notifications I Can Receive

Would you like help understanding the list of notifications? No// Y  (Yes)
DEVICE: HOME// <Enter> VAX

                                Notification List Help Message                                Page: 1

The delivery of notifications as alerts is determined from values set for:
Users, OE/RR Teams, Service/Sections, Inpatient Locations,
Hospital Divisions, Computer System and Order Entry/Results Reporting.
Possible values include 'Enabled', 'Disabled' and 'Mandatory'. These values
indicate a User's, OE/RR Team's, Service's, Location's, Division's, System's
and OERR's desire for the notification to be 'Enabled' (sent under most
conditions), 'Disabled' (not sent), or 'Mandatory' (almost always sent.)

All values, except the OERR (Order Entry) value, can be set by IRM
or Clinical Coordinators. Individual users can set 'Enabled/Disabled/Mandatory'
values for each specific notification via the 'Enable/Disable My Notifications'
option under the Personal Preferences and Notification Mgmt Menu option menus.
'ON' indicates the user will receive the notification under normal conditions.
'OFF' indicates the user normally will not receive the notification.
Notification recipient determination can also be influenced by patient
location (inpatients only.) This list does not consider patient location
when calculating the ON/OFF value for a notification.

                                - End of Report -

Press RETURN to continue: <Enter>

This will take a moment or two, please stand by.....
.....
DEVICE: HOME// <Enter> VAX

                                Notification List for CPRSPROVIDER,ONE                                Page: 1

Notification                                ON/OFF For This User and Why
```

Package Reference

ABNORMAL IMAGING RESULTS	ON	OERR	value is Mandatory
ABNORMAL LAB RESULT (INFO)	ON	User	value is Mandatory
ABNORMAL LAB RESULTS (ACTION)	OFF	OERR	value is Disabled
ADMISSION	ON	OERR	value is Enabled
CONSULT/REQUEST CANCEL/HOLD	ON	User	value is Mandatory
CONSULT/REQUEST RESOLUTION	ON	User	value is Mandatory
CONSULT/REQUEST UPDATED	OFF	OERR	value is Disabled
CRITICAL LAB RESULT (INFO)	ON	OERR	value is Mandatory
CRITICAL LAB RESULTS (ACTION)	ON	OERR	value is Mandatory
DC ORDER	OFF	OERR	value is Disabled
DECEASED PATIENT	ON	OERR	value is Enabled
DISCHARGE	OFF	OERR	value is Disabled
DNR EXPIRING	OFF	OERR	value is Disabled
ERROR MESSAGE	OFF	OERR	value is Disabled
FLAG ORDER FOR CLARIFICATION	ON	OERR	value is Enabled
FLAGGED OI EXPIRING - INPT	OFF	OERR	value is Disabled
FLAGGED OI EXPIRING - OUTPT	OFF	OERR	value is Disabled
FLAGGED OI ORDER - INPT	OFF	OERR	value is Disabled
FLAGGED OI ORDER - OUTPT	ON	System	value is Enabled
FLAGGED OI RESULTS - INPT	OFF	OERR	value is Disabled
FLAGGED OI RESULTS - OUTPT	OFF	OERR	value is Disabled
FOOD/DRUG INTERACTION	OFF	OERR	value is Disabled
FREE TEXT	OFF	OERR	value is Disabled
IMAGING PATIENT EXAMINED	OFF	User	value is Disabled
IMAGING REQUEST CANCEL/HELD	ON	OERR	value is Enabled
IMAGING RESULTS	OFF	User	value is Disabled
IMAGING RESULTS AMENDED	OFF	OERR	value is Disabled
LAB ORDER CANCELED	OFF	OERR	value is Disabled
LAB RESULTS	OFF	OERR	value is Disabled
MEDICATIONS EXPIRING	OFF	OERR	value is Disabled
NEW ORDER	OFF	OERR	value is Disabled
NEW SERVICE CONSULT/REQUEST	ON	User	value is Mandatory
NPO DIET MORE THAN 72 HRS	OFF	OERR	value is Disabled
ORDER CHECK	OFF	OERR	value is Disabled
ORDER REQUIRES CHART SIGNATURE	ON	OERR	value is Mandatory
ORDER REQUIRES CO-SIGNATURE	OFF	OERR	value is Disabled
ORDER REQUIRES ELEC SIGNATURE	ON	OERR	value is Mandatory
ORDERER-FLAGGED RESULTS	OFF	OERR	value is Disabled
SERVICE ORDER REQ CHART SIGN	ON	OERR	value is Mandatory
STAT IMAGING REQUEST	OFF	OERR	value is Disabled
STAT ORDER	OFF	OERR	value is Disabled
STAT RESULTS	OFF	OERR	value is Disabled
TRANSFER FROM PSYCHIATRY	OFF	OERR	value is Disabled
UNSCHEDULED VISIT	ON	OERR	value is Enabled
UNVERIFIED MEDICATION ORDER	OFF	OERR	value is Disabled
UNVERIFIED ORDER	OFF	OERR	value is Disabled
URGENT IMAGING REQUEST	OFF	OERR	value is Disabled
- End of Report -			

Package Reference

```
Select Notification Mgmt Menu Option: 1  Enable/Disable My Notifications

                                Enable/Disable My Notifications
-----

----- Setting    for User: CPRSPROVIDER,ONE -----
Select Notification: cons
    1  CONSULT/REQUEST CANCEL/HOLD
    2  CONSULT/REQUEST RESOLUTION
    3  CONSULT/REQUEST UPDATED
CHOOSE 1-3: 3  CONSULT/REQUEST UPDATED
Are you adding CONSULT/REQUEST UPDATED as a new Notification? Yes// <Enter> YES

Notification: CONSULT/REQUEST UPDATED// <Enter> CONSULT/REQUEST UPDATED
CONSULT/REQUEST UPDATED
Value: ?

Code indicating processing flag for the entity and notification.

    Select one of the following:

        M          Mandatory
        E          Enabled
        D          Disabled

Value: Enabled
Select Notification: <Enter>

Select Notification Mgmt Menu Option:
```

New Service Consult/Request

This notification is triggered by the Consults package when a new consult has been requested by a user.

In the following example, the system displays three notifications for new Consults:

```
CPRSPATIE (C5377): New consult Neuro (Stat)
CPRSPATIE (C3456): New consult CAR (Routine)
CPRSPATIE (C6572): New consult PLM (Routine)
Enter "VA VIEW ALERTS to review alerts
```

Select Systems Manager Menu Option:

As a follow-up action, the system displays the consult in a Consult/Tracking screen so that the recipient can take appropriate action. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After selecting this notification from the View Alerts menu, the system deletes the notification.

In the following example, a new consult is first examined and then a receive action is performed:

1. CPRSPATIE (C2342): NEW consult CAR (Routine)
2. CPRSPATIE (C2432): Consult COMPLETED: CAR
 Select from 1 to 3
 or enter ?, A I, F, P, M, R, or ^ to exit
 or RETURN to continue: **A**

Processing alert: CPRSPATIENT,NINE (C2342): NEW consult (Routine)

Consult/Request Alerts		Feb 13, 1998 13:43:55	Page: 1 of 1
CPRSPATIENT,NINE		666-24-2342 1A	MAR 3,1960 (40) <AD>
			Wt.(lb): 184
Number	Date	St	Service
1	12/16/97	p	CARDIOLOGY
		Procedure	EKG Portable

Enter ?? for more actions

SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select Action: Quit// DD Detailed Display			

Compiling Report...

CONSULTS DETAILED DISPLAY	Dec 19, 1997 08:12:04	Page: 1 of 5
CONSULT DETAILED DISPLAY		Consult No.: 731

Package Reference

TRAT,JACK	234-24-2342	DOB: (74)	Wt. (lb): No Entry	<input type="checkbox"/>
Current Inpatient/Outpatient: Inpatient				
Ward:	1A			
To Service:	CARDIOLOGY			
From Service:	1A			
Consult Type:	EKG Portable			
Provisional Diagnosis:	Cardiomyopathy			
Reason For Request:	Rule out alternate diagnosis			
Status:	PENDING			
Service is to be rendered on an INPATIENT basis				
ATTENTION:	CPRSPROVIDER,SEVEN			
Place:	Bedside			
Urgency:	Stat			
Request Activity	Date/Time	Ordering Clinician	Entered By	
CPRS RELEASED ORDER	12/16/97 15:52	CPRSPROVIDER,SEVEN	CPRSPROVIDER,SEVEN	
+ Enter ?? for more actions				
Select Action: Next Screen// Q Q				

Consult/Request Alerts	Feb 13, 1998 13:44:53	Page: 1 of 1	<input type="checkbox"/>
CPRSPATIENT,NINE	666-24-2342 1A	MAR 3,1960 (40)	<AD>
		Wt.(lb): 184	Number
Date	St	Service	Procedure
1		12/16/97 p	CARDIOLOGY
			EKG Portable
Enter ?? for more actions			
SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	RM Remove Med Rslt
SC Schedule	CM Add Comment	DD Detailed Display	ER Edit/Resubmit
Select Action: Quit// RC Receive			

Who received it?: CPRSPROVIDER,SEVEN	SC
Date/Time Actually Received: NOW// (DEC 19, 1997 @ 08:12)	

(Continued on the next page.)

Package Reference

Consult/Request Alerts	Dec 19, 1997 08:13:01	Page: 1 of 1	
CPRSPATIENT,NINE	666-24-2342 1A	MAR 3,1960 (40) <AD>	
		Wt.(lb): 184 Number	
Date	St	Service	Procedure
1		12/16/97 a	CARDIOLOGY
			EKG Portable
Enter ?? for more actions			
SP Select Patient	FR Forward	CT Complete/Update	RT Results Display
CV Change View ...	CX Cancel (Deny)	MA Make Addendum	PF Print Form 513
RC Receive	DC Discontinue	SF Sig Findings	ER Edit/Resubmit
SC Schedule	CM Add Comment	DD Detailed Display	
Select Action: Quit// <Enter> QUIT			

Continue Processing ALERTS ? Y//

Consult/Request Resolution

This notification is triggered by the Consults package when it determines that a consult is complete.

In the following example, the originating provider receives notifications that consults are complete:

```
CPRSPATIE (C3456): Completed Consult CAR HOLTER
CPRSPATIE (C1996): *Completed Consult CAR
CPRSPATIE (C8910): Completed Consult PSURG
                  Enter "VA    VIEW ALERTS        to review alerts

Select Systems Manager Menu Option:
```

As a follow-up action, the system displays the Consult/Request and results/report. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After viewing, the system deletes the notification.

Notice the asterisk on the second notification. This means that there are significant findings for that consult.

Consult/Request Updated

This alert is triggered when a comment is added to consult or the consult is scheduled. Comments may be added either with the Add Comment (CM) action or the Schedule (SC) action. The text of the alert is altered depending on which one of these actions initiated the alert as follows:

Adding a Comment #63 "Comment Added to Consult: . . ."

Scheduling #63 "Scheduled Consult: . . ."

As a follow-up action, the system displays the consult with comments. If appropriate, the clinician may write an additional comment or take other actions as needed.

This alert is also used by the Healthcare Claims Processing System (HCPS) to notify VA providers the status of a patient who has been referred to a Non-VA Care provider or facility. When an HCPS user enters a comment in RAS, CPRS is updated. The HCPS user might not be a user in VistA; a proxy user will display for 'Responsible Person' and 'Entered By' in the CPRS, as shown below:

Facility Activity	Date/Time/Zone	Responsible Person	Entered By
-----	-----	-----	-----
ADDED COMMENT	08/08/14 22:31	HCPS,APPLICATION	HCPS,APPLICATION
(entered)	08/08/14 22:40		
Author: DOE,JOHN			
Added Comment.			

Consult/Request Cancel/Hold

This notification is triggered from the Consults package when a Consult request is cancelled, discontinued, or put on hold.

In the following example, a user receives notification of a discontinued and a denied consult:

```
CPRSPATIE (C2342): Cancelled consult CAR
CPRSPATIE (C9876): Discontinued Consult MEDICINE
CPRSPATIE (C3456): Cancelled consult POD
      Enter "VA    VIEW ALERTS      to review alerts

Select Systems Manager Menu Option:
```

As a follow-up action, the system displays consult with comments. If appropriate, the submitter may resubmit the consult based on this new information. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After viewing, the notification is deleted by the system.

In the following example, a cancelled order is edited and resubmitted:

```
You have PENDING ALERTS
      Enter "VA    VIEW ALERTS      to review alerts

Select Consult Service Tracking Option: VA View Alerts

1.  CPRSPATIE (C2342): Cancelled consult to PLM
2.  CPRSPATIE (C3456): Discontinued consult to CAR
3.  CPRSPATIE (C2432): Completed Consult CAR
      Select from 1 to 3
      or enter ?, A I, F, P, M, R, or ^ to exit
      or RETURN to continue: 1

Processing alert: BAXTER,NA (B8840): Cancelled consult PLM
```

(Continued on next page.)

Package Reference

Edit Consult Order	Feb 26, 1999 15:58:08	Page:	1 of 2
Edit Consult for Patient CPRSPATIENT,EIGHT Consult Number: 1336			
Sending Provider: CPRSPROVIDER,SEVEN			
Field Name	Current Field Contents		
CURRENT STATUS: (Not Editable): CANCELLED			
CANCELLED BY (Not Editable): CPRSPROVIDER,SEVEN			
CANCELLED COMMENT (Not Editable):			
Testing edit.			

CANCELLED BY (Not Editable): CPRSPROVIDER,SEVEN			
CANCELLED COMMENT (Not Editable):			
Testing edit/resubmit.			

SENDING PROVIDER (Not Editable): CPRSPROVIDER,SEVEN			
REQUEST TYPE (Not Editable): Consult			

1 TO SERVICE: PULMONARY			
2 PROCEDURE:			
3 Performed as INPT OR OUTPT: Outpatient			
+ Enter ?? for more actions			
ED Edit A Field RS ReSubmit Consult			
Select Action: Next Screen// <Enter>			

Edit Consult Order	Feb 26, 1999 16:01:18	Page:	2 of 2
Edit Consult for Patient CPRSPATIENT,EIGHT Consult Number: 1336			
Sending Provider: CPRSPROVIDER,SEVEN			
+ Field Name	Current Field Contents		
4 URGENCY: Routine			
5 PLACE OF CONSULTATION:			
6 ATTENTION (CONSULTANT):			
7 PROVISIONAL DIAGNOSIS:			
8 REASON FOR REQUEST:			
Pt has trouble breathing.			
9 COMMENT(S): (Add Only)			
ADDED COMMENT (Not Editable) Entered: Jan 11, 1999 BY: CPRSPROVIDER,SEVEN			
Testing, more testing.			
Enter ?? for more actions			
ED Edit A Field RS ReSubmit Consult			
Select Item/Action:Quit// 7			

(Continued on the next page.)

Package Reference

Edit Consult Order	Feb 02, 1999 10:44:38	Page:	2 of	2
Edit Consult for Patient CPRSPATIENT,NINE Consult Number: 1366				
Sending Provider: CPRSPROVIDER,SEVEN				
+ Field Name	Current Field Contents			
8 REASON FOR REQUEST:				
Pt is having chest pains.				
9 COMMENT(S): (Add Only)				
Enter ?? for more actions				
ED Edit A Field RS ReSubmit Consult				
Select Item/Action:Quit// ED Edit A Field				

Select the fields to edit: 7
Provisional Diagnosis: Angina

Edit Consult Order	Feb 26, 1999 16:06:16	Page:	2 of	2
Edit Consult for Patient CPRSPATIENT,EIGHT Consult Number: 1336				
Sending Provider: CPRSPROVIDER,SEVEN				
+ Field Name	Current Field Contents			
4 URGENCY: Routine				
5 PLACE OF CONSULTATION:				
6 ATTENTION (CONSULTANT):				
7 PROVISIONAL DIAGNOSIS: Angina				
8 REASON FOR REQUEST:				
Pt has trouble breathing.				
9 COMMENT(S): (Add Only)				
ADDED COMMENT (Not Editable) Entered: Jan 11, 1999 BY: CPRSPROVIDER,TWO				
Testing, more testing.				
Enter ?? for more actions				
ED Edit A Field RS ReSubmit Consult				
Select Action: Quit// <Enter> QUIT				

(Continued on the next page.)

Package Reference

```
This Consult Has Not Been Resubmitted!!  
Resubmit Or All Edits Will Be Lost!!
```

```
Do you wish to resubmit now? ? YES// Y YES  
Resubmitting Consult ... One moment please ...  
Filing Tracking Data...
```

1. CPRSPATIE (C3456): Discontinued consult to CAR
2. CPRSPATIE (C2432): Completed Consult CAR
 Select from 1 to 2
 or enter ?, A I, F, P, M, R, or ^ to exit
 or RETURN to continue:

Special Considerations for Discontinued Orders

When an order is Discontinued, who gets the notification depends on the source of the discontinuation. This is dependent on the NOTIFY ON DC field in file 123.5 for the service to which the consult was directed. This field is set by the Set up Consult Services (SS) command of the Consult Management Option.

Consult/Request Has an Added Comment

If a comment is added to a consult by someone in the receiving service, that person is prompted to send notification to the originator of the consult and to any other persons. Other recipients of this notification are controlled as a New Service Consult.

In the following example, a clinician in the Surgery service has added a comment:

```
SIMPSON,H (S9999): Comment Added to Consult CARDIOLOGY
Enter  "VA    VIEW ALERTS      to review alerts

Select Consult Management Option:
```

The follow-up action is to display the orders containing the comments so that you can read them.

Order(s) Require Electronic Signature

If you do not sign a consult at the time you initiate it, the CPRS triggers a notification reminding you of the need for an electronic signature.

In the following example, three notifications are presented for Consults that need an electronic signature:

```
CPRSPATIE (C3456): Order requires electronic signature.
CPRSPATIE (C4723): Order requires electronic signature.
CPRSPATIE (C3234): Order requires electronic signature.
Enter  "VA    VIEW ALERTS      to review alerts

Select Systems Manager Menu Option:
```

The follow-up action is to display the orders requiring electronic signature in a CPRS screen so that you can use the Sign action. The system deletes the notification after you have signed the order.

Significant Findings for a Consult

If the status of the Significant Findings Flag is changed in any way, an alert is sent by the Consults package. As far as the recipients and delivery, this notification is treated like a Consult/ Request Resolution.

This alert may be delayed, at the user's option, until the consult is complete.

In the example that follows, three significant findings notifications are present. One for a completed consult, one for a pending consult, and one for the Significant Findings Flag being turned off on a completed consult:

```
CPRSPATIE (C3456): Sig Findings for consult CAR
CPRSPATIE (C6572): Sig Findings for consult CAR
CPRSPATIE (C1432): No Sig Findings for consult PLM
                  Enter  "VA    VIEW ALERTS      to review alerts

Select Systems Manager Menu Option:
```

The follow-up action is to display the orders that have had a change in the Significant Findings Flag in the CPRS screen so that you can examine them.

Glossary

Action	An action in Consults can be selected throughout processing to 1) control screen movement, 2) add new consult orders, or 3) process existing orders.
Consult	Referral of a patient by the primary care physician to another hospital service/ specialty, to obtain a medical opinion based on patient evaluation and completion of any procedures, modalities, or treatments the consulting specialist deems necessary to render a medical opinion.
Consulting Site	In the case of Inter-Facility Consults (IFC, see below) the VA facility that originates the consult.
Discontinued Orders	Orders that are discontinued or cancelled.
HCPS	The Healthcare Claims Processing System is a centralized, automated system that will support the management of purchased care referrals/authorizations.
IFC	Inter-Facility Consults permits the transmitting of consults and related information between Department of Veterans Affairs facilities. Consult requests are made to remote facilities because the needed service is not locally available or for patient convenience. Although the Consult Package is utilized in the hospital settings, Consult requests between facilities have been done manually in the past.
Order	A request for a consult (service/sub-specialty evaluation) or procedure (Electrocardiogram) to be completed for a patient.
Order Cancellation	A request to stop performance of a consult/procedure request; the order may be edited and reactivated
Order Discontinuation	A request to stop (discontinue) performance of a consult/procedure request.

Procedure Request	Any procedure (EKG, Stress Test, etc.) which may be ordered from another service/ specialty without first requiring formal consultation.
RAS	Referral and Authorization System; see HCPS.
Request	See Procedure Request.
Requestor	This is the health care provider (e. g., the physician/clinician) who requests the order to be done.
Result	A consequence of an order. Refers to evaluation or status results. When you use the Complete Request (CT) action on a consult or request, you are transferred to TIU to enter the results.
Resulting Site	In the case of Inter-Facility Consults (IFC, see above) the remote site that performs the consult and enters the results.
Screen Context	This term refers to the particular selection of orders displayed on the screen (e. g., Medicine consults for the patient Ralph Jones).
Service	A clinical or administrative specialty (or department) within a Medical Center.
Status Result	A result that indicates the processing state of an order; for example, a Pharmacy TPN Consult order may be discontinued (dc) or completed (c).
Status Symbols	Codes used in order entry and Consults displays to designate the status of the order.

Index

-
- Action, 20, 169
 - Action Descriptions, 115
 - Actions
 - Change View (CV), 122
 - Comment (CM), 119
 - Complete Request (CT), 124
 - Deny Request (DY), 125
 - Detailed Order Display (DD), 126
 - Discontinue Order (DC), 130
 - Edit/Resubmit (ER), 132
 - Forward Request (FR), 133
 - Order of, 118
 - Print Form (PF), 135
 - Print Screen Contents (PS), 136
 - Quit (Q), 137
 - Receive Request (RC), 138
 - Remove Medicine Results (RM), 140
 - Results Display (RT), 142
 - Review Only, 115
 - Schedule (SC), 143
 - Select New Patient (SP), 145
 - Significant Findings (SF), 147
 - Update/Tracking, 116
 - View by Status (ST), 122, 123
 - ACTIVE, 111, 138
 - Add New Orders, 27
 - Add Original Consult, 75
 - Alert Actions, 5
 - All My Unsigned Documents, 59
 - asterisk, 147
 - Brief Action Descriptions, 115
 - Cancel (CX), 120
 - Cancel Request (CX), 88
 - CANCELLED, 111
 - Change Date Range (DT), 122
 - change signature, 32
 - Change View (CV), 122
 - Character-based Interface, 17
 - Clinical Procedures, 69
 - Comment (CM), 80, 119
 - COMPLETE, 111
 - Complete a Consult (From the Consults Tab), 82
 - Complete a Consults (From the Notes Tab), 84
 - Complete Request (CT), 82, 124
 - Completion Time Statistics, 109
 - Consult, 169
 - Consult Service Tracking Option, 104
 - Consult Status, 111
 - Consult/Request Cancel/Hold, 161
 - Consult/Request Has An Added Comment, 166
 - Consult/Request Resolution, 159
 - Consult/Request Tracking Technical Manual*, 9
 - Consult/Request Updated, 160
 - Consultation Form (SF 513), 36
 - Consulting Site**, 169
 - Consults tab, 12
 - Correcting Misdirected Results, 53
 - CPRS Clinical Coordinator & User Manual*, 9
 - CPRS Installation Guide*, 9
 - CPRS Technical Manual*, 47
 - Current Action List, 20
 - Custom List, 101
 - Deny, 120
 - Deny Request (DY), 125
 - Detailed Display (DD), 90, 115
 - Detailed Order Display (DD), 126
 - DHCP User's Guide to Computing*, 11
 - DISCONTINUE, 111
 - Discontinue Order (DC), 89, 116, 130, 161
 - Discontinued Orders, 111, 122, 165, 169
 - Earliest appropriate date, 30, 36, 76, 88
 - Edit/Resubmit (ER), 132
 - electronic signature, 32, 34, 52, 151, 166
 - Enabling Notifications, 153
 - Enhancements Since Version 2.5, 5
 - FilaMan Alerts, 43
 - Forward Request (FR), 37, 78, 116, 133
 - General Service User Menu, 103
 - Glossary, 169
 - Graphical User Interface (GUI), 12
 - Healthcare Claims Processing System, 160, 169
 - Help, 15
 - HL7, 3, 5, 7
 - IFC, 8, 169
 - Integrated Document Management, 49
 - Inter-Facility Consults, 8
 - Introduction, 1, 11
 - Introduction to GUI, 12
 - Keyboard Input, 13
 - List Manager Conventions, 18
 - Make Addendum (MA), 91, 134
 - Management, 23
 - Manuals, 9
 - Medical Records Committee, 36
 - Medicine Package, 66, 70
 - Medicine Results), 86
 - mouse, 12
 - New Date Range, 93
 - New Service Consult/Request, 156
 - Notifications, 149
 - Notifications Management Menu, 153
 - Operation, 25
 - Order, 2, 169
 - Order Cancellation, 130, 169
 - Order Checking, 7
 - Order Discontinuation, 169
 - Order New Consult, 27, 75
 - Order of Actions, 118
 - Order(s) Require Electronic Signature, 166
 - Orientation, 11
 - Package Management, 23
 - Package Operation, 25
 - Package Reference, 103
 - PARTIAL RESULTS, 111

- PENDING, 111, 138, 143
- Pointer Device, 12
- Print Form (PF) Action, 77, 135
- Print Screen Contents (PS), 136
- Printing, 16, 21
- Procedure Request, 2, 104, 115, 130, 170
- Program Symbols, 18
- prompt, 17, 19, 20, 52, 105, 107, 115, 136, 137, 149, 150, 156, 159, 161
- Purpose, 2
- Quick Orders, 47
- Quit (Q) Action, 95, 137
- RAS, 160, 170
- Receive Request (RC) Action, 79, 138
- Relations with other VISTA Components, 7
- Relationship to Other Packages, 3
- Remove Medicine Results, 86
- Remove Medicine Results (RM), 140
- Request, 170
- Requestor, 170
- Requests, 1, 2
- Result, 53, 170
- Resulting Site**, 170
- Results, 49, 115, 124
- Results Display (RT), 96, 115, 142
- Review Only Actions, 104, 107, 115
- Schedule (SC), 143
- SCHEDULED, 111, 143
- Screen Context, 170
- Scrolling, 15, 20
- Security, 23, 24
- Select Consult, 97
- Select New Patient (SP), 98, 145
- Select Service (SS), 99, 122
- service, 2, 24, 36, 170
- Service Consults Pending Resolution, 110
- Service Update and Tracking Security, 23
- Set up Consult Services, 165
- Setup, 6
- signature, 32, 34, 52, 151, 166
- Significant Findings (SF), 147
- Significant Findings for a Consult, 167
- Special Keys, Commands and Option Responses, 17
- Standard Actions, 20
- Starting Consults in Windows, 72
- status, 24, 39, 124, 138
- Status after Action, 111
- Status Result, 170
- Status Symbols, 111, 170
- Text Integration Utility (TIU), 9, 40, 49, 116, 124
- TIU Clinical Coordinator & User Manual*, 9, 49, 52
- TIU Correcting Misdirected Results, 53
- TIU Direct Input, 49
- Tracking Option, 104
- Undo Medicine Results, 86
- Update/Tracking, 116
- Update/Tracking Actions, 105
- Update/Tracking Select Actions, 108
- User Menu, 103
- User Responses, 17
- Using the Consults Package with TIU, 49
- View by Status (ST), 100, 101, 122, 123
- VISTA Conventions, 17
- web pages, 9
- Windows, 72
- Windows Quick Start, 70
- Work Flow, 26