

DS Logon Education App_RSD Addendum

Veterans Health Administration (VHA) Mobile Applications Requirements Addendum

Note--Fill in the title bar at the top of this page using this format:

“DS Logon Education Application” Requirements Specification Document - Addendum

Increment/Release #: 5/1.0

****Application Owner/Analyst fills out this Addendum****

DO NOT delete or leave any sections blank.

Version Control--Version information is required for final SQA testing

Enter "N/A" if the field is not applicable to the mobile application. Enter "TBD" if the field is still to be determined.

Version information is required for final SQA testing							
Name of Mobile Application:			Name of JIRA Project:				
DS Logon Education Application			DLEA				
Description of Mobile Application:							
Date	RSD/ARD MA Addendum Version	Author	Description of Document Change	Associated BRD Version	Associated Concept/ Scope Version	Other Assoc.	Other Assoc.
11/21/14	1.0		No Change- Initial Version of Document	BRD June 2014			

Application Owner/Analyst/PM Contact Information

Enter "N/A" if the field is not applicable to the mobile application. Enter "TBD" if the field is still to be determined.


Application Owner/Analyst Name/Point of Contact (POC) [REDACTED]	VA E-Mail Address [REDACTED]	Phone Number [REDACTED]
Developer Organization/Company OI&T	Contract Start Date	Contract End Date
Web and Mobile Solutions PM or POC N/A	VA E-Mail Address	Phone Number

VA Product Development PM or POC [REDACTED] [REDACTED]	VA E-Mail Address [REDACTED] [REDACTED]	Phone Number [REDACTED]
---	--	----------------------------

Mobile Application Information

Enter "N/A" if the field is not applicable to the mobile application. Enter "TBD" if the field is still to be determined.

Intended Audience (User) for Mobile Application: Intended Audience (User) for Mobile Application: <input checked="" type="checkbox"/> Veteran <input type="checkbox"/> Caregiver <input type="checkbox"/> Provider <input type="checkbox"/> Public
Scope of Integration This section puts the mobile application into perspective with other related products. If the application is independent and completely self-contained, it should be stated here. If the mobile application is a component of a larger system then identify the specifications of the larger system to the functionality of the mobile application and identify the interfaces between the larger system and the mobile application.
The DS Logon Education Application serves a way for the Veteran to learn about DS Logon, verify if they have an existing DS Logon, and trouble shoot issues.
Application Expected Workflow Describe and/or model the expected workflow.



Laws and Regulation

What laws / regulations cover the implementation of the app? (To ensure compliance)

N/A

Legal, Copyright, and Other Notices

List any legal disclaimers, warranties, copyright notices, patent notices, word mark, 508 disclaimers and/or trademark logo issues associated with this mobile application.

N/A

Business Needs

Enter "N/A" or "TBD" in the first row if this is not applicable to this mobile application or still to be determined. Please delete any empty rows.

Ref. ID	Need	Business Value
1.	Provide the users the ability to verify if they have a DS Logon	Users will be able to verify whether or not they have a DS Logon
2.	Provide users the ability to determine what level of DS Logon they have and receive guidance if needed.	Users will receive guidance on how to check their existing DS Logon
3.	Provide users the ability to upgrade their DS Logon from Level 1 to Level 2 and have the guidance available to assist them in a clear, concise way.	Users will be able to upgrade their DS Logon from Level 1 to Level 2.
4.	Provide users information on what a DS Logon account is, and how to create an account.	Users will find out what a DS Logon account is and how to create an account.

System Features

Enter "N/A" or "TBD" in the first row if this is not applicable to this mobile application or still to be determined. Please delete any empty rows.

Feature Name	Inputs	Outputs
N/A		

References

Enter "N/A" or "TBD" in the first row if this is not applicable to this mobile application or still to be determined. Please delete any empty rows.

Reference Description	Link or Attachment
Provide the names of all documents referenced in this RSD – Addendum.	
DS Logon Education Application BRD, June 2014	DS Logon Education App-Requirements Repository

Program Level Requirement Changes

Enter "N/A" or "TBD" in the first row if this is not applicable to this mobile application or still to be determined. Please delete any empty rows.

List any required changes to Mobile Applications program-level RSD	JIRA Change Request Issue Number	Link or Attachment of Change Pages

N/A		
-----	--	--

Requirements

Functional Requirements

Epic ID/Name	Feature ID/Name	Requirement Type	ID	Requirement	Associated Acceptance Criteria ID	Associated Acceptance Criteria Name
What is DS Logon and how to create an account	N/A	Story	DLEA-70	As a product owner, I want the application to provide a link back to the Launchpad from the Menu Screen	DLEA-111	* Given when the user is on the Home Page of the application, then the user can easily return to the Launchpad.
What is DS Logon and how to create an account	N/A	Story	DLEA-69	As a product owner, I want the application to have a consistent Navigation Bar throughout the whole application, so that the user can easily access other pages within the application.	DLEA-110	*Given when the user is in the application, then they would like to go to another section of the application, then they can easily navigate the pages.
What is DS Logon and how to create an account	N/A	Story	DLEA-68	As a product owner, I want the application to provide a link to the home page.	DLEA-109	*Given when the user is completed in the section that they are in, then they are able to return to the Home Page to take next steps.
What is DS Logon and how to create an account	N/A	Story	DLEA-67	As a user, I want the application to provide me the ability to test the existence of my DS Logon, so that I am able to take the next steps I need.	DLEA-108	*Given when the user goes to the Information section, they are able to test their DS Logon to see if they have one.
What is DS Logon and how to create an account	N/A	Story	DLEA-66	As a user, I want the application to provide me with the requirements I must meet, so that I am able to obtain a DS Logon.	DLEA-107	*Given when the user goes to the Information section, then they will enter the Requirements section, they will receive a list of requirements that they must meet to obtain a DS Logon.

What is DS Logon and how to create an account	N/A	Story	DLEA-65	As a user, I want the application to provide the guidance I need if I do not have a DEERS account.	DLEA-106	*Given when the user is in the application, when they determine they are not in DEERS, then the application will direct them to follow the steps in the registration process in obtaining a DEERS account.
What is DS Logon and how to create an account	N/A	Story	DLEA-64	As a user, I want the application to provide me information on what a DEERS account is so that I can determine whether or not I am able to get a DS Logon.	DLEA-105	*Given when the user goes to the Information Section, then they click on DEERS information, they will receive information on what a DEERS account is and direction on how to proceed with DS Logon application.
What is DS Logon and how to create an account	N/A	Story	DLEA-63	As a user, I want the application to provide me information on who is eligible to receive a DS Logon, so that I can determine my eligibility.	DLEA-104	*Given when the user goes to the Information section, then they click on eligibility, they are provided with information that states who is eligible to receive a DS Logon account.
What is DS Logon and how to create an account	N/A	Story	DLEA-62	As a user, I want the application to provide me information on the differences between the Level 1 and Level 2 accounts, so that I am able to determine which one I need.	DLEA-103	*Given when the user goes to the Information section, then they are receiving information on both types of accounts.
What is DS Logon and how to create an account	N/A	Story	DLEA-61	As a user, I want the application to provide me the different DS Logon resources, so that I am able to find out where to use my DS Logon.	DLEA-102	*Given when the user goes to the Information section, they are able to view information on places to use their DS Logon and the links will be provided to take them to the sites.

What is DS Logon and how to create an account	N/A	Story	DLEA-60	As a user, I want the application to identify what is a DS Logon.	DLEA-101	*Given when the user goes to the Information section, when they click on "What is a DS Logon" section of the application, then they can read an overview of what a DS Logon is and what it is used for.
What is DS Logon and how to create an account	N/A	Story	DLEA-59	As a user, I want to be able to be receive guidance that instructs me on how to get a DS Logon so that I am able to use the services available to me.	DLEA-100	*Given when the user opens the application, when the user accesses the DS Logon Help Information, then the user understands the process to register.
What is DS Logon and how to create an account	N/A	Story	DLEA-58	As a product owner, I want the user to be able to input their personal information so that they are able to take the steps necessary to obtain a DS Logon.	DLEA-99	*Given the user gets to the DoD portal, when the user clicks "Need DS Logon", then the user will be able to proceed with registering for a DS Logon account.
Upgrade DS Logon level	N/A	Story	DLEA-57	As a user, I want the DS Logon application to provide information on In-person proofing so that I can upgrade my DS Logon in person if necessary.	DLEA-98	*Given the user is in the application, when they fail the Remote proofing process, then the user can receive information on how to obtain their upgraded DS Logon via in-person proofing.

Upgrade DS Logon level	N/A	Story	DLEA-56	. As a user, I want the DS Logon application to provide me information about Remote Proofing, so that I am able to upgrade my DS Logon account.	DLEA-96, DLEA-97	*Given when in the application, when the user determines they want to upgrade, then the user receives information on what Remote Proofing is and how to proceed. *Given when in the application, when the user has problems with Remote Proofing, then the application will explain next steps if they are unsuccessful.
Upgrade DS Logon level	N/A	Story	DLEA-55	As a product owner, I want the DS Logon application to take the user to the third party online proofing, so that they are able to upgrade their DS Logon account.	DLEA-95	*Given when the user needs to upgrade their DS Logon, then the application will transfer them to the third party proofing.
Upgrade DS Logon level	N/A	Story	DLEA-54	As a product owner, I want the user to be able to return to the application if they encounter issues within the application.	DLEA-94	*Given when the user has a problem in authenticating, then they have the ability to get back to the application for further guidance.
Upgrade DS Logon level	N/A	Story	DLEA-53	As a product owner, I want the application to be able to report back to the user their DS Logon level.	DLEA-93	*Given when the user tries to authenticate their DS Logon, then the application will return an authentication and verify Level 1 or Level 2.
Upgrade DS Logon level	N/A	Story	DLEA-52	As a user I want to be able to receive guidance on how to reset my user name and password, so that I can proceed with DS Logon authentication.	DLEA-92	*Given when the user is in the application, then they need to reset their username and/or password, then the application provides guidance on how to do this.

Upgrade DS Logon level	N/A	Story	DLEA-51	As a user, I want to receive guidance on how to correct my DS Logon level if it is determined that I am not at the correct level, so that I can access the services I need.	DLEA-91	*Given when the user is able to verify DS Logon 1 credentials, then they want to upgrade to a Level 2, the application will provide them the information needed to upgrade.
Upgrade DS Logon level	N/A	Story	DLEA-50	As a product owner, I want the application to provide appropriate guidance on how to upgrade an existing DS Logon account to a Level 2 account.	DLEA-90	*Given when the user is able to verify DS Logon 1 credentials, then they want to upgrade to a Level 2, the application will provide them the information needed to upgrade.
Check existing DS Logon Level and receive appropriate guidance	N/A	Story	DLEA-49	As a user, I want to be able to receive guidance if I am not able to successfully complete authentication.	DLEA-89	*Given when the user fails authentication, the application will clearly provide solutions to the common authentication failures.
Check existing DS Logon Level and receive appropriate guidance	N/A	Story	DLEA-48	As a user, I want the authentication services to be able to validate my clearance level, so that I have the ability to upgrade if needed.	DLEA-87, DLEA-88	*Given during the login attempts, when the user enters their credentials, then the application will display the level on a successful login. *Given during the login attempts, when the user is a Level 1, then the user is given the steps to upgrade the account.
Check existing DS Logon Level and receive appropriate guidance	N/A	Story	DLEA-47	As a product owner, I want the authentication services to be able to validate the clearance level of the user so that they have the ability to upgrade if needed.	DLEA-85, DLEA-86	*Given during the login attempts, when the user enters their credentials, then the application will display the level on a successful login. *During the Login attempts, when the user is a Level 1, then the user is given the steps to upgrade the account.

Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-46	As a user, I want the validation to confirm the existence of my DS Logon so that I know it exists.	DLEA-83, DLEA-84	* During login attempts, the user enters their credentials, then the application will confirm to the user they have a DS Logon. *During the login attempts, when the user enters their credentials, then the application will display attributes to the user. (These attributes include "Name" you have a DS Logon")
Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-45	As a product owner, I want the application to be able to communicate the absence of a DS Logon so that the user can proceed with obtaining a DS Logon Identification.	DLEA-81, DLEA-82	*During Login attempts, when the user enters credentials, the application will display guidance on how to proceed with the error messages provided. *During login attempts, when the user enters credentials, then the application will provide guidance in the absence of the error message.
Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-44	As a product owner, I want the application to be able to validate an existing DS Logon so that the user can proceed with the authentication process.	DLEA-79, DLEA-80	*During Login attempts, when the user enters their credentials, then the application indicates whether the login was successful. *During login attempts, when the user enters credentials, then the application indicates when it is not successful.

Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-43	As a product owner, I want the DS Logon application to be able to capture user information during Login attempts, so that the existence of a DS Logon can be determined.	DLEA-77, DLEA-78	*During Login attempts, when the user enters their credentials, then the application will capture user attributes from IAM. *During Login attempts, when the user enters their credentials, then the application will notify the user when attributes were not received from IAM.
Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-42	As a user, I want the DS Logon application to tell me I do not have a DS Logon if none exists, so that I am able to take the next steps in securing a DS Logon.	DLEA-75, DLEA-76	*When entering credentials, if the DS Logon does not exist, then the user will be able to follow the guidance of the DMDC pages to obtain a Login. * When entering credentials, if the DS Logon does not exist, then the user knows that they do not have a DS Logon.
Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-41	As a user, I want to be able to determine whether or not I have a DS Logon so that I am able to know what steps to take.	DLEA-73, DLEA-74	*When the user gets to the Login screen, when the user will initiate the login, then the system will inform them whether their login is valid or invalid. *When the user enters their credentials, when the login is unsuccessful, then it is displayed to the user that the login is unsuccessful and explain the next steps.

Verify the existence of my DS Logon account and its status	N/A	Story	DLEA-40	As a user, I want to be able to enter my credentials into the DS Logon application so that I can check to see if my DS Logon exists.	DLEA-71, DLEA-72	*When the user gets to the Logon screen, when the application asks for credentials, then the user can verify DS Logon exists. *When the user gets to the Logon screen, when the application asks for credentials, the user can verify that they do not have a DS Logon
--	-----	-------	---------	--	------------------	--

Application-Specific Non-Functional Requirements (NFRs)

These NFRs are listed in the BRD and usually assigned to BN 1: Adhere to the Enterprise Level requirements within the Enterprise Management (ERM) Repository, and BN 2: Utilize nationally standardized terminology.

Epic ID/Name	Feature ID/Name	Requirement Type	ID	Requirement	Associated Acceptance Criteria ID	Associated Acceptance Criteria Name
DS Logon Education App Specific NFRs	N/A	Story	DLEA-676	All VA Security Requirements must be adhered to.	TBD	TBD
DS Logon Education App Specific NFRs	N/A	Story	DLEA-677	All VA Privacy Requirements will be adhered to.	TBD	TBD
DS Logon Education App Specific NFRs	N/A	Story	DLEA-678	All Section 508 Requirements will be adhered to.	TBD	TBD
DS Logon Education App Specific NFRs	N/A	Story	DLEA-679	All executive orders will be adhered to.	TBD	TBD
DS Logon Education App Specific NFRs	N/A	Story	DLEA-680	All Enterprise Identity Management requirements will be adhered to.	TBD	TBD
DS Logon Education App Specific NFRs	N/A	Story	DLEA-681	Applications/services shall reference the Standard Data Services (SDS) as the authoritative source to access non-clinical terminology.		

Enterprise-Wide Non-Functional Requirements (NFRs)

Epic ID/Name	Feature ID/Name	Requirement Type	ID	Requirement	Associated Enterprise NFR	Associated Acceptance Criteria ID
Enterprise Security	N/A	Non Functional Requirement	DLEA-463	See Description for Full Req.: As a Project Team, we must ensure that all Moderate and Low issues remaining in our application at initial release for both the Fortify and WASA/MASA scans must be captured in a Plan of Action and Milestones (POA&M)	EWNFR-711	DLEA-670
User Interface NFRs	N/A	Non Functional Requirement	DLEA-462	See Description for full requirement - As a Project Team, we must make sure that when a list of options	EWNFR-177	DLEA-669
Usability NFRs	N/A	Non Functional Requirement	DLEA-461	As a Project Team, we must have field level validation and notifications for missing and invalid information on the same page so that our application will enhance the user's experience with our application.	EWNFR-33	DLEA-667, DLEA-668
Usability NFRs	N/A	Non Functional Requirement	DLEA-460	As a Project Team, we must provide field entry tool tips at the field location on the screen so that our application will enhance the user's experience with our application.	EWNFR-51	DLEA-665, DLEA-666

User Interface NFRs	N/A	Non Functional Requirement	DLEA-459	As a Project Team, we must not allow for the content of the screens within the application to take up 80% of more of any screen within the application so that the focus of the screen serves the applications purpose.	EWNFR-184	DLEA-664
Usability NFRs	N/A	Non Functional Requirement	DLEA-458	As a Project Team, we must not use terms that represent gender so that our application will enhance the user's experience with our application.	EWNFR-69	DLEA-662, DLEA-663
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-457	As a Project Team, we must include "how to correct error" information in error feedback so that our application will allow our users to correct errors and easily return to their tasks.	EWNFR-387, EWNFR-388, EWNFR-389	DLEA-661
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-456	As a Project Team, we must reference the latest available VA Branding Graphics Style guide when incorporating the VA Health logo into our application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-235, EWNFR-236, EWNFR-237	DLEA-659, DLEA-660

VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-455	As a Project Team, we must create the splash screen for our application using the requirements listed in the latest VA Branding Style Guide otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-242	DLEA-652, DLEA-653, DLEA-654, DLEA-655, DLEA-656, DLEA-657, DLEA-658
User Interface NFRs	N/A	Non Functional Requirement	DLEA-454	As a Project Team, we must provide a processing indicator for all tasks, regardless of their duration, so that the user is aware the application is processing information.	EWNFR-165	DLEA-651
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-453	Guidance: There is a mechanism in place that captures use errors, allows the user to voluntarily report adverse events and (if applicable) allows for network messaging to be monitored.	EWNFR-396	
Usability NFRs	N/A	Non Functional Requirement	DLEA-452	As a Project Team, we must provide visual indicators for column sorting behaviors so that our application will enhance the user's experience with our application.	EWNFR-39, EWNFR-40	DLEA-650

User Interface NFRs	N/A	Non Functional Requirement	DLEA-451	As a Project Team, we make sure that the screens within the application are properly linked so they refer to the same encounter so that our application will enhance the user's experience with our application.	EWNFR-153, EWNFR-154	DLEA-649
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-450	As a Project Team, we must use the VA Health logo (If application is sponsored by VHA) provided on the VA Mobile Branding website otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-232, EWNFR-233, EWNFR-234	DLEA-648
Usability NFRs	N/A	Non Functional Requirement	DLEA-449	As a Project Team, we must use simple and consistent button labels so that our application will enhance the user's experience with our application.	EWNFR-26	DLEA-643, DLEA-644, DLEA-645, DLEA-646, DLEA-647
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-448	As a Project Team, we must use the VA Mobile logo on all electronic media associated with our application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-238	DLEA-638, DLEA-639, DLEA-640, DLEA-641, DLEA-642
Usability NFRs	N/A	Non Functional Requirement	DLEA-447	As a Project Team, we must provide a visual indicator for all required fields so that our application will enhance the user's experience with our application.	EWNFR-52	DLEA-637

User Interface NFRs	N/A	Non Functional Requirement	DLEA-446	As a Project Team, we must provide a remaining processing time indicator for tasks that will take longer than 10 seconds so that the user is aware the application is processing information.	EWNFR-166	DLEA-636
Usability NFRs	N/A	Non Functional Requirement	DLEA-445	As a Project Team, we must apply alternate row shading for lengthy tables within the application so that our application will enhance the user's experience with our application.	EWNFR-57	DLEA-634, DLEA-635
Usability NFRs	N/A	Non Functional Requirement	DLEA-444	As a Project Team, we must use the colors red and green only for status driven content with our application so that our application will enhance the user's experience with our application.	EWNFR-31	DLEA-632, DLEA-633
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-443	As a Project Team, we must VA brand all web pages within the application using the responsive template documented in the latest VA Branding Style Guide otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-675	DLEA-631

Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-442	As a Project Team, we must use a text height that can easily read by the user so that the text is easily read and does not require manipulation techniques by the user to make the text readable.	EWNFR-182	DLEA-630
Privacy and Application Data Security (OIA)	N/A	Non Functional Requirement	DLEA-441	As a Project Team, we must ensure that all data entered by the Veteran into our application (but not transmitted to the VA) is securely stored on the user's device	EWNFR-314	DLEA-629
Usability NFRs	N/A	Non Functional Requirement	DLEA-440	As a Project Team, we must provide context specific Help so that our application will enhance the user's experience with our application.	EWNFR-68	DLEA-627, DLEA-628
Usability NFRs	N/A	Non Functional Requirement	DLEA-439	As a Project Team, we must avoid using acronyms/abbreviations so that our application will enhance the user's experience with our application.	EWNFR-29, EWNFR-30	DLEA-625, DLEA-626
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-438	As a Project Team, we must use terminology consistently throughout the application so that we do not use two different terms that have the same meaning and we can avoid confusion.	EWNFR-155	DLEA-624

Usability NFRs	N/A	Non Functional Requirement	DLEA-437	As a Project Team, we must ensure color usage within our application reflects purpose of our application so that our application will enhance the user's experience with our application.	EWNFR-365	DLEA-622, DLEA-623
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-436	See Description of Full Guidance: Patient Safety representatives are given the information they need ...	EWNFR-399	
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-435	As a Project Team, we must compose the application messages in simple, plain language so that it is easily understood by the target user.	EWNFR-171	DLEA-621
Usability NFRs	N/A	Non Functional Requirement	DLEA-434	As a Project Team, we must have a consistent style for text hyperlinks within our application so that our application will enhance the user's experience with our application.	EWNFR-34	DLEA-619, DLEA-620
Usability NFRs	N/A	Non Functional Requirement	DLEA-433	As a Project Team, we must provide Info button so that our application will enhance the user's experience with our application.	EWNFR-366	DLEA-618
Usability NFRs	N/A	Non Functional Requirement	DLEA-432	As a Project Team, we must provide standard sort behavior (based on data within the table) for all column tables so that our application will enhance the user's experience with our application.	EWNFR-39, EWNFR-40	DLEA-617

Usability NFRs	N/A	Non Functional Requirement	DLEA-431	As a Project Team, we must provide "white space" between status icons and screen content otherwise our application risks non-approval from the Usability compliance group.	EWNFR-59	DLEA-616
Data and Terminology Standards Compliance (OIA)	N/A	Non Functional Requirement	DLEA-430	As a Project Team, we must identify other clinical data elements that are eligible for submission to the Data and Terminology compliance group so that the documentation we submit for the compliance review is complete and accurate.	EWNFR-533, EWNFR-532	DLEA-615
Usability NFRs	N/A	Non Functional Requirement	DLEA-429	As a Project Team, we must use consistent elements to sort data within the application so that our application will enhance the user's experience with our application.	EWNFR-55	DLEA-614
General NFR	N/A	Non Functional Requirement	DLEA-428	As a Project Team, we must include an About tab or button within our application so that the user can quickly locate important information about our application.	EWNFR-695	DLEA-611, DLEA-612, DLEA-613

VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-427	As a Project Team, we must reference the latest available VA Branding Graphics Style guide when incorporating the VA Memorial logo into our application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-235, EWNFR-236, EWNFR-237	DLEA-609, DLEA-610
General NFR	N/A	Non Functional Requirement	DLEA-426	As a Project Team, we must include a Help tab or button within our application so that the user can quickly locate important information to assist them in using our application.	EWNFR-708	DLEA-606, DLEA-607, DLEA-608
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-425	As a Project Team, we must provide a way for our users to immediately obtain help from someone with specific medical or psychiatric knowledge so that our users can mitigate the effects of guidance that is not sufficient for the user's current needs.	EWNFR-390	DLEA-605
Usability NFRs	N/A	Non Functional Requirement	DLEA-424	As a Project Team, we must use consistent locations when placing navigation elements so that our application will enhance the user's experience with our application.	EWNFR-44	DLEA-604

Usability NFRs	N/A	Non Functional Requirement	DLEA-423	As a Project Team, we must make sure that the error messages within the application contain specific instruction on how to recover from an error so that our application will enhance the user's experience with our application.	EWNFR-64, EWNFR-65, EWNFR-66, EWNFR-67	DLEA-603
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-422	As a Project Team, we must name our application in a manner that describes the functionality of the application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-243	DLEA-599, DLEA-600, DLEA-601, DLEA-602
Data and Terminology Standards Compliance (OIA)	N/A	Non Functional Requirement	DLEA-421	As a Project Team, we must follow the SNOMED standard for clinical terms so that the clinical data and terminology used within our application conforms to national standards.	EWNFR-529	DLEA-598
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-420	As a Project Team, we must reference the latest available VA Branding Graphics Style guide when incorporating the VA Mobile logo into our application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-231	DLEA-593, DLEA-594, DLEA-595, DLEA-596, DLEA-597

Usability NFRs	N/A	Non Functional Requirement	DLEA-419	As a Project Team, we must place critical information in the top portion of the screen so that our application will enhance the user's experience with our application.	EWNFR-45	DLEA-592
Usability NFRs	N/A	Non Functional Requirement	DLEA-418	As a Project Team, we must always use visible radio buttons for all simple binary options so that our application will enhance the user's experience with our application.	EWNFR-37	DLEA-591
Usability NFRs	N/A	Non Functional Requirement	DLEA-417	As a Project Team, we must left align content in table cells so that our application will enhance the user's experience with our application.	EWNFR-23	DLEA-590
User Interface NFRs	N/A	Non Functional Requirement	DLEA-416	As a Project Team, we must use tappable elements that are 44x44 points or larger so that the user can easily select the element with their fingertip and avoid an incorrect element selection by the user.	EWNFR-186	DLEA-589
Usability NFRs	N/A	Non Functional Requirement	DLEA-415	As a Project Team, we must use standard date and time selection widgets that are device specific so that our application will enhance the user's experience with our application.	EWNFR-38	DLEA-586, DLEA-587, DLEA-588

Privacy and Application Data Security (OIA)	N/A	Non Functional Requirement	DLEA-414	As a Project Team, we must ensure that VA data pulled from a VA database and displayed to a VA Provider is not stored on the device otherwise our application risks non-approval from the Privacy and Security compliance group.	EWNFR-318	DLEA-584, DLEA-585
Usability NFRs	N/A	Non Functional Requirement	DLEA-413	As a Project Team, we must use mixed case text within the application so that our application will enhance the user's experience with our application.	EWNFR-25	DLEA-581, DLEA-582, DLEA-583
User Interface NFRs	N/A	Non Functional Requirement	DLEA-412	As a Project Team, we must use short names for menus items that will not be truncated when displayed on the user's device so that the purpose of the menu items are evident and user's memory load is minimized.	EWNFR-180	DLEA-580
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-411	As a Project Team, we must describe errors using plain, simple language so that it is easily understood by the target user.	EWNFR-172, EWNFR-173, EWNFR-174	DLEA-579
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-410	As a Project Team, we must include error recovery instructions in all of the error messages of the application so that it is easily understood by the target user.	EWNFR-172, EWNFR-173, EWNFR-174	DLEA-578

Data and Terminology Standards Compliance (OIA)	N/A	Non Functional Requirement	DLEA-409	As a Project Team, we must follow the LOINC standard for laboratory terms so that the clinical data and terminology used within our application conforms to national standards.	EWNFR-530	DLEA-577
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-408	As a Project Team, we must create a splash screen that conveys that our application is VA sanctioned so that the user knows that this is an authorized VA application.	EWNFR-167	DLEA-575, DLEA-576
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-407	As a Project Team, we must use the fonts listed within the VA Branding Style Guide for application chiclets, splash screens and content otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-239	DLEA-572, DLEA-573, DLEA-574
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-406	As a Project Team, we must (if applicable) only provide write access to EHR data when necessary so that we can prevent the user from entering incorrect data into our application.	EWNFR-375, EWNFR-376	DLEA-571
User Interface NFRs	N/A	Non Functional Requirement	DLEA-405	As a Project Team, we must present the content of the application consistently throughout the application so that consistency exists and users are able to easily find information.	EWNFR-160, EWNFR-161	DLEA-570

User Interface NFRs	N/A	Non Functional Requirement	DLEA-404	As a Project Team, we must adhere to the standard navigation practices of the device's web-browser so that consistency exists and users do not have an additional cognitive load to determine different navigation methods.	EWNFR-156, EWNFR-157, EWNFR-158, EWNFR-159	DLEA-569
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-403	See Description for Full Req.: As a Project Team, we must ensure our images use the appropriate dpi for mobile devices to ensure that graphics are consistently of a good resolution and are not blurry or pixelated	EWNFR-678	DLEA-568
User Interface NFRs	N/A	Non Functional Requirement	DLEA-402	As a Project Team, we must adhere to the standard navigation of the device so that consistency exists and users do not have an additional cognitive load to determine different navigation methods.	EWNFR-156, EWNFR-157, EWNFR-158, EWNFR-159	DLEA-567
Usability NFRs	N/A	Non Functional Requirement	DLEA-401	As a Project Team, we must use icons that are easily recognizable by users so that our application will enhance the user's experience with our application.	EWNFR-58	DLEA-565, DLEA-566

User Interface NFRs	N/A	Non Functional Requirement	DLEA-400	As a Project Team, we must use an indicator when a list is scrollable so that the user is aware that there is more information to be displayed on the screen.	EWNFR-183	DLEA-564
User Interface NFRs	N/A	Non Functional Requirement	DLEA-399	See Description for full requirement - As a Project Team, we must allow the user to adjust	EWNFR-185	DLEA-562, DLEA-563
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-398	As a Project Team, we must reference the latest available VA Branding Graphics Style guide when incorporating the VA Benefits logo into our application otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-235, EWNFR-236, EWNFR-237	DLEA-560, DLEA-561
Privacy and Application Data Security (OIA)	N/A	Non Functional Requirement	DLEA-397	See Description for Full Req: As a Project Team, we must include an End User License Agreement (EULA)	EWNFR-312	DLEA-558, DLEA-559
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-396	As a Project Team, we must use the VA Administration logo provided in VA Mobile Style Guide otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-230	DLEA-556, DLEA-557

Privacy and Application Data Security (OIA)	N/A	Non Functional Requirement	DLEA-395	As a Project Team, we must include an End User License Agreement (EULA) that states that the VA will receive the data entered by the Veteran on the device our application risks non-approval from the Privacy and Security compliance group.	EWNFR-316	DLEA-555
User Interface NFRs	N/A	Non Functional Requirement	DLEA-394	As a Project Team, we must use consistent screen movement throughout the application so that consistency exists and users do not have an additional cognitive load to determine how to perform functions.	EWNFR-162, EWNFR-163	DLEA-554
Usability NFRs	N/A	Non Functional Requirement	DLEA-393	As a Project Team, we must display field labels close to their corresponding entry elements on the screen so that our application will enhance the user's experience with our application.	EWNFR-53	DLEA-553
Usability NFRs	N/A	Non Functional Requirement	DLEA-392	As a Project Team, we must make sure that text is sized to be readable so that our application will enhance the user's experience with our application.	EWNFR-43	DLEA-552

User Interface NFRs	N/A	Non Functional Requirement	DLEA-391	As a Project Team, we must give the user a choice to complete the task or abandon the task presented on a modal screen is used so that a clear choice for exit and control over actions for the user.	EWNFR-176	DLEA-551
User Interface NFRs	N/A	Non Functional Requirement	DLEA-390	See Description for full requirement - As a Project Team, we must use clear indicators that instructs the user how to move forward	EWNFR-175	DLEA-550
User Interface NFRs	N/A	Non Functional Requirement	DLEA-389	As a Project Team, we must adhere to the standard navigation practices implemented by the VA so that consistency exists and users do not have an additional cognitive load to determine different navigation methods.	EWNFR-156, EWNFR-157, EWNFR-158, EWNFR-159	DLEA-549
General NFR	N/A	Non Functional Requirement	DLEA-388	As a Project Team we must ensure that a Splash Screen is displayed upon first use of the application by the user so that we can share important information with and let the user know the application is loading.	EWNFR-696	DLEA-546, DLEA-547, DLEA-548
General NFR	N/A	Non Functional Requirement	DLEA-387	As a Project Team, we must include the version number of the application on the About tab so that the user will know which version of the application they are using.	EWNFR-707	DLEA-544, DLEA-545

Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-386	See Description for Full Req: As a Project Team, we must prevent incorrect data entry	EWNFR-374	DLEA-543
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-385	As a Project Team, we must use the VA Benefits logo (If application is sponsored by VBA) provided on the VA Mobile Branding website otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-232, EWNFR-233, EWNFR-234	DLEA-541, DLEA-542
User Interface NFRs	N/A	Non Functional Requirement	DLEA-384	As a Project Team, we must make sure that our application properly recognizes any standard physical gestures of the device so that confusion can be avoided by keeping well tested, well established gesture standards.	EWNFR-168	DLEA-540
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-383	As a Project Team, we must (when possible) ensure that user actions are undoable so that our application will allow our users to correct errors and easily return to their tasks.	EWNFR-386	DLEA-539

Enterprise Security	N/A	Non Functional Requirement	DLEA-382	As a Project Team, we must ensure that our application passes a Fortify scan (Code Review) where there are no Critical or High issues reported so that our application successfully completes the Enterprise Security compliance process.	EWNFR-699	DLEA-538
Enterprise Security	N/A	Non Functional Requirement	DLEA-381	As a Project Team, we must ensure that our application passes a WASA/MASA scan where there are no Critical or High issues reported so that our application successfully completes the Enterprise Security compliance process.	EWNFR-712	DLEA-537
Usability NFRs	N/A	Non Functional Requirement	DLEA-380	As a Project Team, we must provide "Help" information and/or a tooltip when we use acronyms/abbreviations due to screen space limitations so that our application will enhance the user's experience with our application.	EWNFR-29, EWNFR-30	DLEA-536
Usability NFRs	N/A	Non Functional Requirement	DLEA-379	As a Project Team, we must use consistent elements to filter data within the application so that our application will enhance the user's experience with our application.	EWNFR-54	DLEA-535

Usability NFRs	N/A	Non Functional Requirement	DLEA-378	As a Project Team, we must make sure that the difference between status icons and clickable icons is visually different so that our application will enhance the user's experience with our application.	EWNFR-62	DLEA-534
General NFR	N/A	Non Functional Requirement	DLEA-377	As a Project Team we must ensure that our application gives the user the ability to choose (from within the application) to return to the Launchpad once the application is exited so that a common exit procedure is used for all mobile applications.	EWNFR-710	DLEA-531, DLEA-532, DLEA-533
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-376	As a Project Team, we must use the appropriate administration color palette described in the latest VA Branding Style Guide otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-240	DLEA-526, DLEA-527, DLEA-528, DLEA-529, DLEA-530
Privacy and Application Data Security (OIA)	N/A	Non Functional Requirement	DLEA-375	See Description for Full Req: As a Project Team, we must include an End User License Agreement (EULA)	EWNFR-313	DLEA-525

Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-374	Guidance: The user interface articulates requirements that capture what information users need to be able to retrieve so that information is shared, recorded, and utilized by the system.	EWNFR-382	
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-373	As a Project Team, we must VA brand all mobile pages within the application using the responsive template documented in the latest VA Branding Style Guide otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-676	DLEA-524
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-372	As a Project Team, we must include “why it happened” information in error feedback so that our application will allow our users to correct errors and easily return to their tasks.	EWNFR-387, EWNFR-388, EWNFR-389	DLEA-523
Usability NFRs	N/A	Non Functional Requirement	DLEA-371	As a Project Team, we must use consistent model for data entry fields so that our application will enhance the user's experience with our application.	EWNFR-56	DLEA-520, DLEA-521, DLEA-522

Usability NFRs	N/A	Non Functional Requirement	DLEA-370	As a Project Team, we must make sure that the error messages within the application contain specific instruction on the meaning of error so that our application will enhance the user's experience with our application.	EWNFR-64, EWNFR-65, EWNFR-66, EWNFR-67	DLEA-519
User Interface NFRs	N/A	Non Functional Requirement	DLEA-369	As a Project Team, we must use consistent scrolling throughout the application so that consistency exists and users do not have an additional cognitive load to determine how to perform functions.	EWNFR-162, EWNFR-163	DLEA-518
Usability NFRs	N/A	Non Functional Requirement	DLEA-368	As a Project Team, we must make sure that the error messages within the application are in user-centric language so that our application will enhance the user's experience with our application.	EWNFR-64, EWNFR-65, EWNFR-66, EWNFR-67	DLEA-517
Usability NFRs	N/A	Non Functional Requirement	DLEA-367	As a Project Team, we must make drop-down selection box widths appropriate for the content so that our application will enhance the user's experience with our application.	EWNFR-35	DLEA-515, DLEA-516

Usability NFRs	N/A	Non Functional Requirement	DLEA-366	As a Project Team, we must provide visual separation between the navigation space and the main-content area so that our application will enhance the user's experience with our application.	EWNFR-32	DLEA-513, DLEA-514
User Interface NFRs	N/A	Non Functional Requirement	DLEA-365	As a Project Team, we must provide immediate feedback (.25) following user input activities so that the user is aware the application has recognized the user's input.	EWNFR-164	DLEA-512
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-364	See Description for Full Req.: As a Project Team, we must create the chicklet for our application using the appropriate requirements (based on administration) listed in the latest VA Branding Style Guide	EWNFR-241	DLEA-503, DLEA-504, DLEA-505, DLEA-506, DLEA-507, DLEA-508, DLEA-509, DLEA-510, DLEA-511
Usability NFRs	N/A	Non Functional Requirement	DLEA-363	As a Project Team, we must use consistent screen elements within our application so that our application will enhance the user's experience with our application.	EWNFR-46, EWNFR-48,EWNFR-47	DLEA-502
User Interface NFRs	N/A	Non Functional Requirement	DLEA-362	As a Project Team, we must use the link name to indicate the destination of the link so that the purpose of the link is simply understood.	EWNFR-179	DLEA-500, DLEA-501

General NFR	N/A	Non Functional Requirement	DLEA-361	As a Project Team, we must ensure that following 15 minutes of inactivity by the current user our application time-outs so that our application efficiently used the limited resources that maybe available to the user.	EWNFR-694	DLEA-496, DLEA-497, DLEA-498, DLEA-499
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-360	As a Project Team, we must compose error recovery instructions using plain, simple language so that it is easily understood by the target user.	EWNFR-172, EWNFR-173, EWNFR-174	DLEA-495
User Interface NFRs	N/A	Non Functional Requirement	DLEA-359	As a Project Team, we must adhere to the standard navigation practices of the platform's operating system so that consistency exists and users do not have an additional cognitive load to determine different navigation methods.	EWNFR-156, EWNFR-157, EWNFR-158, EWNFR-159	DLEA-494
Usability NFRs	N/A	Non Functional Requirement	DLEA-358	As a Project Team, we must allow users to print (if applicable) from their current location (if applicable) within the application so that our application will enhance the user's experience with our application.	EWNFR-50	DLEA-493

Usability NFRs	N/A	Non Functional Requirement	DLEA-357	As a Project Team, we must provide an indicator for non-visible text that prompts the user to scroll so that our application will enhance the user's experience with our application.	EWNFR-70	DLEA-492
User Interface NFRs	N/A	Non Functional Requirement	DLEA-356	As a Project Team, we must avoid the use of vertically stacked controls so that the user can easily select the control with their fingertip.	EWNFR-188	DLEA-491
User Interface NFRs	N/A	Non Functional Requirement	DLEA-355	As a Project Team, we must make sure that the screens of our application adapt to the orientation (portrait/landscape) of the device so that the application will be consistent with the user's expectations.	EWNFR-170	DLEA-490
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-354	As a Project Team, we must uniquely identify application dialog boxes so that we can support problem reporting and monitor system usage after deployment.	EWNFR-397, EWNFR-398	DLEA-489
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-353	As a Project Team, we must use a consistent screen layout throughout the application so that consistency exists and users are able to easily find information.	CRPF-594, DLEA-405, EWNFR-160, EWNFR-161, MCM-1231	DLEA-488

VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-352	As a Project Team, we must use the VA Memorial logo (If application is sponsored by NCA) provided on the VA Mobile Branding website otherwise our application risks non-approval from the VA Branding compliance group.	EWNFR-232, EWNFR-233, EWNFR-234	DLEA-486, DLEA-487
Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-351	As a Project Team, we must (if applicable) only provide modify access to EHR data when necessary so that we can prevent the user from entering incorrect data into our application.	EWNFR-375, EWNFR-376	DLEA-485
User Interface NFRs	N/A	Non Functional Requirement	DLEA-350	As a Project Team, we must make sure the entire name of our application is visible when the application icon that is displayed on the user's device so that the full name of the application is evident.	EWNFR-181	DLEA-484
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-349	As a Project Team, we must include "what happened" information in error feedback so that our application will allow our users to correct errors and easily return to their tasks.	EWNFR-387, EWNFR-388, EWNFR-389	DLEA-483
Usability NFRs	N/A	Non Functional Requirement	DLEA-348	As a Project Team, we must left align column headers so that our application will enhance the user's experience with our application.	EWNFR-24	DLEA-482

Data and Terminology Standards Compliance (OIA)	N/A	Non Functional Requirement	DLEA-347	As a Project Team, we must follow the RX Norm standard for pharmacy terms so that the clinical data and terminology used within our application conforms to national standards.	EWNFR-531	DLEA-481
Usability NFRs	N/A	Non Functional Requirement	DLEA-346	As a Project Team, we must auto-complete (if applicable to our application) default values in entry fields (when possible) so that our application will enhance the user's experience with our application.	EWNFR-60	DLEA-477, DLEA-478, DLEA-479, DLEA-480
Multiple Compliance Body	N/A	Non Functional Requirement	DLEA-345	As a Project Team, we must use the language of the user when we create the user interface for our application and as much as possible we must ensure the application acts and reacts as the user expects so that we can reduce the occurrences of user error.	EWNFR-384	DLEA-476
Usability NFRs	N/A	Non Functional Requirement	DLEA-344	As a Project Team, we must left align page/section titles to anchor titles in consistent locations on all windows/screens so that our application will enhance the user's experience with our application.	EWNFR-27	DLEA-474, DLEA-475

Usability NFRs	N/A	Non Functional Requirement	DLEA-343	As a Project Team, we must make sure that the error messages within the application are consistently used and displayed so that our application will enhance the user's experience with our application.	EWNFR-64, EWNFR-65, EWNFR-66, EWNFR-67	DLEA-473
User Interface NFRs	N/A	Non Functional Requirement	DLEA-342	As a Project Team, we must provide an input indicator for active text entry fields so that the user is aware that the application is expecting input.	EWNFR-187	DLEA-472
Usability NFRs	N/A	Non Functional Requirement	DLEA-341	As a Project Team, we must left align the labels for fields so that our application will enhance the user's experience with our application.	EWNFR-28	DLEA-471
User Interface NFRs	N/A	Non Functional Requirement	DLEA-340	As a Project Team, we must make sure that the title of any modal screen represents the task being performed on the screen so that the purpose of the screen is simply understood.	EWNFR-178	DLEA-470
User Interface NFRs	N/A	Non Functional Requirement	DLEA-339	As a Project Team, we must make sure that we create our icons based on the standards of the device so that there is consistency in the application and we can avoid confusion.	EWNFR-169	DLEA-468, DLEA-469

Patient Safety (OIA)	N/A	Non Functional Requirement	DLEA-338	As a Project Team, we must provide a mechanism to report software issues so that we can monitor system usage after deployment.	EWNFR-394	DLEA-467
VA Branding (OPIA) NFRs	N/A	Non Functional Requirement	DLEA-337	See Description for Full Req.: As a Project Team, we must ensure our graphics use the appropriate dpi for mobile devices to ensure that graphics are consistently of a good resolution and are not blurry or pixelated	EWNFR-677	DLEA-466
User Interface NFRs	N/A	Non Functional Requirement	DLEA-336	See Description for Full Req: As a Project Team, we make sure that the screens within the application are properly linked so they refer to the same patient	EWNFR-153, EWNFR-154	DLEA-465
Usability NFRs	N/A	Non Functional Requirement	DLEA-335	As a Project Team, we must define a logical tab order through fields on a screen when the default tab order is not sufficient for our application so that our application will enhance the user's experience with our application.	EWNFR-63	DLEA-464
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-196	As a project team, we must ensure that it is possible for all enhancements to operate simultaneously, even if they are not all being used, otherwise we will not be Section 508 compliant.	EWNFR-487	DLEA-285

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-195	As a project team, we must ensure that auto updating dynamic content can be hidden on Android/iOS platform applications, otherwise we will not be Section 508 compliant.	EWNFR-458	DLEA-284
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-194	As a project team, we must ensure that when using non-decorative images, informative alternative text is provided to the user, otherwise we will not be 508 compliant.	EWNFR-517	DLEA-283
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-193	As a project team, we must make sure that decorative content is not exposed to assistive technologies, otherwise we will not be Section 508 compliant.	EWNFR-494	DLEA-282
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-192	As a project team, we must use consistent labels for common elements, otherwise we will not be Section 508 compliant.	EWNFR-502	DLEA-281
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-191	As a project team, we must avoid duplicating information in alternatives, otherwise we will not be Section 508 compliant.	EWNFR-516	DLEA-280
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-190	As a project team, we must provide synchronized captions for all multimedia content on the Android/iOS platforms, otherwise we will not be 508 compliant.	EWNFR-442	DLEA-279

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-189	As a project team, we must make sure that while using logical navigation scrolling occurs as needed, otherwise we will not be Section 508 compliant.	EWNFR-513	DLEA-278
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-188	As a project team, we must ensure that error message have a platform specific alert or the focus is moved to the error message after submitting of an action, otherwise we will not be Section 508 compliant.	EWNFR-464	DLEA-276, DLEA-277
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-187	As a project team, we must ensure that elements flash in a safe threshold on Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-460	DLEA-275
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-186	As a project team, we must ensure that we provide a sufficient color contrast when using text and text images on the Android/iOS Platform, otherwise we will not be Section 508 compliant.	EWNFR-449	DLEA-274
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-185	As a project team, we must make sure that non-decorative content supports accessibility, otherwise we will not be Section 508 compliant.	EWNFR-490	DLEA-273
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-184	As a project team, we must use consistent labels for controls, otherwise we will not be Section 508 compliant.	EWNFR-500	DLEA-272

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-183	As a project team, we must ensure that the removal of on-screen components are properly exposed to assistive technology on the Android/iOS Media Platforms.	EWNFR-453	DLEA-271
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-182	As a project team, we must provide suggestions to the user when they receive error messages whenever they are known when using the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-471	DLEA-270
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-181	As a project team, we must provide the equivalent text for all non-text elements including sound and images, otherwise we will not be Section 508 compliant.	EWNFR-519	DLEA-269
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-180	As a project team, we must be sure that the reading order of the application content is logical, otherwise we will not be Section 508 compliant.	EWNFR-520	DLEA-268
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-179	As a project team, we must ensure access to alternative input methods, otherwise we will not be Section 508 compliant.	EWNFR-505	DLEA-267

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-178	As a project team, we must ensure that information provided with audio is not the only way to indicate an error on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-439	DLEA-266
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-177	As a project team, we must ensure that information provided with audio is not the only way to indicate completion of a task when using an Android /iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-438	DLEA-265
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-176	As a project team, we must ensure that all controls can be focused, otherwise we will not be Section 508 compliant.	EWNFR-480	DLEA-264
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-175	As a project team, we must ensure that screen transitions settle within 5 seconds on the Android/iOS platform applications, otherwise we will not be Section 508 compliant.	EWNFR-461	DLEA-263
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-174	As a project team, we must make sure that artifact elements are not exposed to assistive technologies, otherwise we will not be Section 508 compliant.	EWNFR-496	DLEA-262

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-173	As a project team, we must provide context for multi-part controls, otherwise we will not be section 508 compliant.	EWNFR-483	DLEA-261
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-172	As a project team, we must be sure that element text has the same meaning when out of context, otherwise we will not be Section 508 compliant.	EWNFR-506	DLEA-260
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-171	As a project team, we must ensure that we clearly indicate all form field constraints, otherwise we will not be Section 508 compliant.	EWNFR-482	DLEA-259
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-170	As a project team, we must place any text that gives instructions at the beginning of a form, otherwise we will not be Section 508 compliant.	EWNFR-486	DLEA-258
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-169	As a project team, we must be sure to provide the ability for the user to control the font size, otherwise we will not be Section 508 compliant.	EWNFR-503	DLEA-257
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-168	As a project team, we must ensure that we make assistive technologies aware of any content changes to the Android/iOS applications in real time, otherwise we will not be Section 508 compliant.	EWNFR-455	DLEA-256

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-167	As a project team, we must ensure that we provide error prevention for legal commitments on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-469	DLEA-255
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-166	As a project team, we must ensure that we provide a non-animated way to step through or control animation on Android/iOS platform applications, otherwise we will not be Section 508 compliant.	EWNFR-463	DLEA-254
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-165	As a project team, we must ensure that when focus changes occur that the context has not changed, otherwise we will not be Section 508 compliant.	EWNFR-472	DLEA-253
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-164	As a project team, we must be sure that element text has the same meaning within context, otherwise we will not be Section 508 compliant.	EWNFR-507	DLEA-252
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-163	As a project team, we must provide inactive space around elements on the touch screen, otherwise we will not be Section 508 compliant.	EWNFR-511	DLEA-251
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-162	As a project team, we must ensure that shape and location are not the only ways hierarchy is communicated, otherwise we will not be Section 508 compliant.	EWNFR-499	DLEA-250

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-161	As a project team, we must make sure that hidden content is not exposed to assistive technologies, otherwise we will not be Section 508 compliant.	EWNFR-493	DLEA-249
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-160	As a project team, we must use actual text when technology allows instead of images of the text, otherwise we will not be Section 508 compliant.	EWNFR-518	DLEA-248
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-159	As a project team, we must ensure that we are not using color and text formatting as the only means of communicating information on the Android/iOS platforms otherwise we will not be Section 508 compliant.	EWNFR-444	DLEA-247
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-158	As a project team, we must provide transcripts or audio tracks of video-only presentations being used on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-443	DLEA-246
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-157	As a project team, we must ensure that we provide a consistent way to implement and alert mechanism on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-467	DLEA-245

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-156	As a project team, we must ensure that anything that uses color to convey a meaning, can also do so without using color on-screen on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-447	DLEA-244
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-155	As a project team, we must make sure that all controls support Accessibility, otherwise we will not be Section 508 compliant.	EWNFR-489	DLEA-243
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-154	As a project team, we must ensure that anything that uses color to convey a meaning, can also do so without using color in the content, on the Android/iOS platforms, otherwise we will not be Section 508 compliant	EWNFR-446	DLEA-242
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-153	As a project team, we must ensure that the focus is not forcibly shifted when inputting information, otherwise we will not be Section 508 compliant.	EWNFR-475	DLEA-241
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-152	As a project team, we must use consistent labels for images, otherwise we will not be Section 508 compliant.	EWNFR-501	DLEA-240

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-151	As a project team, we must ensure that multi-part controls are accessible, otherwise, we will not be Section 508 compliant.	EWNFR-484	DLEA-239
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-150	As a project team, we must ensure that shape and location are not the only ways information is communicated, otherwise we will not be Section 508 compliant.	EWNFR-498	DLEA-238
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-149	As a project team, we must be sure that we are able to move focus away from focusable components, otherwise we will not be Section 508 compliant.	EWNFR-508	DLEA-237
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-148	As a project team, we must ensure that decorative animations settle within 5 seconds on the Android/iOS platform applications, otherwise we will not be Section 508 compliant.	EWNFR-462	DLEA-236
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-147	As a project team, we must ensure that elements blink in a safe threshold on Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-459	DLEA-235
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-146	As a project team, we must be sure that we do not overlap active elements in touch focus areas, otherwise we will not be Section 508 compliant.	EWNFR-509	DLEA-234

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-145	As a project team, we must ensure that the addition of on-screen components are properly exposed to assistive technology on the Android/iOS platforms, otherwise, we will not be 508 compliant.	EWNFR-452	DLEA-233
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-144	As a project team, we must make sure that when using keyboard focus, we clearly indicate interaction, otherwise we will not be Section 508 compliant.	EWNFR-477	DLEA-232
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-143	As a project team, we must be sure to provide sufficient size for the element on the touch screen, otherwise we will not be Section 508 compliant.	EWNFR-512	DLEA-231
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-142	As a project team, we must ensure that the focus is set logically when a module opens, otherwise we will not be Section 508 compliant.	EWNFR-473	DLEA-229, DLEA-230
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-141	As a project team, we must ensure that we provide a clear indication of errors on the Android/iOS application platforms, otherwise we will not be Section 508 compliant.	EWNFR-465	DLEA-228
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-140	As a project team, we must ensure that navigation is visually indicated, otherwise we will not be Section 508 compliant.	EWNFR-476	DLEA-227

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-139	As a project team, we must ensure that when colors from the OS are not used, that we provide a variety of color contrast selection, otherwise we will not be Section 508 compliant.	EWNFR-450	DLEA-226
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-138	As a project team we must ensure that we use interactive elements on a page in a logical focus order, otherwise, we will not be Section 508 compliant.	EWNFR-478	DLEA-225
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-137	As a project team, we must ensure that anything that uses color to convey a meaning without needing additional interaction from the user on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-448	DLEA-224
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-136	As a project team, we must ensure that the focus is set logically when pop alerts close, otherwise we will not be Section 508 compliant.	EWNFR-474	DLEA-222, DLEA-223
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-135	As a project team, we must ensure content that is animated is described in audio or text on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-454	DLEA-221

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-134	As a project team, we must provide a text transcript for presentations that use audio-only on Android/iOS platforms, otherwise we will not be 508 compliant.	EWNFR-441	DLEA-220
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-133	As a project team, we must make sure that duplicate content is not exposed to assistive technologies, otherwise we will not be Section 508 compliant.	EWNFR-495	DLEA-219
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-132	As a project team, we must make sure that all of the controls that have accessible input methods for the controls, have a specific set of behaviors and are adequately supported, otherwise we will not be Section 508 compliant.	EWNFR-514	DLEA-218
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-131	As a project team, we must be sure that content that gives the user an alternative to non-accessible content, also provide an equivalent functionality, otherwise we will not be Section 508 compliant.	EWNFR-504	DLEA-217
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-130	As a project team, we must ensure that we are sufficiently describing all elements, otherwise we will not be Section 508 compliant.	EWNFR-481	DLEA-216

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-129	As a project team, we must ensure that we are not using color and text formatting as the only way to communicate selection on the Android/iOS platforms, otherwise we will not be 508 compliant.	EWNFR-445	DLEA-215
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-128	As a project team, we must ensure that all elements can receive focus, otherwise we will not be Section 508 compliant.	EWNFR-479	DLEA-214
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-127	As a project team, we must ensure audio functionality does not disrupt the text to speech of assistive technologies for Android/iOS platforms otherwise we will not be Section 508 compliant.	EWNFR-437	DLEA-213
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-126	As a project team, we must be sure that where a screen title is provided, a clear title is presented on all screens, otherwise we will not be Section 508 compliant.	EWNFR-521	DLEA-212
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-125	As a project team, we must ensure that auto-updating dynamic content can be stopped on Android/iOS platform applications, otherwise we will not be Section 508 compliant.	EWNFR-457	DLEA-211

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-124	As a project team, we must ensure that all interactions with a control is what the user expects it to be, otherwise we will not be Section 508 compliant.	EWNFR-515	DLEA-210
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-123	As a project team, we must be sure to provide explicit labels for all form elements, otherwise we will not be Section 508 compliant.	EWNFR-485	DLEA-209
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-122	As a project team, we must ensure that time based sessions are accessible, otherwise we will not be Section 508 compliant.	EWNFR-488	DLEA-208
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-121	As a project team, we must ensure that all actions on a touch screen are triggered on removal and not with the initial touch, otherwise we will not be Section 508 compliant.	EWNFR-510	DLEA-206, DLEA-207
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-120	As a project team, we must ensure that we provide a way to prevent errors on information that is submitted on the Android/iOS platforms, otherwise we will not be Section 508 compliant	EWNFR-468	DLEA-205
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-119	As a project team, we must ensure that when White on Black is enabled on the iOS platform, that an acceptable contrast is provided within the application color settings, otherwise we will not be Section 508 Compliant.	EWNFR-451	DLEA-204

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-118	As a project team, we must ensure that we provide a consistent strategy to implement an error mechanism on the Android/iOS platforms, otherwise we will not be Section 508 compliant.	EWNFR-466	DLEA-203
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-117	As a project team, we must be sure that all applications do not interfere with Assistive Technology, otherwise we will not be Section 508 compliant.	EWNFR-492	DLEA-202
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-116	As a project team we must ensure that controls are correctly identified as they are intended to be, and the "state" is correctly identified, otherwise we will not be Section 508 compliant.	EWNFR-491	DLEA-201
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-115	As a project team, we must be sure that visual multimedia content is adequately described in the audio portion when using the Android/iOS platforms, otherwise the software will not be Section 508 compliant.	EWNFR-440	DLEA-200
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-114	As a project team, we must ensure that auto-updating dynamic content can be paused on Android/iOS platform applications, otherwise we will not be 508 compliant.	EWNFR-456	DLEA-199

508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-113	As a project team, we must ensure that we provide a way to prevent errors in financial data on the Android/iOS platforms, otherwise we will be Section 508 compliant.	EWNFR-470	DLEA-198
508 Accessibility (OIT)	N/A	Non Functional Requirement	DLEA-112	As a project team, we cannot only rely on sensory characteristics when providing instructions, otherwise we will not be Section 508 compliant.	EWNFR-497	DLEA-197

Signature Section

I have reviewed the Mobile Application Requirements Addendum and find it acceptable.

Signature or E-signature of Lead Analyst or Application Owner

I have reviewed the Mobile Application Requirements Addendum and find it acceptable.

Signature or E-signature of WMS Project Manager

I have reviewed the Mobile Application Requirements Addendum and find it acceptable.

Signature or E-signature of VA OI&T Project Manager

This template last updated 11/13/2014