



Hewlett Packard
Enterprise

HPE Security Fortify Audit Workbench

Developer Workbook

Va.TMP.CRM-Integration

Table of Contents

[Executive Summary](#)

[Project Description](#)

[Issue Breakdown by Fortify Categories](#)

[Results Outline](#)

[Description of Key Terminology](#)


[About HPE Security](#)

Executive Summary

This workbook is intended to provide all necessary details and information for a developer to understand and remediate the different issues discovered during the Va.TMP.CRM-Integration project audit. The information contained in this workbook is targeted at project managers and developers.

This section provides an overview of the issues uncovered during analysis.

Project Name:	Va.TMP.CRM-Integration
Project Version:	
SCA:	Results Present
WebInspect:	Results Not Present
SecurityScope:	Results Not Present
Other:	Results Not Present



Top Ten Critical Categories

This project does not contain any critical issues

Project Description

This section provides an overview of the HPE Security Fortify scan engines used for this project, as well as the project meta-information.

SCA

Date of Last Analysis:	Jul 27, 2017, 7:47 PM	Engine Version:	16.10.0095
Host Name:	PSSC-VA-PMG	Certification:	VALID
Number of Files:	297	Lines of Code:	55,607

Issue Breakdown by Fortify Categories

The following table depicts a summary of all issues grouped vertically by Fortify Category. For each category, the total number of issues is shown by Fortify Priority Order, including information about the number of audited issues.

Category	Fortify Priority (audited/total)				Total Issues
	Critical	High	Medium	Low	
Dead Code: Unused Field	0	0	0	0 / 692	0 / 692
Null Dereference	0	0 / 10	0	0	0 / 10
Password Management: Password in Comment	0	0	0	0 / 2	0 / 2
Poor Error Handling: Empty Catch Block	0	0	0	0 / 1	0 / 1
Poor Error Handling: Overly Broad Catch	0	0	0	0 / 27	0 / 27
System Information Leak: Internal	0	0	0	0 / 12	0 / 12

Results Outline

Dead Code: Unused Field (692 issues)

Abstract

This field is never used directly or indirectly by a public method.

Explanation

This field is never accessed, except perhaps by dead code. Dead code is defined as code that is never directly or indirectly executed by a public method. It is likely that the field is simply vestigial, but it is also possible that the unused field points out a bug.

Example 1: The field named `glue` is not used in the following class. The author of the class has accidentally put quotes around the field name, transforming it into a string constant.

```
public class Dead {  
    string glue;  
  
    public string GetGlue() {  
        return "glue";  
    }  
}
```


Example 2: The field named `glue` is used in the following class, but only from a method that is never called by a public method.

```
public class Dead {  
    string glue;  
  
    private string GetGlue() {  
        return glue;  
    }  
}
```

Recommendation

In general, you should repair or remove dead code. To repair dead code, execute the dead code directly or indirectly through a public method. Dead code causes additional complexity and maintenance burden without contributing to the functionality of the program.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Dead Code: Unused Field	692	0	0	692
Total	692	0	0	692

Dead Code: Unused Field

Low

Package: VA.TMP.DataModel

Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/
VA.TMP.DataModel.cs, line 200388 (Dead Code: Unused Field)

Low

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanging

File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:200388

Taint Flags:

Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/
VA.TMP.DataModel.cs, line 7950 (Dead Code: Unused Field)

Low

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanged

File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:7950

Taint Flags:

Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/
VA.TMP.DataModel.cs, line 30455 (Dead Code: Unused Field)

Low

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 30455 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:30455 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 201136 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:201136 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249777 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249777 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 144829 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:144829 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 182199 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 182199 (Dead Code: Unused Field)	Low

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanged

File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:182199

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 247851 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanged

File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:247851

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 79607 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanged

File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:79607

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 294424 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: PropertyChanged

File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:294424

Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 219472 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:219472 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 68279 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:68279 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 229845 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:229845 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 55056 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:55056 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 100935 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:100935 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 68281 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:68281 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 131864 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:131864 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233065 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233065 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103390 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103390 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 13394 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:13394 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 73414 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:73414 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 197155 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:197155 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 59892 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:59892 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 239203 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:239203 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129036 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129036 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187060 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187060 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 195966 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:195966 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 83012 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:83012 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101573 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101573 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275156 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275156 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 107852 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:107852 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 82877 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:82877 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 4460 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:4460 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 99600 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:99600 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 189504 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:189504 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275261 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275261 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 62036 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:62036 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 196624 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:196624 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 50 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:50 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 228910 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:228910 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 114501 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:114501 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36353 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36353 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 157723 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:157723 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 87800 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:87800 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 50096 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:50096 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 214656 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:214656 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 78763 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:78763 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 144831 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:144831 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36351 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36351 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 63054 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:63054 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 148500 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:148500 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 53338 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:53338 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 86767 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:86767 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 40949 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:40949 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 202474 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:202474 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 186046 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:186046 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 277864 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:277864 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 32199 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:32199 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 108264 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:108264 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 52708 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:52708 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 229432 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:229432 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 119067 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:119067 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 235014 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:235014 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 27481 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:27481 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 221744 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:221744 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 89082 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:89082 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 88027 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:88027 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 172544 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:172544 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 139474 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:139474 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 191974 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:191974 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 284313 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:284313 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 196626 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:196626 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 114112 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:114112 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 283957 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:283957 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 89080 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:89080 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 289430 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:289430 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 95115 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:95115 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 287951 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:287951 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 18554 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:18554 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 221011 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:221011 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 10234 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:10234 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 202476 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:202476 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 300451 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:300451 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 68412 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:68412 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 84203 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:84203 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 219248 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:219248 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 60868 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:60868 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 46762 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:46762 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 185419 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:185419 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 184475 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:184475 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 161526 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:161526 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47326 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47326 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 105239 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:105239 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 109069 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:109069 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 217829 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:217829 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 295868 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:295868 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47328 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47328 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47034 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47034 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 122743 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:122743 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 30457 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:30457 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 148498 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:148498 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 189369 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:189369 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250569 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250569 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 287563 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:287563 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 32489 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:32489 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 85594 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:85594 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216029 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216029 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 66000 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:66000 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238345 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238345 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 184827 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:184827 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 285544 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:285544 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 204938 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:204938 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 227694 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:227694 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 223978 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:223978 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 169085 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:169085 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 64349 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:64349 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 214178 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:214178 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 52 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:52 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 99602 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:99602 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 104798 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:104798 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 22409 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:22409 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 166389 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:166389 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 95113 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:95113 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 284939 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:284939 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 189506 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:189506 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 34087 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:34087 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 104800 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:104800 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 46899 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:46899 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 191972 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:191972 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281454 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281454 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 74372 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:74372 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 5479 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:5479 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 152577 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:152577 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 282168 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:282168 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 138702 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:138702 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281301 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281301 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 173497 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:173497 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 124289 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:124289 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 241010 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:241010 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 141965 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:141965 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 188556 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:188556 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238347 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238347 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 51578 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:51578 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 245391 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:245391 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 108262 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:108262 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220302 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220302 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 118214 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:118214 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 299944 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:299944 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103257 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103257 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 251138 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:251138 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 154346 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:154346 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 209279 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:209279 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 124287 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:124287 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 34511 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:34511 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 66002 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:66002 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 298682 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:298682 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 288934 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:288934 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 52128 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:52128 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 137417 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:137417 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 64351 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:64351 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 46897 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:46897 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275681 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275681 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231103 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231103 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 215014 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:215014 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 288932 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:288932 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 245393 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:245393 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 200386 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:200386 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249779 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249779 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101575 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101575 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 107542 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:107542 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 61484 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:61484 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 34089 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:34089 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 133753 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:133753 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 65213 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:65213 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41116 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41116 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 184829 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:184829 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 72094 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:72094 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233478 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233478 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 94511 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:94511 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 67393 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:67393 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 28861 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:28861 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 228908 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:228908 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 28859 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:28859 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 69174 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:69174 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 58706 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:58706 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250310 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250310 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220304 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220304 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 123072 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:123072 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 51576 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:51576 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231632 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231632 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 215012 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:215012 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 60866 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:60866 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 214658 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:214658 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 295294 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:295294 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 206174 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:206174 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 152575 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:152575 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 13392 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:13392 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 111034 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:111034 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 52126 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:52126 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 10232 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:10232 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187753 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187753 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 20922 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:20922 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 3942 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:3942 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101710 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101710 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 203216 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:203216 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103392 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103392 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249523 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249523 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 151692 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:151692 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 148365 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:148365 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 123913 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:123913 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 79609 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:79609 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 53336 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:53336 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 240087 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:240087 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 150716 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:150716 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 94037 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:94037 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 98445 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:98445 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 62034 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:62034 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 18345 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:18345 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 78761 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:78761 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 232317 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:232317 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233961 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233961 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 92127 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:92127 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 218274 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:218274 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 135305 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:135305 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 295292 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:295292 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 32201 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:32201 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 284315 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:284315 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220479 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220479 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 181392 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:181392 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 10685 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:10685 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249013 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249013 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 105241 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:105241 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 63644 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:63644 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 189371 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:189371 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 140504 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:140504 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 32487 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:32487 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 95600 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:95600 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 48967 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:48967 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 241858 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:241858 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 10687 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:10687 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 28119 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:28119 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 198854 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:198854 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281591 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281591 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 157721 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:157721 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112243 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112243 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 136112 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:136112 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231101 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231101 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 159941 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:159941 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 27479 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:27479 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 17845 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:17845 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 65867 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:65867 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 156385 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:156385 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275398 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275398 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 115815 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:115815 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 229843 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:229843 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275158 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275158 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216996 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216996 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 243106 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:243106 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 31943 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:31943 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 71212 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:71212 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 52706 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:52706 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 70111 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:70111 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 169083 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:169083 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 143909 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:143909 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 40357 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:40357 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 244784 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:244784 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 82756 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:82756 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 149761 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:149761 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 186447 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:186447 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 76519 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:76519 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 154344 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:154344 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 208406 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:208406 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 175613 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:175613 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 128323 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:128323 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281724 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281724 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 184477 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:184477 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 296343 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:296343 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 58110 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:58110 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238833 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238833 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 298680 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:298680 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 210625 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:210625 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275263 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275263 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 65215 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:65215 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 4458 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:4458 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 142811 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:142811 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 229434 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:229434 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129337 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129337 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 243320 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:243320 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 288317 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:288317 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 22407 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:22407 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 199580 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:199580 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 167215 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:167215 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 204936 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:204936 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 167833 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:167833 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 160718 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:160718 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 141407 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:141407 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 77623 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:77623 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 139476 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:139476 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 88567 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:88567 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 197157 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:197157 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216994 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216994 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 84927 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:84927 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 93126 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:93126 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 102801 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:102801 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 137415 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:137415 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238835 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238835 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231942 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231942 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 71214 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:71214 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101845 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101845 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 84205 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:84205 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 235012 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:235012 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 132946 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:132946 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 217407 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:217407 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275683 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275683 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281859 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281859 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 288319 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:288319 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112765 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112765 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 153625 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:153625 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275533 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275533 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112763 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112763 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 169918 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:169918 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 240085 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:240085 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 82879 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:82879 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 88029 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:88029 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 114503 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:114503 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112101 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112101 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 153623 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:153623 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 63052 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:63052 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129171 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129171 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 243318 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:243318 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 22854 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:22854 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 26969 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:26969 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 165078 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:165078 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 93128 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:93128 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 174740 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:174740 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129169 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129169 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 84925 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:84925 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 149763 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:149763 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216031 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216031 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 173499 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:173499 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 219246 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:219246 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 141967 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:141967 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 31945 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:31945 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 80803 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:80803 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 59298 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:59298 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281726 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281726 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 138700 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:138700 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 173632 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:173632 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 232740 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:232740 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 206176 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:206176 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112099 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112099 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 244206 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:244206 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 119274 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:119274 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 283568 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:283568 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 222485 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:222485 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 168430 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:168430 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 119069 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:119069 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 223389 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:223389 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 111036 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:111036 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 203751 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:203751 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103800 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103800 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 133751 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:133751 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs, line 73416 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:73416 Taint Flags:	
Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs, line 239205 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:239205 Taint Flags:	
Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs, line 140506 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:140506 Taint Flags:	
Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs, line 17843 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/VA.TMP.DataModel.cs:17843 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187755 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187755 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 150718 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:150718 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 86765 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:86765 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 221009 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:221009 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101843 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101843 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 182201 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:182201 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238194 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238194 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 161528 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:161528 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 63642 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:63642 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41838 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41838 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 221746 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:221746 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 210623 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:210623 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 55058 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:55058 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 58112 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:58112 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 169916 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:169916 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 208404 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:208404 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 232315 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:232315 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 294790 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:294790 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 298080 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:298080 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 112245 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:112245 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 75308 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:75308 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 188303 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:188303 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250308 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250308 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36506 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36506 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 141409 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:141409 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 143911 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:143911 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36671 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36671 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 228407 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:228407 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 217405 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:217405 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187494 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187494 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 146795 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:146795 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 226254 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:226254 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 218641 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:218641 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 160716 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:160716 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 226252 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:226252 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187062 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187062 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 70113 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:70113 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 40951 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:40951 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 101708 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:101708 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 131862 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:131862 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 294426 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:294426 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250491 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250491 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 88565 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:88565 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 98447 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:98447 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 223391 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:223391 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 94509 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:94509 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 61486 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:61486 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36669 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36669 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 131636 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:131636 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 148367 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:148367 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250493 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250493 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 20924 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:20924 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 133332 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:133332 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 287949 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:287949 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 222483 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:222483 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 115813 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:115813 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 123074 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:123074 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 248241 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:248241 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 232738 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:232738 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 3940 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:3940 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220481 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220481 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 87798 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:87798 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41294 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41294 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 186449 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:186449 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 248239 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:248239 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 192257 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:192257 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 92727 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:92727 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 75310 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:75310 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 165612 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:165612 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 80801 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:80801 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 175615 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:175615 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 135303 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:135303 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275396 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275396 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 172546 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:172546 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 124876 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:124876 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 5481 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:5481 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 214180 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:214180 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 3807 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:3807 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 206021 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:206021 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 241008 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:241008 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233067 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233067 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 277862 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:277862 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 300449 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:300449 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 34513 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:34513 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 181394 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:181394 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 113144 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:113144 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 147477 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:147477 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 122745 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:122745 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 181761 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:181761 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 109071 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:109071 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 284941 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:284941 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 107544 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:107544 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 188554 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:188554 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 243108 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:243108 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216556 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216556 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 69172 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:69172 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281303 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281303 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 81794 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:81794 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249015 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249015 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 285546 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:285546 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41836 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41836 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 211342 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:211342 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 147479 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:147479 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 238192 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:238192 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 76521 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:76521 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 111747 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:111747 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 203753 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:203753 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 247853 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:247853 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 167831 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:167831 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 283566 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:283566 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 59300 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:59300 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 26967 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:26967 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 156387 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:156387 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 244786 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:244786 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 209277 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:209277 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 94035 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:94035 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 46764 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:46764 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41114 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41114 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281589 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281589 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 294792 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:294792 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 289428 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:289428 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 282914 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:282914 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 227696 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:227696 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 282916 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:282916 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 200551 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:200551 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47167 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47167 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 102803 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:102803 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47169 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47169 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 173634 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:173634 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 89528 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:89528 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 136114 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:136114 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 113142 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:113142 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 219474 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:219474 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281861 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281861 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233476 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233476 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 249521 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:249521 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231940 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231940 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 89526 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:89526 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 282166 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:282166 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 281456 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:281456 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 115096 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:115096 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 40359 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:40359 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 92725 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:92725 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129339 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129339 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 47032 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:47032 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 296341 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:296341 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 36504 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:36504 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 146793 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:146793 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 65869 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:65869 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 241856 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:241856 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 59894 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:59894 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 165080 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:165080 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 72096 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:72096 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 119272 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:119272 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 68414 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:68414 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 18347 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:18347 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 206023 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:206023 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 165610 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:165610 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 230218 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:230218 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 115098 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:115098 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 228409 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:228409 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 181759 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:181759 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220089 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220089 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 275531 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:275531 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 163275 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:163275 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 244204 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:244204 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 124874 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:124874 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 231634 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:231634 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 299942 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:299942 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 287561 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:287561 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 118212 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:118212 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 159943 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:159943 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 187496 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:187496 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 201134 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:201134 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 100933 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:100933 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 218643 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:218643 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 168432 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:168432 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 121333 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:121333 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 200553 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:200553 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 85592 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:85592 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 145894 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:145894 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 121331 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:121331 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 21392 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:21392 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 216554 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:216554 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 185417 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:185417 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 7952 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:7952 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 132944 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:132944 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 217827 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:217827 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 74370 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:74370 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 50094 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:50094 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 192259 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:192259 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 111749 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:111749 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 129034 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:129034 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 199582 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:199582 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103802 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103802 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 128325 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:128325 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 3805 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:3805 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 58704 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:58704 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 186044 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:186044 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 114114 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:114114 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 28117 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:28117 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 103255 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:103255 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 18552 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:18552 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 142813 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:142813 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 21390 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:21390 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 92125 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:92125 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 81796 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:81796 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 145892 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:145892 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 220091 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:220091 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 131638 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:131638 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 223976 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:223976 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 167217 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:167217 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 22852 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:22852 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 283959 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:283959 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 198852 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:198852 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 77625 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:77625 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 166387 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:166387 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 151694 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:151694 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 174742 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:174742 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 298078 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:298078 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 107854 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:107854 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 230220 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:230220 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 41292 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:41292 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 295870 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:295870 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 218276 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:218276 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 203214 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:203214 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 188301 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:188301 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 233959 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:233959 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 133334 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:133334 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 163273 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:163273 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 250571 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:250571 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 83010 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:83010 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 123915 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:123915 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 95602 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:95602 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 211340 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:211340 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 67391 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:67391 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 251140 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:251140 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 50716 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:50716 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 48969 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:48969 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 50714 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanged File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:50714 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.DataModel	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 195968 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:195968 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs, line 82758 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: PropertyChanging File: Users/adjearnte/Desktop/va-crmprojects/TMP/CRM/MCShared/VA.TMP.DataModel.cs:82758 Taint Flags:	
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1478 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _reason File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1478 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 904 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 904 (Dead Code: Unused Field)	Low

Sink: Field: _provider

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:904

Taint Flags:

Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 416 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _uniqueId

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:416

Taint Flags:

Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 539 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _firstName

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:539

Taint Flags:

Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 543 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _middleInitial

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:543

Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 42 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _schedulingRequestType File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:42 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 30 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _id File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:30 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 46 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _type File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:46 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1262 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1262 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _id File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1262 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1306 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _requestObject File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1306 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 333 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _contactInformation File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:333 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1357 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _fieldName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1357	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1357 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 931 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: `_code`

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:931

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1182 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: `_id`

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1182

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 687 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: `_conference`

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:687

Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 462 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _location File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:462 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 456 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _id File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:456 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 54 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _version File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:54 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 458 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 458 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _contactInformation File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:458 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 598 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _alternativeEmail File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:598 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1464 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _name File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1464 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 689 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _pin File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:689	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 689 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 337 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _virtualMeetingRoom
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:337
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 44 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _appointmentKind
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:44
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 34 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _patients
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:34
Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 813 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _timeZone File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:813 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 52 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _providers File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:52 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1476 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _vistaStatus File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1476 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1468 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1468 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _facilityName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1468 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 596 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _preferredEmail File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:596 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 454 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _name File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:454 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1237 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _personBookingStatus File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1237	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1237 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 32 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _sourceSystem
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:32
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 746 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _clinic
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:746
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1474 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _dateTime
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1474
Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1466 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _facilityCode File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1466 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 933 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _reason File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:933 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1264 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _status File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1264 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 414 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 414 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _assigningAuthority File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:414 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 38 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _dateTime File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:38 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 329 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _id File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:329 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 36 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _duration File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:36	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 36 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 929 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _description

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:929

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 744 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _facility

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:744

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 600 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _timeZone

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:600

Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1437 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _writeResult File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1437 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 50 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _desiredDate File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:50 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 742 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _type File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:742 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 864 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 864 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _ien File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:864 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1304 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _objectType File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1304 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1472 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _clinicName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1472 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 304 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _patient File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:304	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 304 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 866 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _name

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:866

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 40 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _status

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:40

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 331 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _name

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:331

Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1359 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _errorMessage File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1359 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 541 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _lastName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:541 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1302 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _errors File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1302 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 691 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 691 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _url File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:691 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 809 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _name File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:809 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 460 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _virtualMeetingRoom File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:460 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1462 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _personId File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1462	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1462 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 811 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _siteCode
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:811
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1399 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _writeResults
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1399
Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1186 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _patientBookingStatuses
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1186
Taint Flags:

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1397 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _id File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1397 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1470 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _clinicIEN File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1470 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 1184 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _sourceSystem File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:1184 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 335 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VideoVisitService	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 335 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _location File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:335 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs, line 48 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _bookingNotes File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.cs:48 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs, line 594 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _mobile File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VideoVisitService/Appointment.Designer.cs:594 Taint Flags:	
Package: VA.TMP.Integration.Schema.VirtualMeetingRoom	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 48 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _version	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VirtualMeetingRoom	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 48 (Dead Code: Unused Field)	Low
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:48 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 38 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _patientPin File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:38 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 46 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _miscData File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:46 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 199 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _miscData File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:199 Taint Flags:	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VirtualMeetingRoom	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 201 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _version File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:201 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 40 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _providerPin File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:40 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 42 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _startDate File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:42 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 32 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VirtualMeetingRoom	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 32 (Dead Code: Unused Field)	Low
Sink Details	
Sink: Field: _patientName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:32 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 30 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _appointmentId File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:30 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 34 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _providerName File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:34 Taint Flags:	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 44 (Dead Code: Unused Field)	Low
Issue Details	
Kingdom: Code Quality Scan Engine: SCA (Structural)	
Sink Details	
Sink: Field: _endDate File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:44	

Dead Code: Unused Field	Low
Package: VA.TMP.Integration.Schema.VirtualMeetingRoom	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 44 (Dead Code: Unused Field)	Low

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 197 (Dead Code: Unused Field)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _appointmentId

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:197

Taint Flags:

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs, line 36 (Dead Code: Unused Field)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Field: _meetingRoomName

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.Schema.VirtualMeetingRoom/VirtualMeetingRoom.Designer.cs:36

Taint Flags:

Null Dereference (10 issues)

Abstract

The program can potentially dereference a null pointer, thereby raising a `NullPointerException`.

Explanation

Null pointer errors are usually the result of one or more programmer assumptions being violated.

Most null pointer issues result in general software reliability problems, but if an attacker can intentionally trigger a null pointer dereference, the attacker may be able to use the resulting exception to bypass security logic or to cause the application to reveal debugging information that will be valuable in planning subsequent attacks.


Example 1: In the following code, the programmer assumes that the system always has a property named "cmd" defined. If an attacker can control the program's environment so that "cmd" is not defined, the program throws a null pointer exception when it attempts to call the `Trim()` method.

```
string cmd = null;
...
cmd = Environment.GetEnvironmentVariable("cmd");
cmd = cmd.Trim();
```

Recommendation

Security problems caused by dereferencing null pointers are almost always related to the way in which the program handles runtime exceptions. If the software has a solid and well-executed approach to dealing with runtime exceptions, the potential for security damage is significantly diminished.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Null Dereference	10	0	0	10
Total	10	0	0	10

Null Dereference	High
Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_ErrorMessage(...) : is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrrespondingIds,
36  ContactId = state.Contact.Id
37  };
38  }
39  }
40  }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High
--	-------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_ContactId(...) : is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
```

Null Dereference

High

Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 -
MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37
(Null Dereference)

High

```
+2), state.Contact.ContactId),  
35 CorrespondingIdList = state.CorrespondingIds,  
36 ContactId = state.Contact.Id  
37 };  
38 }  
39 }  
40 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 -
MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37
(Null Dereference)

High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_MessageId(...): is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/
GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```
34 Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=  
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)  
+2), state.Contact.ContactId),  
35 CorrespondingIdList = state.CorrespondingIds,  
36 ContactId = state.Contact.Id  
37 };  
38 }  
39 }  
40 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 -
MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37
(Null Dereference)

High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Null Dereference	High
Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_CorrespondingIdList(...): is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrespondingIds,
36  ContactId = state.Contact.Id
37  };
38  }
39  }
40  }

```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High
--	-------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_UserId(...): is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrespondingIds,
36  ContactId = state.Contact.Id
37  };

```

Null Dereference	High
-------------------------	-------------

Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)

High

```
38 }
39 }
40 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)

High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_Url(...) : is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```
34 Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)+2), state.Contact.ContactId),
35 CorrespondingIdList = state.CorrespondingIds,
36 ContactId = state.Contact.Id
37 };
38 }
39 }
40 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)

High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Null Dereference	High
Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High

Sink Details

Sink: null.set_Ss(...): is not checked for null value before being dereferenced

Enclosing Method: Execute()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37

Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrespondingIds,
36  ContactId = state.Contact.Id
37  };
38  }
39  }
40  }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High
--	-------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)

This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_ExceptionOccured(...): is not checked for null value before being dereferenced

Enclosing Method: Execute()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37

Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrespondingIds,
36  ContactId = state.Contact.Id
37  };
38  }
39  }
40  }
```

Null Dereference	High
Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_ParticipantId(...): is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
+2), state.Contact.ContactId),
35  CorrespondingIdList = state.CorrespondingIds,
36  ContactId = state.Contact.Id
37  };
38  }
39  }
40  }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High
--	-------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Control Flow)

Audit Comments

adjearnte: Thu Jul 27 2017 20:24:59 GMT-0000 (UTC)
This is a mapping class and the null checks are preformed in the logic layer

Sink Details

Sink: null.set_FetchMessageProcessType(...): is not checked for null value before being dereferenced
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs:37
Taint Flags:

```

34  Url = string.Format("https://{0}/main.aspx?etn=contact&pagetype=entityrecord&id=
%7B{1}%7D", state.ServerName.Substring(state.ServerName.IndexOf("//", StringComparison.Ordinal)
```

Null Dereference	High
Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.GetPersonIdentifiers	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/GetPersonIdentifiers/10 - MapCorrespondingIdsResponseToGetPersonIdentifiersResponse.cs, line 37 (Null Dereference)	High

```

+2), state.Contact.ContactId),
35 CorrespondingIdList = state.CorrespondingIds,
36 ContactId = state.Contact.Id
37 };
38 }
39 }
40 }

```


Password Management: Password in Comment (2 issues)

Abstract

Storing passwords or password details in plaintext anywhere in the system or system code may compromise system security in a way that cannot be easily remedied.

Explanation

It is never a good idea to hardcode a password. Storing password details within comments is equivalent to hardcoding passwords. Not only does it allow all of the project's developers to view the password, it also makes fixing the problem extremely difficult. Once the code is in production, the password is now leaked to the outside world and cannot be protected or changed without patching the software. If the account protected by the password is compromised, the owners of the system will be forced to choose between security and availability.

Example: The following comment specifies the default password to connect to a database:


```
...  
// Default username for database connection is "scott"  
// Default password for database connection is "tiger"  
...
```

This code will run successfully, but anyone who has access to it will have access to the password. Once the program has shipped, there is likely no way to change the database user "scott" with a password of "tiger" unless the program is patched. An employee with access to this information could use it to break into the system.

Recommendation

Passwords should never be hardcoded and should generally be obfuscated and managed in an external source. Storing passwords in plaintext anywhere on the system allows anyone with sufficient permissions to read and potentially misuse the password.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Password Management: Password in Comment	2	0	0	2
Total	2	0	0	2

Password Management: Password in Comment

Low

Package: Users.adjeante.Desktop.va-crmprojects.TMP.Integration.VA.TMP.Integration.VIMT.Vista.Links

Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/Links/VistaFakeResponses.cs, line 108
(Password Management: Password in Comment)

Low

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Structural)

Sink Details

Sink: Comment
File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/Links/VistaFakeResponses.cs:108
Taint Flags:

```
105 // <mcs_status>2,5,8,13</mcs_status>
106 // <mcs_multiSiteQuery>>false</mcs_multiSiteQuery>
107 // <mcs_consumingAppToken>TMP_App_ID54</mcs_consumingAppToken>
108 // <mcs_consumingAppPassword>J!8Ys6!Wgs</mcs_consumingAppPassword>
109 // <VIMTVIAEMRgcfpReqproviderInfo>
110 // <mcs_name>Yott,Charles A</mcs_name>
111 // <mcs_userId>O2xKvjSGnEqwgmlHXDquwV/pokUj7qygF8OdBnl5FlM=</ mcs_userId >
```

Package: Users.adjeante.Desktop.va-crmprojects.TMP.Integration.VA.TMP.Integration.VIMT.Vista.PipelineSteps.MakeAppointment

Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/PipelineSteps/MakeAppointment/x45 - SendPatientSideToEc.cs, line 41 (Password Management: Password in Comment)

Low

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Structural)

Sink Details

Sink: Comment
File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/PipelineSteps/MakeAppointment/x45 - SendPatientSideToEc.cs:41
Taint Flags:

```
38 // <mcs_requestingApp>TMP_App</mcs_requestingApp>
39 // <mcs_multiSiteQuery>>false</mcs_multiSiteQuery>
40 // <mcs_consumingAppToken>TMP_App_ID54</mcs_consumingAppToken>
41 // <mcs_consumingAppPassword>J!8Ys6!Wgs</mcs_consumingAppPassword>
```

Password Management: Password in Comment**Low****Package: Users.adjeante.Desktop.va-crmprojects.TMP.Integration.VA.TMP.Integration.VIMT.Vista.PipelineSteps.MakeAppointment****Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/PipelineSteps/MakeAppointment/x45 - SendPatientSideToEc.cs, line 41 (Password Management: Password in Comment)****Low**

```
42 // <VIMTVIASchdMakeApptReqproviderInfo>
43 // <mcs_name>Yott,Charles A</mcs_name>
44 // <mcs_userId>o5vWGJggwKpvfR5inE0cH1xaTKGsfqBo66Qgw0i3wbM=</ mcs_userId >
```

Poor Error Handling: Empty Catch Block (1 issue)

Abstract

Ignoring an exception can cause the program to overlook unexpected states and conditions.

Explanation

Just about every serious attack on a software system begins with the violation of a programmer's assumptions. After the attack, the programmer's assumptions seem flimsy and poorly founded, but before an attack many programmers would defend their assumptions well past the end of their lunch break.

Two dubious assumptions that are easy to spot in code are "this method call can never fail" and "it doesn't matter if this call fails". When programmers ignore exceptions, they implicitly state that they are operating under one of these assumptions.

Example 1: The following code excerpt ignores a rarely-thrown exception from `DoExchange()`.

```
try {
    DoExchange();
}
catch (RareException e) {
    // this can never happen
}
```

If a `RareException` were to ever be thrown, the program would continue to execute as though nothing unusual had occurred. The program records no evidence indicating the special situation, potentially frustrating any later attempt to explain the program's behavior.


Recommendation

At a minimum, log the fact that the exception was thrown so that it will be possible to come back later and make sense of the resulting program behavior. Better yet, abort the current operation.

Example 2: The code in Example 1 could be rewritten in the following way:

```
try {
    DoExchange();
}
catch (RareException e) {
    Log.Error("This can never happen: " + e);
}
```

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Poor Error Handling: Empty Catch Block	1	0	0	1
Total	1	0	0	1

Poor Error Handling: Empty Catch Block

Low

Package: VRMRest

Users/adjeante/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs, line 254 (Poor Error Handling: Empty Catch Block)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: LogError()

File: Users/adjeante/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs:254

Taint Flags:

```

251
252 CreateCRMLogEntryResponse logResponse = SendReceive<CreateCRMLogEntryResponse>(baseUri,
Utility.CreateCRMLogEntryRequest, logRequestStart, null);
253 }
254 catch (Exception) { }
255
256 }
257

```

Poor Error Handling: Overly Broad Catch (27 issues)

Abstract

The catch block handles a broad swath of exceptions, potentially trapping dissimilar issues or problems that should not be dealt with at this point in the program.

Explanation

Multiple catch blocks can get ugly and repetitive, but "condensing" catch blocks by catching a high-level class like `Exception` can obscure exceptions that deserve special treatment or that should not be caught at this point in the program. Catching an overly broad exception essentially defeats the purpose of .NET's typed exceptions, and can become particularly dangerous if the program grows and begins to throw new types of exceptions. The new exception types will not receive any attention.

Example: The following code excerpt handles three types of exceptions in an identical fashion.

```
try {
    DoExchange();
}
catch (IOException e) {
    logger.Error("DoExchange failed", e);
}
catch (FormatException e) {
    logger.Error("DoExchange failed", e);
}
catch (TimeoutException e) {
    logger.Error("DoExchange failed", e);
}
```

At first blush, it may seem preferable to deal with these exceptions in a single catch block, as follows:


```
try {
    DoExchange();
}
catch (Exception e) {
    logger.Error("DoExchange failed", e);
}
```

However, if `DoExchange()` is modified to throw a new type of exception that should be handled in some different kind of way, the broad catch block will prevent the compiler from pointing out the situation. Further, the new catch block will now also handle exceptions of types `ApplicationException` and `NullReferenceException`, which is not the programmer's intent.

Recommendation

Do not catch broad exception classes like `Exception`, or except at the very top level of the program or thread.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Poor Error Handling: Overly Broad Catch	27	0	0	27
Total	27	0	0	27

Poor Error Handling: Overly Broad Catch

Low

Package: MCSUtilities2011

Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/UtilityFunctions.cs, line 108 (Poor Error Handling: Overly Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: getOptionSetString()

File: Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/UtilityFunctions.cs:108

Taint Flags:

```

105 _logger.setModule = "execute";
106 return null;
107 }
108 catch (Exception ex)
109 {
110 _logger.setService = _service;
111 _logger.setModule = "getOptionSetString";

```

Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/UtilityFunctions.cs, line 62 (Poor Error Handling: Overly Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: getOptionSetValue()

Poor Error Handling: Overly Broad Catch**Low****Package: MCSUtilities2011****Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/
UtilityFunctions.cs, line 62 (Poor Error Handling: Overly Broad Catch)****Low****File:** Users/adjeante/Desktop/va-crmprojects/TMP/CRM/MCSShared/UtilityFunctions.cs:62**Taint Flags:**

```
59 _logger.setModule = "execute";  
60 return 0;  
61 }  
62 catch (Exception ex)  
63 {  
64 _logger.setService = _service;  
65 _logger.setModule = "getOptionSetValue";
```

Package: VA.TMP.Integration.VIMT.Mvi.MessageHandler**Users/adjeante/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/MessageHandler/PersonSearchHandler.cs, line 42
(Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()**File:** Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/
PersonSearchHandler.cs:42**Taint Flags:**

```
39  
40 return response;  
41 }  
42 catch (Exception ex)  
43 {  
44 return LogAndCreateResponseMessage(ex);  
45 }
```

**Users/adjeante/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs,
line 42 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()

Poor Error Handling: Overly Broad Catch**Low****Package:** VA.TMP.Integration.VIMT.Mvi.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs,
line 42 (Poor Error Handling: Overly Broad Catch)****Low****File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/
GetPersonIdentifiersHandler.cs:42**Taint Flags:**

```
39
40 return response;
41 }
42 catch (Exception ex)
43 {
44 return LogAndCreateResponseMessage(ex) ;
45 }
```

**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/MessageHandler/ProxyAddHandler.cs, line 42
(Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/
ProxyAddHandler.cs:42**Taint Flags:**

```
39
40 return response;
41 }
42 catch (Exception ex)
43 {
44 return LogAndCreateResponseMessage(ex) ;
45 }
```

Package: VA.TMP.Integration.VIMT.Mvi.PipelineSteps.ProxyAdd**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Mvi/PipelineSteps/ProxyAdd/15 -
SendPatientVeteranIdentifierToEc.cs, line 25 (Poor Error Handling: Overly Broad
Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)

Poor Error Handling: Overly Broad Catch**Low****Package:** VA.TMP.Integration.VIMT.Mvi.PipelineSteps.ProxyAdd**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/ProxyAdd/15 - SendPatientVeteranIdentifierToEc.cs, line 25 (Poor Error Handling: Overly Broad Catch)****Low****Sink Details****Sink:** CatchBlock**Enclosing Method:** Execute()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/ProxyAdd/15 - SendPatientVeteranIdentifierToEc.cs:25**Taint Flags:**

```
22 {  
23 MviUtilities.SendIdentifierToProxyAddEc(ref state, true);  
24 }  
25 catch (Exception ex)  
26 {  
27 var exceptionMessage = ex.Message;  
28 exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/ProxyAdd/26 - SendProviderVeteranIdentifierToEc.cs, line 25 (Poor Error Handling: Overly Broad Catch)**Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** Execute()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/PipelineSteps/ProxyAdd/26 - SendProviderVeteranIdentifierToEc.cs:25**Taint Flags:**

```
22 {  
23 MviUtilities.SendIdentifierToProxyAddEc(ref state, false);  
24 }  
25 catch (Exception ex)  
26 {  
27 var exceptionMessage = ex.Message;  
28 exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);
```

Package: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitDeleteHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details**

Poor Error Handling: Overly Broad Catch**Low****Package:** VA.TMP.Integration.VIMT.VideoVisit.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitDeleteHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)****Low****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitDeleteHandler.cs:42**Taint Flags:**

```
39  
40 return response;  
41 }  
42 catch (Exception ex)  
43 {  
44 return LogAndDeleteResponseMessage(ex) ;  
45 }
```

**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitCreateHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitCreateHandler.cs:42**Taint Flags:**

```
39  
40 return response;  
41 }  
42 catch (Exception ex)  
43 {  
44 return LogAndCreateResponseMessage(ex) ;  
45 }
```

**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitUpdateHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details**

Poor Error Handling: Overly Broad Catch**Low****Package:** VA.TMP.Integration.VIMT.VideoVisit.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitUpdateHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)****Low****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** HandleRequestResponse()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitUpdateHandler.cs:42**Taint Flags:**

```
39  
40  return response;  
41  }  
42  catch (Exception ex)  
43  {  
44  return LogAndCreateResponseMessage(ex) ;  
45  }
```

Package: VA.TMP.Integration.VIMT.VideoVisit.PipelineSteps.Create**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Create/15 -
PostToVideoVisitService.cs, line 61 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** Execute()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Create/
15 - PostToVideoVisitService.cs:61**Taint Flags:**

```
58  }  
59  }  
60  }  
61  catch (Exception ex)  
62  {  
63  var exceptionMessage = ex.Message;  
64  exceptionMessage += PipelineUtilities.BuildErrorMessage(ex) ;
```

Poor Error Handling: Overly Broad Catch**Low****Package:** VA.TMP.Integration.VIMT.VideoVisit.PipelineSteps.Delete**Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Delete/15 - PutToVideoVisitService.cs, line 51 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** Execute()**File:** Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Delete/15 - PutToVideoVisitService.cs:51**Taint Flags:**

```
48  }
49  }
50  }
51  catch (Exception ex)
52  {
53  var exceptionMessage = ex.Message;
54  exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);
```

Package: VA.TMP.Integration.VIMT.VideoVisit.PipelineSteps.Update**Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Update/15 - PutToVideoVisitService.cs, line 54 (Poor Error Handling: Overly Broad Catch)****Low****Issue Details****Kingdom:** Errors**Scan Engine:** SCA (Structural)**Sink Details****Sink:** CatchBlock**Enclosing Method:** Execute()**File:** Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/PipelineSteps/Update/15 - PutToVideoVisitService.cs:54**Taint Flags:**

```
51  }
52  }
53  }
54  catch (Exception ex)
55  {
56  var exceptionMessage = ex.Message;
57  exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);
```

Poor Error Handling: Overly Broad Catch

Low

Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/
VirtualMeetingRoomDeleteHandler.cs, line 42 (Poor Error Handling: Overly Broad
Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: HandleRequestResponse()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/
MessageHandler/VirtualMeetingRoomDeleteHandler.cs:42

Taint Flags:

```
39
40 return response;
41 }
42 catch (Exception ex)
43 {
44 return LogAndDeleteResponseMessage(ex);
45 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/
VirtualMeetingRoomCreateHandler.cs, line 42 (Poor Error Handling: Overly
Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: HandleRequestResponse()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/
MessageHandler/VirtualMeetingRoomCreateHandler.cs:42

Taint Flags:

```
39
40 return response;
41 }
42 catch (Exception ex)
43 {
44 return LogAndCreateResponseMessage(ex);
45 }
```

Poor Error Handling: Overly Broad Catch	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs, line 42 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: HandleRequestResponse()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs:42
Taint Flags:

```

39
40 return response;
41 }
42 catch (Exception ex)
43 {
44 return LogAndCreateResponseMessage(ex) ;
45 }
```

Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.Create	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Create/21 - ValidateXml.cs, line 28 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Create/21 - ValidateXml.cs:28
Taint Flags:

```

25 new List<string> { "VirtualMeetingRoom.xsd" },
26 state.SerializedVirtualMeetingRoom);
27 }
28 catch (Exception ex)
29 {
30 var exceptionMessage = ex.Message;
31 exceptionMessage += PipelineUtilities.BuildErrorMessage(ex) ;
```

Poor Error Handling: Overly Broad Catch	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.Create	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Create/22 - CreateMeetingRoomRequest.cs, line 76 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Create/22 - CreateMeetingRoomRequest.cs:76
Taint Flags:

```

73  }
74  }
75  }
76  catch (Exception ex)
77  {
78      var exceptionMessage = ex.Message;
79      exceptionMessage += Shared.PipelineUtilities.BuildErrorMessage(ex);

```

Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.Delete	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Delete/10 - DeleteMeetingRoomRequest.cs, line 59 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Delete/10 - DeleteMeetingRoomRequest.cs:59
Taint Flags:

```

56  }
57  }
58  }
59  catch (Exception ex)
60  {
61      var exceptionMessage = ex.Message;
62      exceptionMessage += Shared.PipelineUtilities.BuildErrorMessage(ex);

```


Poor Error Handling: Overly Broad Catch	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.Delete	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Delete/09 - ValidateXml.cs, line 28 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/Delete/09 - ValidateXml.cs:28
Taint Flags:

```

25 new List<string> {"VirtualMeetingRoom.xsd"},
26 state.SerializedVirtualMeetingRoomDelete);
27 }
28 catch (Exception ex)
29 {
30 var exceptionMessage = ex.Message;
31 exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);

```

Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.OnDemand	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/OnDemand/22 - CreateMeetingRoomRequest.cs, line 76 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors
Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock
Enclosing Method: Execute()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/OnDemand/22 - CreateMeetingRoomRequest.cs:76
Taint Flags:

```

73 }
74 }
75 }
76 catch (Exception ex)
77 {
78 var exceptionMessage = ex.Message;
79 exceptionMessage += Shared.PipelineUtilities.BuildErrorMessage(ex);

```

Poor Error Handling: Overly Broad Catch	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.PipelineSteps.OnDemand	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/OnDemand/21 - ValidateXml.cs, line 28 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: Execute()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/PipelineSteps/OnDemand/21 - ValidateXml.cs:28

Taint Flags:

```

25 new List<string> { "VirtualMeetingRoom.xsd" },
26 state.SerializedVirtualMeetingRoom);
27 }
28 catch (Exception ex)
29 {
30 var exceptionMessage = ex.Message;
31 exceptionMessage += PipelineUtilities.BuildErrorMessage(ex);

```

Package: VA.TMP.Integration.VIMT.Vista.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/MakeAppointmentHandler.cs, line 32 (Poor Error Handling: Overly Broad Catch)	Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: HandleRequestResponse()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/MakeAppointmentHandler.cs:32

Taint Flags:

```

29
30 return response;
31 }
32 catch (Exception ex)
33 {
34 return LogAndCreateResponseMessage(ex);
35 }

```

Poor Error Handling: Overly Broad Catch

Low

Package: VA.TMP.Integration.VIMT.Vista.MessageHandler

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Vista/MessageHandler/
GetConsultsForPatientHandler.cs, line 34 (Poor Error Handling: Overly Broad
Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: HandleRequestResponse()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/
GetConsultsForPatientHandler.cs:34

Taint Flags:

```
31  
32 return response;  
33 }  
34 catch (Exception ex)  
35 {  
36 return LogAndCreateResponseMessage(ex) ;  
37 }
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Vista/MessageHandler/CancelAppointmentHandler.cs,
line 34 (Poor Error Handling: Overly Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: HandleRequestResponse()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/
CancelAppointmentHandler.cs:34

Taint Flags:

```
31  
32 return response;  
33 }  
34 catch (Exception ex)  
35 {  
36 return LogAndCreateResponseMessage(ex) ;  
37 }
```

Poor Error Handling: Overly Broad Catch

Low

Package: VRMRest

Users/adjearnte/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs, line 254 (Poor Error Handling: Overly Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: LogError()

File: Users/adjearnte/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs:254

Taint Flags:

```
251
252 CreateCRMLogEntryResponse logResponse = SendReceive<CreateCRMLogEntryResponse>(baseUri,
Utility.CreateCRMLogEntryRequest, logRequestStart, null);
253 }
254 catch (Exception) { }
255
256 }
257
```

Package: VRMRest.Utility

Users/adjearnte/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs, line 97 (Poor Error Handling: Overly Broad Catch)

Low

Issue Details

Kingdom: Errors

Scan Engine: SCA (Structural)

Sink Details

Sink: CatchBlock

Enclosing Method: _SendAsync_b__0()

File: Users/adjearnte/Desktop/va-crmprojects/VIMT-EC/RTC/Developer Resources/VRMRest/VRMRest/Utility.cs:97

Taint Flags:

```
94 if (callBack != null)
95     callBack(response);
96 }
97 catch (Exception ex)
98 {
99     if (logSettings != null)
100     {
```

System Information Leak: Internal (12 issues)

Abstract

Revealing system data or debugging information helps an adversary learn about the system and form a plan of attack.

Explanation

An internal information leak occurs when system data or debugging information is sent to a local file, console, or screen via printing or logging.

Example: The following code constructs a database connection string, uses it to create a new connection to the database, and prints it to the console.

```
string cs="database=northwind;server=mysqlServer...";
SqlConnection conn=new SqlConnection(cs);
...
Console.WriteLine(cs);
```


Depending on the system configuration, this information can be dumped to a console, written to a log file, or exposed to a user. In some cases the error message tells the attacker precisely what sort of an attack the system is vulnerable to. For example, a database error message can reveal that the application is vulnerable to a SQL injection attack. Other error messages can reveal more oblique clues about the system. In the example above, the leaked information could imply information about the type of operating system, the applications installed on the system, and the amount of care that the administrators have put into configuring the program.

Recommendation

Write error messages with security in mind. In production environments, turn off detailed error information in favor of brief messages. Restrict the generation and storage of detailed output that can help administrators and programmers diagnose problems. Be careful, debugging traces can sometimes appear in non-obvious places (embedded in comments in the HTML for an error page, for example).

Even brief error messages that do not reveal stack traces or database dumps can potentially aid an attacker. For example, an "Access Denied" message can reveal that a file or user exists on the system.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
System Information Leak: Internal	12	0	0	12
Total	12	0	0	12

System Information Leak: Internal

Low

Package: VA.TMP.Integration.VIMT.Mvi.MessageHandler

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/

VA.TMP.Integration.VIMT.Mvi/MessageHandler/PersonSearchHandler.cs, line 55

(System Information Leak: Internal)

Low

Issue Details

Kingdom: Encapsulation

Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception

From: VA.TMP.Integration.VIMT.Mvi.MessageHandler.PersonSearchHandler.LogAndCreateResponseMessage

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/PersonSearchHandler.cs:55

```
52  /// <returns>PersonSearchResponseMessage.</returns>
53  private PersonSearchResponseMessage LogAndCreateResponseMessage(Exception
exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Person Search Handler Exception",
exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Sink Details

Sink: log4net.ILog.Error()

Enclosing Method: LogAndCreateResponseMessage()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/PersonSearchHandler.cs:55

Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```
52  /// <returns>PersonSearchResponseMessage.</returns>
53  private PersonSearchResponseMessage LogAndCreateResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Person Search Handler Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.Mvi.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/ProxyAddHandler.cs, line 55 (System Information Leak: Internal)	Low

Issue Details

Kingdom: Encapsulation
Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception
From: VA.TMP.Integration.VIMT.Mvi.MessageHandler.ProxyAddHandler.LogAndCreateResponseMessage
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/ProxyAddHandler.cs:55

```

52  /// <returns>ProxyAddResponseMessage.</returns>
53  private ProxyAddResponseMessage LogAndCreateResponseMessage(Exception
exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Proxy Add Handler Exception",
exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Sink Details

Sink: log4net.ILog.Error()
Enclosing Method: LogAndCreateResponseMessage()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/ProxyAddHandler.cs:55
Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

52  /// <returns>ProxyAddResponseMessage.</returns>
53  private ProxyAddResponseMessage LogAndCreateResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Proxy Add Handler Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs, line 55 (System Information Leak: Internal)	Low
--	------------

Issue Details

Kingdom: Encapsulation
Scan Engine: SCA (Data Flow)

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.Mvi.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs, line 55 (System Information Leak: Internal)	Low

Source Details

Source: Read exception
From: VA.TMP.Integration.VIMT.Mvi.MessageHandler.GetPersonIdentifiersHandler.LogAndCreateResponseMessage
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs:55

```

52  /// <returns>GetPersonIdentifiersResponseMessage.</returns>
53  private GetPersonIdentifiersResponseMessage
LogAndCreateResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Get Person Identifiers Handler
Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Sink Details

Sink: log4net.ILog.Error()
Enclosing Method: LogAndCreateResponseMessage()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Mvi/MessageHandler/GetPersonIdentifiersHandler.cs:55
Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

52  /// <returns>GetPersonIdentifiersResponseMessage.</returns>
53  private GetPersonIdentifiersResponseMessage LogAndCreateResponseMessage(Exception
exception)
54  {
55  Logger.Instance.Error("ERROR: MVI Get Person Identifiers Handler Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Package: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitUpdateHandler.cs, line 55 (System Information Leak: Internal)	Low

Issue Details

Kingdom: Encapsulation
Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitUpdateHandler.cs, line 55 (System Information Leak: Internal)	Low

From: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler.VideoVisitUpdateHandler.LogAndCreateResponseMessage

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitUpdateHandler.cs:55

```

52  /// <returns>VideoVisitUpdateResponseMessage.</returns>
53  private VideoVisitUpdateResponseMessage
    LogAndCreateResponseMessage(Exception exception)
54  {
55      Logger.Instance.Error("ERROR: VideoVisit Update Handler Exception",
        exception);
56
57      var exceptionMessage = exception.Message;
58      exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Sink Details

Sink: log4net.ILog.Error()

Enclosing Method: LogAndCreateResponseMessage()

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitUpdateHandler.cs:55

Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

52  /// <returns>VideoVisitUpdateResponseMessage.</returns>
53  private VideoVisitUpdateResponseMessage LogAndCreateResponseMessage(Exception exception)
54  {
55      Logger.Instance.Error("ERROR: VideoVisit Update Handler Exception", exception);
56
57      var exceptionMessage = exception.Message;
58      exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitDeleteHandler.cs, line 55 (System Information Leak: Internal)	Low
---	------------

Issue Details

Kingdom: Encapsulation

Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception

From: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler.VideoVisitDeleteHandler.LogAndDeleteResponseMessage

File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/VideoVisitDeleteHandler.cs:55

System Information Leak: Internal**Low****Package: VA.TMP.Integration.VIMT.VideoVisit.MessageHandler****Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitDeleteHandler.cs, line 55 (System Information Leak: Internal)****Low**

```
52  /// <returns>VideoVisitDeleteResponseMessage.</returns>
53  private VideoVisitDeleteResponseMessage
    LogAndDeleteResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: VideoVisit Delete Handler Exception",
    exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Sink Details**Sink:** log4net.ILog.Error()**Enclosing Method:** LogAndDeleteResponseMessage()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitDeleteHandler.cs:55**Taint Flags:** EXCEPTIONINFO, SYSTEMINFO

```
52  /// <returns>VideoVisitDeleteResponseMessage.</returns>
53  private VideoVisitDeleteResponseMessage LogAndDeleteResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: VideoVisit Delete Handler Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitCreateHandler.cs, line 55 (System Information Leak: Internal)****Low****Issue Details****Kingdom:** Encapsulation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** Read exception**From:** VA.TMP.Integration.VIMT.VideoVisit.MessageHandler.VideoVisitCreateHandler.Log
AndCreateResponseMessage**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT
.VideoVisit/MessageHandler/VideoVisitCreateHandler.cs:55

```
52  /// <returns>VideoVisitCreateResponseMessage.</returns>
53  private VideoVisitCreateResponseMessage
    LogAndCreateResponseMessage(Exception exception)
54  {
```

System Information Leak: Internal**Low****Package:** VA.TMP.Integration.VIMT.VideoVisit.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitCreateHandler.cs, line 55 (System Information Leak: Internal)****Low**

```
55  Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception",  
exception);  
56  
57  var exceptionMessage = exception.Message;  
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Sink Details**Sink:** log4net.ILog.Error()**Enclosing Method:** LogAndCreateResponseMessage()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VideoVisit/MessageHandler/
VideoVisitCreateHandler.cs:55**Taint Flags:** EXCEPTIONINFO, SYSTEMINFO

```
52  /// <returns>VideoVisitCreateResponseMessage.</returns>  
53  private VideoVisitCreateResponseMessage LogAndCreateResponseMessage(Exception exception)  
54  {  
55  Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception", exception);  
56  
57  var exceptionMessage = exception.Message;  
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/
VirtualMeetingRoomCreateHandler.cs, line 55 (System Information Leak: Internal)****Low****Issue Details****Kingdom:** Encapsulation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** Read exception**From:** VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler.VirtualMeetingRoomC
reateHandler.LogAndCreateResponseMessage**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT
.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomCreateHandler.cs:55

```
52  /// <returns>VirtualMeetingRoomCreateResponseMessage.</returns>  
53  private VirtualMeetingRoomCreateResponseMessage  
LogAndCreateResponseMessage(Exception exception)  
54  {  
55  Logger.Instance.Error("ERROR: VirtualMeetingRoom Create Handler  
Exception", exception);  
56
```

System Information Leak: Internal**Low****Package:** VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomCreateHandler.cs, line 55 (System Information Leak: Internal)****Low**

```
57 var exceptionMessage = exception.Message;  
58 exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Sink Details**Sink:** log4net.ILog.Error()**Enclosing Method:** LogAndCreateResponseMessage()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomCreateHandler.cs:55**Taint Flags:** EXCEPTIONINFO, SYSTEMINFO

```
52 /// <returns>VirtualMeetingRoomCreateResponseMessage.</returns>  
53 private VirtualMeetingRoomCreateResponseMessage LogAndCreateResponseMessage(Exception  
exception)  
54 {  
55 Logger.Instance.Error("ERROR: VirtualMeetingRoom Create Handler Exception", exception);  
56  
57 var exceptionMessage = exception.Message;  
58 exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomDeleteHandler.cs, line 55 (System Information Leak: Internal)**Low****Issue Details****Kingdom:** Encapsulation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** Read exception**From:** VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler.VirtualMeetingRoomDeleteHandler.LogAndDeleteResponseMessage**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomDeleteHandler.cs:55

```
52 /// <returns>VirtualMeetingRoomDeleteResponseMessage.</returns>  
53 private VirtualMeetingRoomDeleteResponseMessage  
LogAndDeleteResponseMessage(Exception exception)  
54 {  
55 Logger.Instance.Error("ERROR: VirtualMeetingRoom Delete Handler  
Exception", exception);  
56  
57 var exceptionMessage = exception.Message;  
58 exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomDeleteHandler.cs, line 55 (System Information Leak: Internal)	Low

Sink Details

Sink: log4net.ILog.Error()
Enclosing Method: LogAndDeleteResponseMessage()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VirtualMeetingRoomDeleteHandler.cs:55
Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

52  /// <returns>VirtualMeetingRoomDeleteResponseMessage.</returns>
53  private VirtualMeetingRoomDeleteResponseMessage LogAndDeleteResponseMessage(Exception
exception)
54  {
55  Logger.Instance.Error("ERROR: VirtualMeetingRoom Delete Handler Exception", exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
  
```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs, line 55 (System Information Leak: Internal)	Low
--	------------

Issue Details

Kingdom: Encapsulation
Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception
From: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler.VmrOnDemandCreateHandler.LogAndCreateResponseMessage
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs:55

```

52  /// <returns>VmrOnDemandCreateResponseMessage.</returns>
53  private VmrOnDemandCreateResponseMessage
LogAndCreateResponseMessage(Exception exception)
54  {
55  Logger.Instance.Error("ERROR: VMR On Demand Create Handler Exception",
exception);
56
57  var exceptionMessage = exception.Message;
58  exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
  
```

Sink Details

Sink: log4net.ILog.Error()
Enclosing Method: LogAndCreateResponseMessage()

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.VirtualMeetingRoom.MessageHandler	
Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs, line 55 (System Information Leak: Internal)	Low

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.VirtualMeetingRoom/MessageHandler/VmrOnDemandCreateHandler.cs:55

Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

52  /// <returns>VmrOnDemandCreateResponseMessage.</returns>
53  private VmrOnDemandCreateResponseMessage LogAndCreateResponseMessage(Exception exception)
54  {
55      Logger.Instance.Error("ERROR: VMR On Demand Create Handler Exception", exception);
56
57      var exceptionMessage = exception.Message;
58      exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Package: VA.TMP.Integration.VIMT.Vista.MessageHandler	
Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/GetConsultsForPatientHandler.cs, line 42 (System Information Leak: Internal)	Low

Issue Details

Kingdom: Encapsulation

Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception

From: VA.TMP.Integration.VIMT.Vista.MessageHandler.GetConsultsForPatientHandler.LogAndCreateResponseMessage

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/GetConsultsForPatientHandler.cs:42

```

39
40  private GetConsultsForPatientResponse
LogAndCreateResponseMessage(Exception exception)
41  {
42      Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception",
exception);
43
44      var exceptionMessage = exception.Message;
45      exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Sink Details

Sink: log4net.ILog.Error()

Enclosing Method: LogAndCreateResponseMessage()

File: Users/adjeante/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/GetConsultsForPatientHandler.cs:42

Taint Flags: EXCEPTIONINFO, SYSTEMINFO

System Information Leak: Internal**Low****Package: VA.TMP.Integration.VIMT.Vista.MessageHandler****Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Vista/MessageHandler/
GetConsultsForPatientHandler.cs, line 42 (System Information Leak: Internal)****Low**

```
39
40 private GetConsultsForPatientResponse LogAndCreateResponseMessage(Exception exception)
41 {
42     Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception", exception);
43
44     var exceptionMessage = exception.Message;
45     exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

**Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/
VA.TMP.Integration.VIMT.Vista/MessageHandler/CancelAppointmentHandler.cs,
line 43 (System Information Leak: Internal)****Low****Issue Details****Kingdom:** Encapsulation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** Read exception**From:** VA.TMP.Integration.VIMT.Vista.MessageHandler.CancelAppointmentHandler.LogAndCreateResponseMessage**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/CancelAppointmentHandler.cs:43

```
40
41 private CancelAppointmentResponseMessage LogAndCreateResponseMessage(Exception exception)
42 {
43     Logger.Instance.Error("ERROR: Cancel Appointment Handler Exception", exception);
44
45     var exceptionMessage = exception.Message;
46     exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);
```

Sink Details**Sink:** log4net.ILog.Error()**Enclosing Method:** LogAndCreateResponseMessage()**File:** Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/CancelAppointmentHandler.cs:43**Taint Flags:** EXCEPTIONINFO, SYSTEMINFO

```
40
41 private CancelAppointmentResponseMessage LogAndCreateResponseMessage(Exception exception)
42 {
43     Logger.Instance.Error("ERROR: Cancel Appointment Handler Exception", exception);
```

System Information Leak: Internal	Low
Package: VA.TMP.Integration.VIMT.Vista.MessageHandler	
Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/CancelAppointmentHandler.cs, line 43 (System Information Leak: Internal)	Low

```

44
45 var exceptionMessage = exception.Message;
46 exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/MakeAppointmentHandler.cs, line 40 (System Information Leak: Internal)	Low
---	------------

Issue Details

Kingdom: Encapsulation
Scan Engine: SCA (Data Flow)

Source Details

Source: Read exception
From: VA.TMP.Integration.VIMT.Vista.MessageHandler.MakeAppointmentHandler.LogAndCreateResponseMessage
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/MakeAppointmentHandler.cs:40

```

37
38 private MakeAppointmentResponseMessage
LogAndCreateResponseMessage(Exception exception)
39 {
40     Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception",
exception);
41
42     var exceptionMessage = exception.Message;
43     exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```

Sink Details

Sink: log4net.ILog.Error()
Enclosing Method: LogAndCreateResponseMessage()
File: Users/adjearnte/Desktop/va-crmprojects/TMP/Integration/VA.TMP.Integration.VIMT.Vista/MessageHandler/MakeAppointmentHandler.cs:40
Taint Flags: EXCEPTIONINFO, SYSTEMINFO

```

37
38 private MakeAppointmentResponseMessage LogAndCreateResponseMessage(Exception exception)
39 {
40     Logger.Instance.Error("ERROR: VideoVisit Create Handler Exception", exception);
41
42     var exceptionMessage = exception.Message;
43     exceptionMessage += PipelineUtilities.BuildErrorMessage(exception);

```


Description of Key Terminology

Likelihood and Impact

Likelihood

Likelihood is the probability that a vulnerability will be accurately identified and successfully exploited.

Impact

Impact is the potential damage an attacker could do to assets by successfully exploiting a vulnerability. This damage can be in the form of, but not limited to, financial loss, compliance violation, loss of brand reputation, and negative publicity.

Fortify Priority Order

Critical

Critical-priority issues have high impact and high likelihood. Critical-priority issues are easy to detect and exploit and result in large asset damage. These issues represent the highest security risk to the application. As such, they should be remediated immediately.

SQL Injection is an example of a critical issue.

High

High-priority issues have high impact and low likelihood. High-priority issues are often difficult to detect and exploit, but can result in large asset damage. These issues represent a high security risk to the application. High-priority issues should be remediated in the next scheduled patch release.

Password Management: Hardcoded Password is an example of a high issue.

Medium

Medium-priority issues have low impact and high likelihood. Medium-priority issues are easy to detect and exploit, but typically result in small asset damage. These issues represent a moderate security risk to the application. Medium-priority issues should be remediated in the next scheduled product update.

Path Manipulation is an example of a medium issue.

Low

Low-priority issues have low impact and low likelihood. Low-priority issues can be difficult to detect and exploit and typically result in small asset damage. These issues represent a minor security risk to the application. Low-priority issues should be remediated as time allows.

Dead Code is an example of a low issue.

About HPE Security

HPE Security is a leading provider of security and compliance solutions for the modern enterprise that wants to mitigate risk in their hybrid environment and defend against advanced threats. Based on market-leading products from HPE Security ArcSight and HPE Security Fortify, the HPE Security Intelligence Platform uniquely delivers the application protection and advanced correlation to protect today's hybrid IT infrastructure from sophisticated cyber threats.